5/S

San Francisco Public Library

GOVERNMENT INFORMATION CENTER
SAN FRANCISCO PUBLIC LIBRARY

REFERENCE BOOK

Not to be taken from the Library

JAN - 8 2002

3 1223 06010 1913

SCA PROJECT NO. B4210 OCTOBER, 2000

Report:
San Francisco Unified School District
Lead in Drinking Water Survey
Data Updated Through September, 2000

Volume V of V

APPENDICES D AND E
- **FIELD DATA SHEETS**
- **LAB QA/QC REPORTS**

DOCUMENTS DEPT.
JUL 2 3 2001
SAN FRANCISCO
PUBLIC LIBRARY

12540

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to: 415-242-2553
~~B. Giannini~~ of SFUSD @ ~~415-695-5667~~ and C. Siu of SCA @ 510-848-3328.
Rafael Picazo

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 06/14/87 2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SOTA
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: N. Owe / SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arc Hei
01	69401A	M	06/14/24	07:35	DF	Room 003	R	29	1410 min	29	3
02	69401B	P			DF	source # 1	30sec	30		22	
03	69402A	M	06/14/2000	07:40	DF	Room 003	R	0		21	3
04	69402B	S			DF	source # 2	30sec.	30		18	
		P									
05	69403A	M	06/14/2000	07:45	DF	C-90 westside	R	0		24	2
06	69403B	E			DF	Source # 3	30sec.	30sec		21	

RELINQUISHED BY: [signature]
Date/Time: 06/14/2000

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1205

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

2 47602 SFPL:ECONO JRS
219 12/21/01 33

12540

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to: 415-242-2553
~~B. Giannini~~ of SFUSD @ 415-~~[illegible]~~-5667 and C. Siu of SCA @ 510-848-3328.

Original Pico 2E

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 06/14/~~99~~ 2000
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: SOTA	☐ Graphite Furnace AA EPA 239.2 LEAD
SITE FILE: Water Sampling - ☐ Lead	FIXTURE TYPE: DF-Drinking Fountain, MDF-Multiple DF, WCDF-Water-Cooled DF, SDF-Sink DF, SF-Sink Faucet, WF-Water-Faucet
INSPECTOR: NOW / 3 Film	SAMPLE TYPE: B - Blank, S - spiked, R - Re-Sample
WORK ORDER #: SFUSD PO	

	SAMPLE #	A/Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arc Hei
07	69404A	W		07:50	DF	C-9 East side	R	0	1:410 min	21	2"
08	69404B	P			DF	Sourseet 4	38 sec.	30	↓	17	"
		M									
	69405A	S				Removed					
10	69405B	D									
		D				Sourseet 5					

RELINQUISHED BY: [signature] Date/Time: 06/14/00

RECEIVED BY: [signature] Date/Time: 6-15-2000 1205

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12541

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (S.A.P.)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Roof Top
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: N. Ouary from S.F.U.S.D
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
12541-01 3330A		06/14/00	08:42	MDF	Roof Left Side	R	0	132°	28
↓ 02 3330B						38sec	30sec	MINT	

RELINQUISHED BY: [signature]
Date/Time: 06-14-2000

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1200

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12543

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro
PHONE: (510) 653-0824 DATE: 6/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Alice Fong Yu ES
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: R. Picazo Sign ALP
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	AYWOD	DATE	TIME	FIXTURE TYPE	SPACE/LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	64021-A		6/14/2000	8:30 AM	DF	Eastside 3rd flr Corridor/HALL	F	-0-	18 HRS
02	64021-B	"	"	8:31 AM	"	" " "	2nd DRAW	30 sec	"
03	64022-A	"	"	8:35 AM	DF	Westside, 3rd floor, Corridor	F	-0-	"
04	64022-B	"	"	8:36 AM	"	" " "	2nd DRAW	30 sec	"
05	64023-A	"	"	8:42 AM	"	Eastside 2nd floor, Corridor	F	-0-	"
06	64023-B	"	"	8:43 AM	"	" " "	2nd DRAW	30 sec	"
07	64024-A	"	"	8:50 AM	"	Westside, 2nd floor corridor	F	-0-	"
08	64024-B	"	"	8:51 AM	"	" " "	2nd DRAW	30 sec	"

RELINQUISHED BY: Rafael Picazo
Date/Time: 6/14/2000

RECEIVED BY: [illegible]
Date/Time: 6-15-2000, 1329

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

12543

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFUSD

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO
PHONE: (510) 653-0824 DATE: 6/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Alice Fong Yu ES
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: R. Picazo (firm ACP)
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	ANY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
09	64025-A	B	6/14/2000	8:55 AM	DF	Westside, 1st flr Corridor	F	Ø	18 HRS
10	64025-B	"	"	8:56 AM	"	" " "	2nd DRAW	30 sec	"
11	64026-A	"	"	9:00 AM	"	Eastside, 1st flr Corridor	F	Ø	"
12	64026-B	"	"	9:01 AM	"	" " "	2nd DRAW	30 sec	"

RELINQUISHED BY: Rafael Picazo
Date/Time: 6/14/2000

RECEIVED BY: [illegible]
Date/Time: 6/15/2000, 1320

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Page [illegible]

12544

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
R. Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro
PHONE: (510) 653-0824 DATE: 6/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Commodore Sloat ES
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: R. Picazo Sign ACP
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y W E D	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	29500-A		6/14/2000	7:25 AM	SF	Kitchen	F	0	17 HRS
02	29500-B	"	"	7:26 AM	SF	" " "	2nd Draw	30 sec	17 HRS
03	29501-A	"	"	7:31 AM	SDF	Room A-2	F	0	17 HRS
04	29501-B	"	"	7:32 AM	"	" " "	2nd Draw	30 sec	17 HRS
05	29502-A	"	"	7:41 AM	SDF	Room B-1	F	0	17 HRS
06	29502-B	"	"	7:42 AM	SDF	" " "	2nd Draw	30 sec	17 HRS
07	29503-A	"	"	7:48 AM	SDF	POD "C" Lounge	F	F	17 HRS
08	29503-B	"	"	7:49 AM	"	" " "	2nd Draw	30 sec	17 HRS

RELINQUISHED BY: Rafael Picazo
Date/Time: 6/14/2000

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1331

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5800

12544

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
of SFUSD @ 415-. and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO

PHONE: (500) 653-0824 DATE: 6/14/2000

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Commodore Sloat ES

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: R. Ricaro ALP

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
09	29504-A	WD	6/14/2000	7:54 AM	SDF	Room C-3	F	0	17 HRS
10	29504-B	"	" "	7:55 AM	"	" " "	2nd Draw	30 sec	17 HRS
11	29505-A	"	" "	8:02 AM	"	Room D-1	F	0	17 HRS
12	29505-B	"	" "	8:03 AM	"	Room D-1	2nd Draw	30 sec	17 HRS
13	29506-A	"	" "	8:06 AM	"	Room D-4	F	0	17 HRS
14	29506-B	"	" "	8:07 AM	"	Room D-4	2nd Draw	30 sec	17 HRS

RELINQUISHED BY: Rafael Ricaro
Date/Time: 6/14/2000

RECEIVED BY:
Date/Time: 6.15.2000 1331

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12545

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/14/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lafayett ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: RW / Firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
01	06141-A	WEQ	6/14		DF	1st Floor C190-corridor	R		6+hrs		
02	06141-B	"	"		"	"	Rw	30 sec			
03	06142-A	"	"		"	K-Rm 02GB	R		6+hrs		
04	06142-B	"	"		"	"	R	30 sec			

RELINQUISHED BY: Ray [signature] Date/Time: 6/14/00
RECEIVED BY: [signature] Date/Time: 6.15.2000 1335

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12546

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Peabody ES/CC
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: Rco / firm SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	AYWSQ	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	AH
01	31253-A		6/14		SF	Rm3	R		6+ hrs		
02	31253-B	"	"		"	"	"	30sec			
		"									
03	12538-A	"	6/14		SF	Rm 9	R		6+ hrs		
04	12538-B	"	"		"	"	"	30sec			
05	14613-A	"	6/14		SF	K-1 Rm 2	R		6+ hrs		
06	14613-B	"	"		"	"	"	30sec			

RELINQUISHED BY: Ray [illegible] Date/Time: 6/14/00
RECEIVED BY: [illegible] Date/Time: 6-15-2000 1335

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12547

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro Es/CC
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: RW / SFUSD firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
01	01312-A	W 5/31	6/14		DF	Rm 13	R		6 hrs		
02	01312-B	"	"		"	"	"	30 sec			
03	01511-A	"	"		"	Rm 11	"		"		
04	01511-B	"	"		"	"	"	30 sec	"		
05	06132-A	"	"		"	Rm 8	"		"		
06	06132-B	"	"		"	"	"	30 sec	"		
07	05731-A	"	"		"	Rm 2	"		"		
08	05731-B	"	"		"	"	"	30 sec	"		

RELINQUISHED BY: Ray Wells
Date/Time: 6/14/00

RECEIVED BY:
Date/Time: 6/15-2000 1339

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12547

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/14/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES/CC
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: RW / SFUSD
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	A F
09	03241-A	w/d	6/14			CC kitchen	R		6+ hrs		
10	03241-B	"	"			"	"	30 sec	?		

RELINQUISHED BY: Ray Wells
Date/Time: 6/14/00

RECEIVED BY: [illegible]
Date/Time: 6-15-2000 1339

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12616

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/15/2002
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McAteer H.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Owen / SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	[illegible]
01	55501A	06-15-2002	13:10	DF	Auditorium Lobby	R	0	1348 min	42
02	55501B	↓		DF	Source # 1	30sec	30	↓	41
03	55502A		13:25	DF	@ RB locker Rm	R	0	1346 min	3
04	55502B			DF	Source # 5	30sec	3	↓	3
05	55503A		13:40	DF	ACADEMIC L3 S. Hallway	R	0	1345 min	
06	55503B	↓		DF	3RD FL. Source #14	30sec	30sec		

RELINQUISHED BY: [signature]
Date/Time: 06-15-2002 17:00

RECEIVED BY: [signature]
Date/Time: 6/16/02

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - S.A.P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12617

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/15/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ER TAYLOR ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	A F
01	06151A	Th	6/15/00	SF	SF	Teacher Kitchen Annex BLDG.	I				
02	06152B	"	"	"	"	"	R	30			
03	06153A	"	"	DF	DF	3rd FLOOR Annex BLDG. CORRIDOR	I				
04	06154B	"	"	"	"	"	R	30			
05	06155A	"	"	MDF	MDF	outside multi Purpose Room	I				
06	06156B	"	"	"	"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/16/00

RECEIVED BY: [signature]
Date/Time: 6/16/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 595-5000

Page___ of ___

1063

12857

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/20/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Luther Burbank MS
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
62001A	UE	6/20/00		DF	East End Cafeteria	DF	I			
62002B	"	"		"	"	R	30			
62003A	"	"		MDF	Yard outside Girls GYM.	I				
62004B	"	"		"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/20/00
RECEIVED BY: [signature]
Date/Time: 6/21/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

Page___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12901

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/22/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Presidio CC
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
622001A	HU	6/22/00		DF	Outside in yard by RM 11	I				
622002B	"	"		"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/23/00
RECEIVED BY: [signature]
Date/Time: 6/23/2000, 1100

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12902

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/22/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: S.F Community CC
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	A
622000A		6/22/00		SF	RM 002A	I				
622004B		"		"	"	R	30			

RELINQUISHED BY: [illegible]
Date/Time: 6/23/00
RECEIVED BY: [illegible]
Date/Time: 6/23/2000 - 1400

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12903

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/22/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: RW / firm SFUSD
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
1	62200-1A	Th	6/22		SDF	Rm 202	R		6 hrs	
2	62200-1B	"	"		"	"	R	30sec		
3	62202-A	"	"		"	Rm 201	R		"	
4	62202-B	"	"		"	"	R	30se		
5	62203-A	"	"		SF	Rm 206	R		"	
6	62203-B	"	"		SF	"	R	30sec		
7	62204-A	"	"		DF	Rm 205	R		"	
8	62204-B	"	"		"	"	R	30sec		
9	62205-A	"	"		"	Rm 203	R		"	

RELINQUISHED BY: Ray Wilson
Date/Time: 6/23/00

RECEIVED BY: Klee Lyon
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 585-5500

Page ___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12903

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/22/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GARFIELD E.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: RW / from SFUSD
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
10	62205-B	Th	6/22	—	~~DF~~	Rm 203	R	30 Sec	6+hrs	
11	62206-A	"	"	—	SF	Rm 222	R			
12	62206-B	"	"	—	"	"	R	30 Sec		
13	62207-A	"	"	—		Rm 220	R		"	
14	62207-B	"	"	—		"	R	30 Sec		
15	62208-A	"	"	SDF		Rm 105	R		"	
16	62208-B	"	"	"		"	R	30 Sec		
17	62209-A	"	"	"		Rm 104	R		"	
18	62209-B	"	"	"		"	R	30 Sec		

RELINQUISHED BY: Ray [illegible]
Date/Time: 6/23/00

RECEIVED BY: [illegible]
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan -SAP-

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12903

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/22/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: RW / SFUSD
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	ALT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	~~FLUSH TIME~~	NONUSE TIME	Fill Time
19	52201-A	14	6/22	—	SF	Rm 305	R	6+ Hrs	96	
20	52201-B	"	"		"	"	R	30 Sec		
21	52202-A	"	"		SDF	Rm 307	R		"	
22	52202-B	"	"		"	"	R	30 Sec		
23	52203-A	"	"		"	Rm 302	R		"	
24	52203-B	"	"		"	"	R	30 Sec		
25	52204-A	"	"		"	Rm 313	R		"	
26	52204-B	"	"		"	"	R	30 Sec	"	
27	52205-A		"		"	Rm 316	R			

RELINQUISHED BY: [signature]
Date/Time: 6/23/00

RECEIVED BY: [signature]
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

Page ___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12903

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6-22-00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: RW / firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
28	57205-B	H	6/22		SF	Rm 316	R	30 sec		
29	57206-A	"	"		SDF	Rm 314	R		6+	
30	57206-B	"	"		"	"	R	30 sec		
31	57207-A	"	"		"	Rm 315	R		"	
32	57207-B	"	"		"	"	R	30 sec		
33	57208-A	"	"		"	Rm 405	R			
34	57208-B	"	"		"	"	R	30 sec		
35	57209-A	"	"		"	Rm 403	R			
36	57209-B	"	"		"	"	R	30 sec		

RELINQUISHED BY: Ray White
Date/Time: 6/23/00
RECEIVED BY: Phee Lefore
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12903

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/22/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

INSPECTOR: RW / SFUSD

WORK ORDER #: SFUSD PO

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
37	42201-A	H	6/22	—	SDF	Rm 408	R	"	6 hours	
38	42201-B	"	"		"	"	R	30sec	"	
39	42202-A	"	"		"	Rm 409	R		"	
40	42202-B	"	"		"	"	R	30sec	"	
41	42203-A	"	"		"	Rm 411	R		"	
42	42203-B	"	"		"	"	R	30sec	"	

RELINQUISHED BY: Gary Wall
Date/Time: 6/23/00

RECEIVED BY: Steve Sydow
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

Page ___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12904

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/22/~~97~~ 2008
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Bessie Carmichael
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: Nora Ferm
WORK ORDER #: SFUSD PO

[ ] [ ]
[x] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
44901A	1	06-22-2008		DF	Cafeteria DF C-92 is off outside of	R	0	10:00 min	.28
44901B	2				Rm 012	3854	3854		.27
	3								
	4								
	5								
	6								
	7								
	8								
	9								
	10								

RELINQUISHED BY: [signature]
Date/Time: 6-22-2008 15:00

RECEIVED BY: [signature]
Date/Time: 6/23/08

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5000

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12905

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06 22 00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: EDISON E.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: N. Owens / S.F.U.S.D.

WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	[illegible]
5701A	AM			DF	Breakfast Patio #002	R	0	32 hr min	3
5701B	PM				Source	30sec	30sec		3

RELINQUISHED BY: [signature]
Date/Time: 06-22-00 15:00

RECEIVED BY: [signature]
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5300

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12906

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Fairmount E S
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Owens SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fi TI
01	53701A	N	06-22-97		SF	BldG(C). upper Lect. RR	R	0	1200 min	1(
02	53701B					Source #4	30sec	30se		1(
03	53702A	N			SF	BldG (C) upper Lect side	R	0		
04	53702B	S				Source # 5	30 sec	30se		(
05	53703A				SF	Source # 14	R	0		(
06	53703B					BldG. D Right RR LEFT Sink	Sec. 30	30 sec		

RELINQUISHED BY: [signature]
Date/Time: 06-22-97 15:00
RECEIVED BY: [signature]
Date/Time: 6/23/97

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12906

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: FAIRMONT E.S
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Owens/S.F.U.S.D. Firm
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	F
07	537046		06-22-2000		SF	B1D6(D) RGHT RR.	R	0	120 min	0
08	537048					SOURCE # 15	30sec.	30sec		0

RELINQUISHED BY: [signature]
Date/Time: 06-22-2000 15:
RECEIVED BY: [signature]
Date/Time: 6/23/

1551 Newcomb Ave., Ste. 106, San Francisco, CA 94124 Phone: (415) 695-5590

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan -SAP-

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12908

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/22/~~97~~ 00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: James Lick M.S.
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: N. Owens firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fi Ti
163401A	N	06-22-00		DF	~~Girls Boys~~ Locker Rm 143	R	—	1320 min	G
163401B	C			DF	Source # 10	30sec	30sec		C
					Girls Locker Rm				
163402A	N								
163402B	S								

RELINQUISHED BY: [signature]
Date/Time: 06-22-00 15:00
RECEIVED BY: [signature] 6/22/00

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: 415/695-5300

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12909

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/22/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mission H.S.
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: N Owens / S.F.U.S.D. firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	E T
72501D	W	06/22/00		DF	Girls Locker Rm 015 Basement El.	R	0	12:54 min	
72501B	P				Source	30sec.	30sec.		
	S								
	P								

RELINQUISHED BY: [signature]
Date/Time: 06/22/2000
RECEIVED BY: [signature]
Date/Time: 6/22/00

1551 Newcomb Ave. Rm. 106, San Francisco, CA 94124, Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

1063

12926

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE: (50[illegible]) DATE: 6/23/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Chinese Ed. Ctr
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: Rin SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	12222-A	F	6/23/00		DF	1st Floor source 3	R		
02	12222-B	"	"		"	" "	R	30sec	
03	32876-A	"	"		"	2nd Floor source 4	R		
04	32876-B	"	"		"	"	R	30sec	
05	86151-A	"	"		"	2nd Floor	R		
06	86151-B	"	"		"	source 10	R	30sec	

RELINQUISHED BY: Ray Wu
Date/Time: 6/23/00
RECEIVED BY: John Chen
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5300

Page. _ of _

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12927

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: DATE:

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Redding ES/EC

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: DW SLIM SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
13452-A	Fri	6/23		DF	2nd Fl Hallway			6 hrs
13452-B	"	"		"	"		30 sec	

RELINQUISHED BY: [signature]
Date/Time: 6/23/00

RECEIVED BY: Joleen Alfon 6/23/00
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12928

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: microAnalytical
PHONE:
DATE: 6/23/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Chin ES
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: RW Firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	33121-A	F	6/23/00		MDF	C90	R	~~6 Hrs~~	6 Hrs
02	33121-B	"	"		"	"	R	30sec	
03	33122-A	"	"		DF	C91	R		"
04	33122-B	"	"		"	"	R	30sec	"

RELINQUISHED BY: Remy Wiley
Date/Time: 6/23/00

RECEIVED BY: John Tipton 6/28/00
Date/Time:

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Page. . of . —

(12428)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

1063

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill MS
SITE FILE: Water Sampling
- ☑ Lead

☒ Graphite Furnace AA EPA 239.2 LEAD

INSPECTOR: RW / firm SFUSD
WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
06131-A	4	6/13		DF	Rm 106	R		6 hrs	30 sec	4
06131-B	"	"		"	"	R	30sec		"	4
06132-A	"	"		"	Rm 103	R		6 hrs	"	4
06132-B	"	"		"	"	R	30sec.		"	4

RELINQUISHED BY: Ray Wells
Date/Time: 6/13/00

RECEIVED BY: L. Wang
Date/Time: 6-13-00 2:30pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

1063 12436

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Daniel Webster
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: RW / firm SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
1	06130-A	Tue	6/13		SF	faculty Lounge. Admin Bldg.	R		6+ hrs	15 sec.	"
2	06130-B	"	"		"	"	R	30sec	"	"	"
3	06131-A	"	"		SDF	Rm 1	R		"	"	"
4	06131-B	"	"		"	"	R	30 sec	"	"	"
5	06132-A	"	"		"	Rm 13	R		"	"	"
6	06132-B	"	"		"	"	R	30sec	"	"	"
7	06133-A	"	"		"	Rm 12	R		"	"	"
8	06133-B	"	"		"	"	R	30sec	"	"	"

RELINQUISHED BY: Ray Martinez
Date/Time: 6/13/00

RECEIVED BY: [illegible]
Date/Time: 6-13-00 2:40 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12436

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Daniel Webster ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

INSPECTOR: R W / firm SFUSD

WORK ORDER #: SFUSD PO

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arc Hei
9	06134-A	Tu	6/13		SDF	Rm 11	R		6+hrs	30 sec	4"
10	06134-B	"	"		"	"	R	30 sec	"	"	"
11	06135-A	"	"		"	Rm 14	R		"	"	"
12	06135-B	"	"		"	"	R	30 sec	"	"	"
13	06136-A	"	"		"	Rm 16	R		"	"	"
14	06136-B	"	"		"	"	R	30 sec	"	"	"
15	06137-A	"	"		"	Rm 15	R		"	"	"
16	06137-B	"	"		"	"	R	30 sec		"	"

RELINQUISHED BY: Ray [illegible]
Date/Time: 6/13/00

RECEIVED BY: [illegible]
Date/Time: 6-13-00 2:40pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12438

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/13 2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MIRALOMA E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Ouang Firm SFUSD
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A/Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
13	77207A	T	06/13/2000	10:12	SDF	Basement 018	R	0	480 min	38
14	77207B		↓		↓	Source #15	30sec	30sec	↓	28
15	77208A	S	06/13/2000	10:18	S.F.	Basement Kitchen Rm23	R	0	480 min	18
16	77208B		↓		↓	Source #17	30sec	30sec	↓	17
17	77209A	D	06/13/2000	10:21	S.F.	Basement Kitchen 023	R	0	480 min	21
18	77209B	F	↓		↓	Source # 18	30sec	30sec		20

RELINQUISHED BY: [signature]
Date/Time: 11:00 06/13/2000
RECEIVED BY: L.Y.
Date/Time: 2:45 pm 6/13/0

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5506

NOTE: Faucets may Have Been Replaced

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12438

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/13/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Malcom ES.
SITE FILE: Water Sampling
Lead
INSPECTOR: N Cuen / SFUSD
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
1	77201A	T	06/13/2000	9:31	SDF	1ST Floor ~~Rm~~ 107	R	0	490 min	48 sec
2	77201B				↓	Source #2	30 sec	30 sec.	↓	46 sec
3	77202A	E		9:39	SDF	1ST Floor 103	R	0	490 min	51 sec
4	77202B	S			↓	Source #4	30 sec	30 sec.	↓	38 sec
5	77203A	D		9:45	SDF	1ST Floor 101	R	0	490 min	33 sec
6	77203B	T			↓	Source #5	30 sec	30 sec.	↓	35 sec

RELINQUISHED BY: [signature]
Date/Time: 16:00 06/13/2000

RECEIVED BY: C.Y. 2:45 p.m. 6/13/0

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

NOTE: Faucet may have been Replaced & Relocated

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12438

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/13/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Miraloma E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Owen / Clim S.F.USD.
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
7	77204A	Y	06/13/2000	9:52	SDF	Basement Fl. Rm 001	R	0	490 min	46 sec
8	77204B	Y			↓	Source #10	30 sec	30 sec	↓	43 sec
9	77205A	S		9:59	SDF	Basement Fl. Rm 010	R	0	490 min	46 sec
10	77205B	D			↓	Source #11	30 sec	30 sec	↓	45 sec
11	77206A	A		10:09	SDF	Basement Fl. 016	R	0	490	45 sec
12	77206B	Y	↓		↓	Source #14	30 sec	30 sec	min	42 sec

RELINQUISHED BY: [signature]
Date/Time: 11:00 06/13/2000

RECEIVED BY: C.Y.
Date/Time: 2:45 6/13/

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

NOTE: Faucets may have been removed

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12536

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/14/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mission Annex / Marshall Annex
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: / firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
12536.										
01	60117A	6/14/00		SDF	Portable (4)	I				
02	60118B	"	"	"	"	R	30			
03	60119A	"	"	"	Portable (6)	R				
04	60120B	"	"	"	"	30				
	Bottle label reads "60120-A"				Rec. 6/15/2000 11:51. Micro Analytical Lab. Inc.					

RELINQUISHED BY: Rick Jones
Date/Time: 6/14/00
RECEIVED BY: Eileen Lofton
Date/Time: 6/15/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. CARVER E.S
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: R. Jones firm
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

12537-	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	AH
01	61301A	1	6/13/00	8:30	DF	CLASS 2105 by GIRLS REST ROOM	I				
02	61302B	"	"	8:35	SF	"	R	30			
03	61303A	"	"	8:40	SDF	CLASS 2102	I				
04	61304B	"	"	8:45	"	"	R	30			
05	61305A	"	"	8:50	"	CLASS 2103	I				
06	61306B	"	"	8:55	"	"	R	30			
07	61307A	"	"	9:00	"	CLASS 2104	I				
08	61308B	"	"	9:05	"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/14/00

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1157

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. CARVER ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
09	61309A	Tu	6/13/00	9:10	SDF	CLASS 252 by BOYS' REST ROOM	I				
10	61310B	"	"	9:15	"	"	R	30			
11	61311A	"	"	9:20	"	CLASS 252 by GIRLS' RestROOM	I				
12	61312B	"	"	9:25	"	"	R	30			
13	61313A	"	"	9:30	SDF	Teacher Lunch RM SINK ON the Left	I				
14	61314B	"	"	9:35	"	"	R	30			
15	61315A	"	"	9:40	"	Teacher Lunch SINK on the Right	I				
16	61316B	"	"	9:45	"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/14/00
RECEIVED BY: [signature]
Date/Time: 6-15-2000 1152

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. CARVER ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
61317A		6/13/00	9:50	SDF	CLASS 287	I				
61318B	"	"	10:00	"	"	R	30			
61319A	"	"	10:05	"	CLASS 288	I				
61320B	"	"	10:10	"	"	R	30			
61321A	"	"	10:15	"	CLASS 291	I				
61322B	"	"	10:20	"	"	R	30			
61323A		"	10:25	DF	Lower Lobby	I				
61324B		"	10:30	"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/13/00

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1157

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. CARVER ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
(25) 17 61325A		6/13/00	10:35	DF	HALLWAY IN POD 100 by G/R15 RESTROOM LOWER	I				
(26) 18 61326B		"	10:40	"	"	R	30			
(27) 19 61327A		"	10:45	SDF	CLASS 106 LOWER	I				
(28) 20 61328B		"	10:50	"	CLASS 108 LOWER	R	30			
(29) 21 61329A		"	10:55	"	CLASS 109 LOWER	I				
(30) 22 61330B		"	11:00	"	CLASS 109 LOWER	R	30			
(31) 23 61331A		"	11:05	"	CLASS 110 LOWER	I				
(32) 24 61332B		"	11:10	"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/13/00

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1153

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan -SAP-

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. CARVER ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones firm
WORK ORDER #: SFUSD PO

[ ] [ ]
[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - ~~Re~~-Sample

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
33	61333A	Inc	6/13/00		DF	Multi Purpose Lower	I				
34	61334B	Inc	"		"	"	R	30			
35	60111A	Wed	6/14/00		SF	Teacher Lounge	I				
36	60112B	"	"		"	"	R	30			
32	60113A	"	"		"	Kitchen Lower	I				
38	60114B	"	"		"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/14/00

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1157

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

13070

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/27/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Jose Ortega ES
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A/B	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch. Heig
01	62700A	A/E	6/27/00		SDF	CLASS RM 202	R				
02	62700B	"	"		"		"	30			
03	62700C	"	"		"		"				
04	62700D	"	"		"		"	30			
05	62700E	"	"		SF		"				
06	62700F	"	"		"		"	30			

RELINQUISHED BY: [signature]
Date/Time: 6/28/00
RECEIVED BY: [signature]
Date/Time: 6-28-00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

1063 12538

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/14/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Burnett CC
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

[ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	A F
12538-01	60141A	WED	6/14/00	8:25	SDF	CLASS 118	I				
02	60142B	"	"		"	CLASS 118	R	30			
03	60143A	"	"		"	CLASS 119	I				
04	60144B	"	"		"	"	R	30			
05	60147A	"	"		SDF	CLASS 222	I				
06	60148B	"	"		"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/14/00

RECEIVED BY: [signature]
Date/Time: 6.15.2000 1201

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

1063

12538

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/14/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Burnett CC
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

[ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	AH
12532 07	60149A	WED	6/14/00		DF	C90, 2nd FLR E.S' by 211	I				
08	60150B	"	"		"		R	30			

RELINQUISHED BY:
Date/Time: 6/14/00

RECEIVED BY:
Date/Time: 6-15-2000 1201

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12539

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Grant AM
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: / firm
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
01	99901a			9:48	SDF	005 151A	R	0	mH 1080	47sec
02	99901B					005 151 source #7	30sec	30sec		49sec
03	99902a			10:02	SDF	Rm 106	R	0		
04	99902B					Source #6	30sec	30sec		
05	99903a			10:10	SDF	Rm 107	R	0		27
06	99903B					Source #9	30sec.	30sec.		26

RELINQUISHED BY: [signature]
Date/Time: 06/14/200
RECEIVED BY: [signature]
Date/Time: 6-15-2000 1206

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12539

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SAP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN E.S
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Ovaysi / SFUSD
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
07	99904A		6-14-2000	10:20	SF	Kitchen Rm 113	R	0	8:00 AM	5sec
08	99904B					Source #11	30sec	30sec		
09	99905A			10:24	SF	Kitchen Rm 113	R	0		5sec
10	99905B					Source # 12	30sec	30sec		6sec
11	99906A			10:38	SDF	Room 101 1st F.	R	0		20
12	99906B					Source # 22	30sec	30sec		18

RELINQUISHED BY: [signature]
Date/Time: 06/14/00

RECEIVED BY: [signature]
Date/Time: 6/15-2000 1204

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12539

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Grattan E.S.
SITE FILE: Water Sampling - Lead
INSPECTOR: N. Owen firm SFIAQ
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
13	999 07a	W	06/14/2000		SDF	1st Fl. Rm 102	R	0	1080 min	21
14	999 07B	C				Source # 19	30 sec	30		20
		N								
15	999 08a	S			SDF	1st Fl. Rm 103	R	0		25
16	999 08	D				Source # 17	30 sec.	30		24
17	999 09a	D			SDF	2nd Fl. 207				28
18	999 09B	X				Source # 35				29

RELINQUISHED BY: [signature] Date/Time: 06/14/2000
RECEIVED BY: [signature] Date/Time: 6-15-2000 12:4

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12539

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: N. Owens, firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
19	99910A	W	06-14-2000		SF	2ND Fl. Rm207	R	0	108 min	12
20	99910B	P				Source # 34	30 sec.	30 sec		12
		M								
21	99911A	S			SF	2DF1. 209	R	0		24
22	99911B	D				Source #31	30 sec	30 sec		21
		D								
23	99912A	D			SF	2ND Fl. Rm209	R	0		17
24	99912B	Y				Source #30	30 sec.	30 sec.		15

RELINQUISHED BY: [signature]
Date/Time: 06/16/00

RECEIVED BY: [signature]
Date/Time: 6.15.2000 @ 1204

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12539

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: / firm
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
25	99913A	W	06/14/2000	11:31	SDF	2ND Floor Rm 205	R	0	1080 min	26 sec
26	99913B					Source # 37	30 sec	30 sec		26 sec
27	99914A	M		11:30	SDF	Room 204 2ND Fl.	R	0	1080 min	24
28	99914B					Source # 38	30 sec	30 sec		23
29	99915A			11:53	SDF	Room 203 2ND Fl.	R	0	1080 min	25
30	99915B					Source # 41	30 sec	30 sec		26

RELINQUISHED BY: [signature]
Date/Time: 06/14/00

RECEIVED BY: [signature]
Date/Time: 6-15-2000 1204

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

12539

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/14/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN ES.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Ouerk/ S.F.U.S.D
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
31	999160	W	06/14/2000	1240	SDF	2nd Fl. Rm 212	R	0	1080 min	34
32	999161		↓		↓	source # 53	3sec	3sec	↓	32
		M								
		T								
		W								
		T								
		F								
		S								
		S								
		M								

RELINQUISHED BY: [signature]
Date/Time: 06/14/00

RECEIVED BY: [signature]
Date/Time: 6/15/2000 1204

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3128.

12907

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/23/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Francisco M.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: N. Owens SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
546016		06-23-2000	09:00	DF	Gym Annex 1st Fl.	R	0	9:00 min	.37
546016		↓		↓	Source # 14	300cc	300cc	↓	.36

RELINQUISHED BY: [signature]
Date/Time: 06-23-2000 11:00
RECEIVED BY: [signature]
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 585-5000

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12930

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/23/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: T. MARSHALL H.S
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR:
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arc Hei
01	623003A	FRI	6/23/00		DF	GIRLS' Locker Room	R				
02	623003B	"	"		"	"	R	30			
03	623004A	"	"		DF	Little Theat wing by boys Restroom	R				
04	623004B	"	"		"	Little Theat wing by boys' Restroom C86	R	30			
05	623005A	"	"		"	Little Theate wing by boys' Restroom C86	R				
06	623005B	"	"		"	"	R	30			
07	623006A	"	"		"	CAFERIA 128 West	R				
08	623006B	"	"		"	"	R	30			
						Teacher Lounge					

RELINQUISHED BY: [signature]
Date/Time: 6/23/00
RECEIVED BY: [signature] 6/23/00
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

Page___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12930

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: T. MARSHALL HS
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR:
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Al He
09	623007A	FRI	6/23/00		DF	3rd FLOOR C90 by R&M 3/4	R				
10	623007B	"	"		"	"	R	30			

RELINQUISHED BY: [signature]
Date/Time: 6/23/00

RECEIVED BY: [signature]
Date/Time: 6/23/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

Page ___ of ___

MICRO LOG: 12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. CARVER E.S
SITE FILE: Water Sampling - Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Will Time	A H
12537-01	61301A	TUE	6/13/0	8:30	DF	SOURCE 1 RM 2105	I				
02	61302B	"	"	8:35	"	"	R	30			
03	61303A		"	8:40	SDF	SOURCE 5 RM 2102	I				
04	61304B		"	8:45	"	"	R				
05	61305A		"	8:50	"	SOURCE 6 RM 2103	I				
06	61306B		"	8:55	"	"	R				
07	61307A		"	9:00	"	SOURCE 7 RM 2107	I				
08	61308B		"	9:05	"	"	R				

FAX

RELINQUISHED BY: Rafael Jones
Date/Time: 6/13/00
RECEIVED BY:
Date/Time: 9/19/2000 0855

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GW CARVER ES
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONITOR TIME	Fill Time	Arc Rel
12537-09	61309A	1	6/13/00	9:10	SDF	SOURCE 11 BOYS' Rest RM RM 252	I				
10	61310B	"	"	9:15	"	"	R				
11	61311A	"	"	9:20	"	SOURCE 12 GIRLS' REST RM RM 252	I				
12	61312B	"	"	9:25	"	"	R				
13	61313A	"	"	9:30	SF	SOURCE 16 TEACHER LOUNGE	I				
14	61314B	"	"	9:35	"	"	R				
15	61315A	"	"	9:40	"	SOURCE 17 Teacher LOUNGE	I				
16	61316B	"	"	9:45	"	"	R				

FAX

RELINQUISHED BY: Jackie Jones
Date/Time: 6/13/00
RECEIVED BY:
Date/Time: 9/19/2000, 0251

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

Page ___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GW CARVER ES
SITE FILE: Water Sampling - Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arc Hel
12537-17	61317A	Y	6/13/00	9:50	SDF	SOURCE 21 RM 287	I				
18	61318B	"	"	9:55	"	"	R				
19	61319A	"	"	10:00	"	SOURCE 22 RM 288	I				
20	61320B	"	"	10:05	"	"	R				
21	61321A	"	"	10:05	"	SOURCE 25 RM 291	I				
22	61322B	"	"	10:10	"	"	R				
23	61323A	"	"	10:15	DF	SOURCE 26 LOWER Lobby	I				
24	61324B	"	"	10:20	"	"	R				

RELINQUISHED BY: Date/Time: 6/13/00
RECEIVED BY: FAX Date/Time: 9/19/2000 08:51

1351 Newcomb Ave., Ste. 206 San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan, 5/1

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ARRESTON, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAM

LABORATORY:
PHONE: DATE:
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:
SITE FILE: Water Sampling
☑ Lead
INSPECTOR:
WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
12537-25 61325A		6/13/00	10:25	DF	SOURCE 27 Hallway/IN RM 100	I		
26 61326B		"	10:30	"	"	R		
27 61327A		"	10:35	SDF	SOURCE 28 RM 106	I		
28 61328B		"	10:40	"	"	R		
29 61329A		"	10:45	"	SOURCE 29 RM 109	I		
30 61330B		"	10:50	"	"	R		
31 61331A		"	10:55	"	SOURCE 30 RM 110	I		
32 61332B		"	11:00	"	"	R		

RELINQUISHED BY: Date/Time: 6/13/00 Lucky Jones
RECEIVED BY: Date/Time: 7/19/2000

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone (415) 695-5500

Page. . of : —

12537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Program

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: 6 W CARVER ES
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOMUSE TIME	Fill Time	Arc Hei
12537-33	61333A	WED	6/13/0	11:05	DF	SOURCE 35, MULTI PURPOSE	I				
34	61334B	"	"	11:10	"	"	R				
35	60111 A	WED	6/14/00	11:15	SF	SOURCE 37 FACULTY DINING	I				
36	60112 B	"	"	11:20	"	"	R				
37	60113 A	"	"	11:25	"	SOURCE 38 Kitchen	I				
38	60114 B	"	"	11:30	"	"	R				

RELINQUISHED BY: [signature]
Date/Time: 6/14/00

FAX
RECEIVED BY: [signature]
Date/Time: 9/19/2000, 08:57

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

13176

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES

PHONE: (510) 653-0824 DATE: 6/30/00

TURNAROUND TIME: PER CONTRACT WITH SF

SITE: Treasure Island 63

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: R. Jones

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUS TIME
1	63001A	R 1	6/30/00		SDF	CLASS RM 19	R		6+
2	63001B	"	"		"	"	R	30	6+
3	63002A	"	"		"	CLASS RM 20	R		"
4	63002B	"	"		"	CLASS RM 20	R	30	"
5	63003A	"	"		"	CLASS RM 21	R		"
6	63003B	"	"		"	~~CLASS RM~~ 21	R	30	"
7	63004A	"	"		"	CLASS RM 22	R		"
8	63004B	"	"		"	"	R	30	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/30/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 6

Page___

13176

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/30/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Ar He
9	63005A	FR 1	6/30/00		SDF	CLASS RM 2	R	6+	6+		
10	63005B	"	"		"	"	R	30	"		
11	63006A	"	"		"	CLASS RM 10	R	"	"		
12	63006B	"	"		"	"	R	30	"		
13	63007A	"	"		"	CLASS RM 26		"	"		
14	63007B	"	"		"	"		30	"		

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/30/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

1063

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12427

Instruction to lab: Fax results ONLY to:
R. Picazo of SFUSD @415-7242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro
PHONE: (510) 653-0824 DATE: 6/13/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sunset ES 3045 Santiago St
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: R. Picazo 5:17 PM ACP
WORK ORDER #: SFUSD PO

☐ ☐ ☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y T S	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	92000-A		6/13/200	7:50 AM	SF	Room 001	F	0	17½ HRS
2	92010-B	"	"	7:51 AM	"	" "	2nd Draw	30 sec	"
3	92001-A	"	"	7:55 AM	MDF	outside yard by Room 001	F	0	"
4	92001-B	"	"	7:56 AM	"	" " "	2nd Draw	30 sec	"
5	92002-A	"	"	8:02 AM	SF	Room 004	F	0	"
6	92002-B	"	"	8:03 AM	SF	" " "	2nd Draw	30 sec	"
7	92003-A	"	"	8:08 AM	SF	Room 005	F	0	"
8	92003-B	"	"	8:09 AM	SF	" " "	2nd Draw	30 sec	"

RELINQUISHED BY: Rafael Picazo
Date/Time: 6/13/2000
RECEIVED BY: [illegible]
Date/Time: 6-13-00 2:15pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone (415) 695-5500

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

12427

Instruction to lab: Fax results ONLY to:
R. Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro ANA

PHONE: (510) 653-0824 DATE: 6/13/2000

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sunset ES 3045 Santiago St

SITE FILE: Water Sampling
- [K] Lead

INSPECTOR: R. Picazo SIIM ACP

WORK ORDER #: SFUSD PO

[ ] [ ] [ ]

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
9	92004-A	4	6/13/2000	8:15 AM	SF	Room 014	F	-0-	17½ HRS
10	92004-B	"	6/13/2000	8:16 AM	"	" " "	2ND DRAW	30 sec.	"

RELINQUISHED BY: Rafael Picazo
Date/Time: 6/13/2000

RECEIVED BY: [illegible]
Date/Time: 6-13-00 2:15 pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone (415) 695-5500

Page. of

13071

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/28/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: K. Jones
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A Y W E D	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
01	628001A	W E D	6/28/00		SDF	CLASS RM 4	R			
02	628001B	"	"		"	"	R	30		
03	628002A	"	"		"	CLASS RM 3	"			
04	628002B	"	"		"	"	"	30		
05	628003A	"	"		DF	CORRIDOR RM 3	"			
06	628003B	"	"		"	"	"	30		
07	628004A	"	"		SDF	NURSE Office	"			
08	628041B	"	"		"	"	"	30		

RELINQUISHED BY: [signature]
Date/Time: 6/28/00
RECEIVED BY: [signature] 6-28-00 11:17 PM
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

13071

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/28/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
09	628005A	WED	6/28/00		SDF	CLASS RM 7	R			
10	628005B	"	"		"	"	R	30		
11	628006A	"	"		"	CLASS RM 2	R			
12	628006B	"	"		"	"	R	30		
13	628007A	"	"		DF	1ST FLOOR by Men & Women Rest Rooms	R			
14	628007B	"	"		"	"	R	30		
15	628008A	"	"		SF	Teacher Lunch RM	R			
16	628008B	"	"		"	"	R	30		

RELINQUISHED BY: [signature]
Date/Time: 6/28/00
RECEIVED BY: [signature]
Date/Time: 6-28-00 4:27 P.M.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

1307

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/28/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY WED	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
17	62809A		6/28/00		SF	Kitchen	R			
18	62809B	"	"		"	"	R	30		
19	62810A	"	"		SDF	CLASS RM 13	R			
20	62810B	"	"		"	"	R	30		
21	62811A	"	"		"	CLASS RM "	R			
22	62811B	"	"		"	"	R	30		
23	62812A	"	"		"	CLASS RM 14	R			
24	62812B	"	"		"	"	R	30		

RELINQUISHED BY: Date/Time: 6/28/00 [signature]
RECEIVED BY: Date/Time: [signature] 6-28-00 4:47 P

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

13071

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/28/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
25	62813A	WED	6/28/00		SDF	CLASS RM 16	R			
26	62813B	"	"		"	"	R	30		
27	62814A	"	"		"	CLASS RM 18	R			
28	62814B	"	"		"	"	R	30		
29	62815A	"	"		"	CLASS RM 19	R			
30	62815B	"	"		"	"	R	30		
31	62816A	"	"		DF	2ND FLOOR CORRIDOR by RESTROOM	R			
32	6216B	"	"		"		R	30		

RELINQUISHED BY: [signature]
Date/Time: 6/28/00
RECEIVED BY: [signature] - 6-28-00
Date/Time: 4:57 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

13071

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 6/28/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR:
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
33	62817A	WED	6/28/00		SDF	CLASS RM 21	R			
34	62817B	"	"		"	"	R	30		
35	62818A	"	"		"	CLASS RM 20	R			
36	62818B	"	"		"	"	R	30		
37	62819A	"	"		"	CLASS RM 22	R			
38	62819B	"	"		"	"	R	30		

RELINQUISHED BY: [signature]
Date/Time: 6/28/00

RECEIVED BY: [signature]
Date/Time: 6-28-00 4:50 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

1003

(13099)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SAP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 06/27/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DOWNTOWN H.S

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: NOWICKI/S.F.U.S.D

WORK ORDER #: SFUSD PO

☐ ☐

☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	S T
74201A		06/27/2000	16:10	DF	1ST FL. HALLWAY C-90	R	0	13:43 MIN	4
74201B				DF	SOUTH END SOURCE # 6	30sec	30sec.	↓	4
74202A		Removed			2ND FL. HALLWAY C-90 SOUTH END	R	0		
74202B					SOURCE # 7	30sec	30sec.		

RELINQUISHED BY: [signature]
Date/Time: 06-27-2000 17:40

RECEIVED BY: [signature]
Date/Time: 6/28/00

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124, Phone: 415-695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

1063

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

13472

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 07/11/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DOWNTOWN H.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Ouchi SFUSD
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
74202A	T	07/11/200	08:10	DF	1st Fl. Hall W of C-90	R	0	295 min	32
74202B	H	↓		DF	High school side. Sourse #6	30 sec.	30	↓	32
	C								
	S								
	O								
	P								
	Y								

RELINQUISHED BY: [signature]
Date/Time: 07/11/2000 08:26
RECEIVED BY: [signature]
Date/Time: 7/11/00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

Page ___ of ___

1063

1760
01

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

13592

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 07/13/2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Noriega C.C.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. Ouchsk firm F.U.S.D.
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fil Tim
92801A	07-13-2000	10:45	SDF	Room 006	R	0	12:48 min	61
92801B				Source #9	30 sec	30 sec		6

RELINQUISHED BY: [signature]
Date/Time: 07/13 1110

RECEIVED BY: [signature]
Date/Time: 7-13-00 2:15 PM

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

1063

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

13593

Instruction to lab: Fax results ONLY to:
Rafael Picazo of SFUSD @ 415-242-2553 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL LABORATORIES
PHONE: (510) 653-0824 DATE: 07/13/~~97~~ 2000
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Cabrillo E.S
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: N. Quesada firm S.F.U.S.D
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time
46701A	T	07/13/2000	9:20	S.D.F.	Source# 4	R	0	1328 min	26
46701B	H	↓		↓	2ND Floor Rm 212	30sec	30sec	↓	26
	U								
46702A	P	07/13/2000	9:[illegible]	S.D.F.	2ND Fl. Rm 201	R	0	1330 min	26
46702B	S	↓		↓	Source# 12	30sec	30sec	↓	26
	P								
	P								
	Y								

RELINQUISHED BY: [signature]
Date/Time: 07/13/2000 01:10

RECEIVED BY: [signature]
Date/Time: 7/13/00 2:15 P.M.

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page ___ of ___

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

13596

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

EPTWD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Mirco Analytical
PHONE: 510-653-0824 DATE: 7/13/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GLEN PARK E.S
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	C7131A	T+4	7/13/00		DF	CORRIDOR C-90 2nd FLOOR	R		
02	C7131B	"	"		"	"	R	30	

RELINQUISHED BY: [signature]
Date/Time: 7/13/00

RECEIVED BY: Fedex Courier
Date/Time: 7-13-00 3:00pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page. _ of _

1063

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

13688

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO Analytical
PHONE: 510/653-0824 DATE: 7/14/00
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mc Laren CC
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
07141A	B	7/14/00	4:30	SF	CAFETERIA	R		
07142B	"	"	4:30	"	"	R	30	

RELINQUISHED BY: Rickey Jones
Date/Time: 7/14/00
RECEIVED BY: Glen Cepar
Date/Time: 7/14/00

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page. _ of _

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/13/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: 21st Century Academy.
SITE FILE: WATER SAMPLING
☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Coiled DF
SDF Sink DF

SAMPLE TYPE:
B — Blank
F — First Draw
SF Sink Faucet
WF Water Faucet

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W.	8/13/97	0830	SF	Kitchen	F	10 min.	12 hrs+
2	"	"	0840	SF	Kitchen	"	"	"
3	"	"	0850	SF	Kitchen	"	"	"
4	"	"	0900	DF	Cafeteria	"	"	"
5	"	"	0910	DF	Hallway-100	"	"	"
6	"	"	0920	DF	Hallway-C93	"	"	"
7	"	"	0930	SF	Lounge-016	"	"	"
8	"	"	0940	SF	Classroom 008	"	"	"
9	"	"	0950	DF	Hallway S84	"	"	"
10	"	"	1000	DF	Classroom 006	"	"	"
11	"	"	1010	DF	Classroom 005	"	"	"
12	"	"	1020	DF	Classroom 004	"	"	"
13	"	"	1030	DF	Hallway C93	"	"	"
14	"	"	1040	DF	Classroom 003	"	"	"
15	"	"	1050	DF	Classroom 002	"	"	"
16	"	"	1100	DF	Hallway S81	"	"	"
17	"	"	1110	DF	Hallway C92(N)	"	"	"
18	"	"	1120	DF	Hallway C92(S)	"	"	"
19	"	"	1130	DF	Playground	"	"	"
20	"	"	1140	DF	Playground	"	"	"
21	—	—	1145	B	Blank	B	—	—
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 8/13/97	DATE: 8-13-97
TIME: 1550	TIME: 1550

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

21ST CENTURY ACADEMY

Form by: EnviroScience, Inc.

9708F11

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/29

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL PHONE: 650-364-9600 TURNAROUND TIME: R U S H ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SAMPLING DATE: 8/29 SITE NAME: 21st Century SITE FILE: Water Sampling ☒ Lead INSPECTOR: H. Sotoodeh, Ph.D., PE WK ORDER: SFUSD Purchase Order	FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Cooled DF; SDF Sink DF SAMPLE TYPE: B: Blank; S: 2nd Draw; F: 1st Draw; T: 3rd Draw; SF Sink Faucet; WF Water Faucet

	SAMPLE Nº	Old	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	2 - 1	1	F	8/29	0800	SF	Kitchen	S	30sec.	12 hr.
02	2 - 2	1	"	"	0801	"	"	T	30sec	"
03	2 - 3	2	"	"	0810	"	"	S	"	"
04	2 - 4	2	"	"	0811	"	"	T	"	"
05	2 - 5	5	"	"	0820	DF	Hallway - C91	S	"	"
06	2 - 6	5	"	"	0821	"	"	T	"	"
07	2 - 7	6	"	"	0830	DF	Hallway - C93	S	"	"
08	2 - 8	6	"	"	0831	"	"	T	"	"
09	2 - 9	9	"	"	0840	DF	Hallway - 584	S	"	"
11	2 - 10	9	"	"	0841	"	"	T	"	"
12	2 - 11	10	"	"	0850	DF	Classroom - 006	S	"	"
13	2 - 12	10	"	"	0851	"	"	T	"	"
14	2 - 13	13	"	"	0900	DF	Hallway - C93	S	"	"
15	2 - 14	13	"	"	0901	"	"	T	"	"
16	2 - 15	15	"	"	0910	DF	Classroom - 002	S	"	"
17	2 - 16	15	"	"	0911	"	"	T	"	"
18	2 - 17	16	"	"	0920	DF	Hallway - 581	S	"	"
19	2 - 18	16	"	"	0921	"	"	T	"	"
20	2 - 19	19	"	"	0930	DF	Playground	S	"	"
22	2 - 20	19	"	"	0931	DF	"	T	"	"
23	2 - 21	20			0940	SF	Teacher's Work (015) Room	F	"	"
24	2 - 22									
	2 - 23									
	2 - 24									
	2 - 25									

RELINQUISHED BY: H. Sotoodeh DATE: 8/29/97 TIME: 1410	RECEIVED BY: [illegible] DATE: 8/29/97 TIME: 1410

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-5500

Page 1 of 1

21st Cent. Acad. R1 + R2

Form by: EnviroScience, Inc. 1 (888) 700-4SSI

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9709818

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS		LABORATORY:	SEQUOIA ANALYTICAL LAB
		PHONE:	650-364-9600
		TURNAROUND TIME:	PER CONTRACT WITH SFUSD
		ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2
SITE: 21ST Century Academy	FIXTURE TYPE:		SAMPLE TYPE:
SITE FILE: WATER SAMPLING ☒ LEAD	DF Drinking Fountain		B: Blank
	MDF Multiple DF		F: 1st Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	WCDF Water-Cooled DF		S: Draw after 30 sec. flush
WORK ORDER: SFUSD Purchase Order	SDF Sink DF		T: Draw after 30+30 sec. flush
	SF Sink Faucet		R: Draw after 5 hrs

	New Nº	Old Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1 ✓	3 - 1	1	T	9/16	1400	SF	Kitchen	R	60 sec.	4-5 hrs
2 ✓	3 - 2	2	"	"	1405	SF	Kitchen	R	60 sec.	4-5 hrs
3 ✓	3 - 3	5	"	"	1410	DF	Hallway - C91	R	60 sec.	4-5 hrs
4 ✓	3 - 4	6	"	"	1415	DF	Hallway - C93	R	60 sec.	4-5 hrs
5 ✓	3 - 5	9	"	"	1420	DF	Hallway - S84	R	60 sec.	4-5 hrs
6 ✓	3 - 6	10	"	"	1425	DF	Class - 006	R	60 sec.	4-5 hrs
7 ✓	3 - 7	13	"	"	1430	DF	Hallway - C93	R	60 sec.	4-5 hrs
8 ✓	3 - 8	15	"	"	1435	DF	Class - 002	R	60 sec.	4-5 hrs
9 ✓	3 - 9	16	"	"	1440	DF	Hallway - S81	R	60 sec.	4-5 hrs
10 ✓	3 - 10	19	"	"	1445	DF	Playground	R	60 sec.	4-5 hrs
	3 - 11							R	60 sec.	4-5 hrs
	3 - 12							R	60 sec.	4-5 hrs
	3 - 13							R	60 sec.	4-5 hrs
	3 - 14							R	60 sec.	4-5 hrs
	3 - 15							R	60 sec.	4-5 hrs
	3 - 16							R	60 sec.	4-5 hrs
	3 - 17							R	60 sec.	4-5 hrs
	3 - 18							R	60 sec.	4-5 hrs
	3 - 19							R	60 sec.	4-5 hrs
	3 - 20							R	60 sec.	4-5 hrs
	3 - 21							R	60 sec.	4-5 hrs
	3 - 22							R	60 sec.	4-5 hrs
	3 - 23							R	60 sec.	4-5 hrs
	3 - 24							R	60 sec.	4-5 hrs
	3 - 25							R	60 sec.	4-5 hrs
	3 - 26							R	60 sec.	4-5 hrs

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: Marc Guslis
DATE: 9/16/97	DATE: 9/16/97
TIME: 1545	TIME: 15:50

1551 Newcomb Avenue, Room 103 • San Francisco, CA 94124 • (415) 695-5500

1 of 1

21st Cent. Acad - R3

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: 21ST Century Academy
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: EnviroScience, Inc. (HS/MF)
WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Cooled DF
SDF Sink DF
SF Sink Faucet

SAMPLE TYPE:
B: Blank
F: 1st Draw
A: Draw after 30 sec. flush
B: Draw after 30+30 sec. flush
C: Draw after 4-6 hrs

Sample №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10-A	F	10-23-97	0730	DF	Class 006	A	30	
10-B	"	"	0732	"	~~Hallway C93~~	B	30+30	
13-A	"	"	0735	"	Hallway C93	A	30	
13-B	"	"	0737	"	"	B	30+30	
15-A	"	"	0742	"	Classroom 002	A	30	
15-B	"	"	0744	"	"	B	30+30	
16-A	"	"	0749	"	Hallway S81	A	30	
16-B	"	"	0751	"	"	B	30+30	
19-A	"	"	0756	"	Playground	A	30	
19-B	"	"	0758	"	"	B	30+30	
10-C	"	"	1300	"	Classroom 006	C	–	
13-C	"	"	1305	"	Hallway C93	C	–	
15-C	"	"	1310	"	Classroom 002	C	–	
16-C	"	"	1315	"	Hallway S81	C	–	
19-C	"	"	1320	"	Playground	C	–	

RELINQUISHED BY: [signature]
DATE: 10-24-97
TIME: 1707

RECEIVED BY: [signature]
DATE: 10/24/97
TIME: 1707

21st Cent. Acad. - Ret II

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~[illegible]~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALAMO E.S.

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: P. Hoyt Firm ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	WED	8/27/97	06:11	SDF	Room 202	F	:16	19 HR
2			06:13	SDF	Rm 204A		:17	
3			06:15	SDF	206		:17	
4			06:17	SDF	212		:15	
5			6:19	SDF	214		:16	
6			6:20	SDF	216		:15	
7			6:25	SDF	218		:14	
8			6:28	SDF	217		:15	
9			6:34	SDF	215		:13	

RELINQUISHED BY: Phil [illegible] Date/Time: 11:50 8/30/97

RECEIVED BY: Helen [illegible] Date/Time: 8/30/97 11:30

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: 415)695-5500

P012

Alamo ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALAMO E. S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. Hoyt Firm ATC
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	WED	8/27/97	6:36	SDF	Rm 213	F	:14	19HR
11			6:38	SDF	211		:15	
12			6:40	SDF	207		:14	
13		NON-OPERATIONAL (OFF)		SDF	Rm 205			
14			6:43	SF	Rm 205		:14	
15			6:43	SDF	203A		:12	
16			6:40	SDF	201		:13	
17			6:50	SF	SR-2; KITCHEN OFF AUDITORIUM		:10	
18			6:52	DF	AUDITORIUM		:26	

IF USED FOR DRINKING

RELINQUISHED BY: [signature]
Date/Time: 8/30/97 11:50

RECEIVED BY: [signature] 8/30/97 11:30
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone (415) 695-5500

P012

Alamo ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALAMO E.S.
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

[x] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY OF WK	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	W	8/27/97	6:50	SDF	Rm 102	F	:14	19HR
20			6:54	SDF	106		:14	
21			7:05	SDF	OFFICE (COJAK AREA)		:14	
22			7:00	SDF	Rm 110		:14	
23		(DRIPPLING) NON-OPERATIONAL		SDF	Rm 114			
24			7:15	SDF	113A		:16	
25		(DRIPPLING) NON-OPERATIONAL		SDF	2ND FLOOR Rm 209			
26			7:20	SDF	Rm 111		:16	
27			7:24	SDF	Rm 107		:14	

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50
RECEIVED BY: Ellen Cyan
Date/Time: 8/30/97 11:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

P012
Alamo ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/26-27/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALAMO E. S.
SITE FILE: Water Sampling - [X] Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	W 6X	8/27/97	7:23	SDF	Rm 103 LIBRARY	F	:12	19HR
29		NON-OPERATIONAL		SDF	Rm 109A			
30			7:38	DF	1st FLOOR HALL		:16	
31			7:41	MDF (3)	PLAYGROUND SOUTH END		:10	
32			7:44	MDF (4)	PLAYGROUND NORTH END		:10	
33			7:46	SDF	Rm 101D (EXT. STORAGE)		:21	
34		FIELD		BLANK				

CENTER FIXTURE
FIXTURE #2 FROM LEFT

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50
RECEIVED BY: Shey Ayon
Date/Time: 8/30/97 11:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
Alamo ES

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708C97

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALVARADO
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: GKK / EGA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		08/24/97	9:30	SF	basement rm 070	F	10 min	36 h
2		"	9:40	DF	1st floor corridor adj 007	"	"	"
3		"	9:50	DF	adj 003	"	"	"
4		"	10:30	DF	2nd floor adj 012	F	"	"
5		"	10:50	SF	kitchen 025A	F	"	"
6		"	11:00	DF	2nd floor corridor adj 016	F	"	"
7		—	—	—	Blank	B	—	—
8		—	—	—	SPIKE	S	—	—

97-W00765-10

RECEIVED 2 5 49

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/25/97

RECEIVED BY: [signature] 8/25/97 4:50

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by [signature] 8/25/97

A. S. 8-25-97

Page 1 of 1

P012

Alvarado

488826

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro

PHONE: DATE: 9/24/97

TURNAROUND TIME: ☑ 3-5 Days

SITE: Aptos MS

☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling ☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

INSPECTOR: M. Bradshaw

WORK ORDER #:

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
1	Sat	9/20/97	1251	DF	1st Floor C-91	I		20hr
2		"	1259	DF	1st Floor C-90 (Center)	I		"
3			1 07 pm	DF	Basement Level C-90	I		
4			1 15 pm	DF	Ext. Yard 1st Floor Level (N)	I		
~~5~~				DF	~~Ext. Yard 1st Floor Level (S)~~	~~I~~		
5			1 25 pm	DF	1st Floor C-92 Corridor	I		
6			1 30 pm	DF	239 Boy's Locker Rm (West)	I		
7			1 34 pm	DF	239 Boy's Locker Rm (East)	I		
8	✓	✓	1 56 pm	DF	2nd Floor Corridor C-91	I		✓

RELINQUISHED BY: [illegible]
Date/Time: 9/24/97 10 56 am

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1 of 2

Aptos MS

48826

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:

PHONE: DATE: 9/12/97

TURNAROUND TIME: ☑ 3-5 Days

SITE: Aptos MS

☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling ☑ Lead

INSPECTOR: M. Bradsh

WORK ORDER #:

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SOF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE			NONUSE TIME
9	Sat	9/20/97	4:59 pm	DF	2nd Floor Corridor C-90(N)	I	N	A	20h
10			2:03 pm	DF	2nd Floor Corridor C-90(South)	I			
11			2:07	DF	2nd Floor C-95	I			
12			2:15 pm	DF	3rd Floor C-91	I			
13			2:19 pm	DF	3rd Floor C-90, North	I			
14			2:24 pm	DF	3rd Floor C-90, South	I			
15			—		—	B			

RELINQUISHED BY: [signature]
Date/Time: 9/24/97 10:50

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

2 of 2

Aptos MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/16/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ARGONNE C.C.

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: Emmanuel D. / SFUSD

WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	SAT	8/16/97	9:00	DF	FRONT CLASS ROOM BY FRONT ENTRANCE DOOR	I	N/A	15 HRS
#2	"	8/16/97	9:15	DF	OUTSIDE SOUTH SIDE OF THE PATIO AREA	I	N/A	15 HRS
#3	"	8/16/97	9:30	SF	KITCHEN AREA SINK	I	N/A	15 HRS
#4	"	8/16/97	10:00	SF	CORRIDOR ENTRANCE	I	N/A	15 HRS
#5	"	8/16/97	BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Argonne CC

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708A91

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

AU 21 3 29

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/15/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Argonne E.S. 3950 Sacramento

☐ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☐ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

INSPECTOR: CMN + DO / RTM NTE

WORK ORDER #: SFUSD PO

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1		8-15-97	0715	MDF	Play Structure Level	F	5 min.	14 hrs.
3	2		8-15-97	0719	MDF	Lower Level Play Area	F	5 min.	14 hrs
4	3		8-15-97	0723	MDF	Play Area Near Library (upper)	F	5 min	14 hrs
5	4		8-15-97	0730	SDF	Room 12	F	5 min.	14 hrs
6	5		8-15-97	0736	SDF	Room 13	F	5 min.	14 hrs
7	6		8-15-97	0740	SF	Kitchen	F	5 min.	14 hrs
8	7		8-15-97	0743	-	BLANK	B		

RELINQUISHED BY: [signature] Date/Time:
RECEIVED BY: [signature] 8/21/97 Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/21/97 REC'D BY Tara Parsley 8/21/97 15:29 Page 1 of 1

Argonne ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9709987

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sul of SCA @ 510-848-3328

SFUSD		
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Argonne ES
SITE FILE: WATER SAMPLING
☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Coiled DF
SDF Sink DF
SF Sink Faucet

SAMPLE TYPE:
B: Blank
F: 1st Draw
S: Draw after 30 sec. flush
T: Draw after 30+30 sec. flush
R: Draw after 5 hrs

	Sample Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	1-1	W	9-17	0600	SF	office	F	10 min.	12 hrs+
02	1-2	"	"	0605	DF	Corridor 1ST FL	F	10 min.	12 hrs+
03	1-3	"	"	0610	DF	Corridor 1ST FL	F	10 min.	12 hrs+
04	1-4	"	"	0615	SF	Class-104	F	10 min.	12 hrs+
05	1-5	"	"	0620	SF	Class-101	F	10 min.	12 hrs+
06	1-6	"	"	0625	SF	Class-105	F	10 min.	12 hrs+
07	1-7	"	"	0630	SF	Class-102	F	10 min.	12 hrs+
08	1-8	"	"	0635	SF	Class-106	F	10 min.	12 hrs+
09	1-9	"	"	0640	SF	Class-103	F	10 min.	12 hrs+
10	1-10	"	"	0645	DF	outside Janitor	F	10 min.	12 hrs+
11	1-11	"	"	0650	SF	Community Kit.	F	10 min.	12 hrs+
12	1-12	"	"	0655	SF	Community Kit.	F	10 min.	12 hrs+
13	1-13	"	"	0700	SF	Kitchen	F	10 min.	12 hrs+
14	1-14	"	"	0705	SF	Kitchen	F	10 min.	12 hrs+
15	1-15	"	"	0710	SF	Class-209	F	10 min.	12 hrs+
16	1-16	"	"	0715	SF	Class-208	F	10 min.	12 hrs+
17	1-17	"	"	1000	SF	Class-206	F	10 min.	12 hrs+
18	1-18	"	"	1015	SF	Class-207	F	10 min.	12 hrs+
19	1-19	"	"	1020	SF	Class-205	F	10 min.	12 hrs+
20	1-20	"	"	1025	DF	Hallway 2nd FL.	F	10 min.	12 hrs+
21	1-21	"	"	1030	DF	Hallway 2nd FL	F	10 min.	12 hrs+
22	1-22	"	"	1035	SF	Class-204	F	10 min.	12 hrs+
23	1-23	"	"	1040	SF	Class-203	F	10 min.	12 hrs+
24	1-24	"	"	1045	SF	Class-202	F	10 min.	12 hrs+
25	1-25	"	"	1050	SF	Class-201	F	10 min.	12 hrs+
26	1-26	"	"	1100	DF	Hallway 3rd FL.	F	10 min.	12 hrs+

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 9/17/97	DATE: 9/17/97
TIME: 1555	TIME: 1550

Form by: EnviroScience, Inc. 1 (888) 700-4ES!

San Francisco Unified School Distnct (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9709987

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: Argonne ES
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Colled DF
SDF Sink DF
SF Sink Faucet

SAMPLE TYPE:
B: Blank
F: 1st Draw
S: Draw after 30 sec. flush
T: Draw after 30+30 sec. flush
R: Draw after 5 hrs

	Sample Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
29	1 - 27	W	9-17	1105	DF	Hallway 3rd FL	F	10 min.	12 hrs+
30	1 - 28	"	"	1110	SF	Class - 301	F	10 min.	12 hrs+
31,32	1 - 29	"	"	1115	SF	Class - 302	F	10 min.	12 hrs+
33	1 - 30	"	"	1120	SF	Lunch STAFF ROOM	F	10 min.	12 hrs+
34	1 - 31	"	"	1125	SF	Resource CTR.	F	10 min.	12 hrs+
35	1 - 32	"	"	1130	SF	Class - 303	F	10 min.	12 hrs+
36	1 - 33	"	"	1135	DF	Playground	F	10 min.	12 hrs+
37	1 - 34	"	"	1140	DF	"	F	10 min.	12 hrs+
38	1 - 35	"	"	1145	DF	"	F	10 min.	12 hrs+
39	1 - 36	"	"	1150	DF	"	F	10 min.	12 hrs+
40,41	1 - 37	"	"	1155	DF	"	F	10 min.	12 hrs+
42	1 - 38	"	"	←	—	BLANK →	F	10 min.	12 hrs+
	1 - 39						F	10 min.	12 hrs+
	1 - 40						F	10 min.	12 hrs+
	1 - 41						F	10 min.	12 hrs+
	1 - 42						F	10 min.	12 hrs+
	1 - 43						F	10 min.	12 hrs+
	1 - 44						F	10 min.	12 hrs+
	1 - 45						F	10 min.	12 hrs+
	1 - 46						F	10 min.	12 hrs+
	1 - 47						F	10 min.	12 hrs+
	1 - 48						F	10 min.	12 hrs+
	1 - 49						F	10 min.	12 hrs+
	1 - 50						F	10 min.	12 hrs+
	1 - 51						F	10 min.	12 hrs+
	1 - 52						F	10 min.	12 hrs+

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [signature]
DATE: 9/17/97	DATE: 9/17/97
TIME: 1555	TIME: 1550

1551 Newcomb Avenue, Room 103 • San Francisco, CA 94124 • (415) 695-5500

2 of 2

Argonne ES

#52537

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: ~~(S) 650-364-9600~~ ~~(H) 510-653-0824~~ DATE: 1/31/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ARGONNE
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MB / SCA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank ON overnight
I - Initial
R - Resample

	SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
01	ARGONNE 13A	1/31/98	1054	SF	KIT	R	30	ON	10	—
02	ARGONNE 13B		1055	SF	KIT	R	30		10	
03	ARGONNE 13C		1553	SF	KIT	R	0		10	
04	ARGONNE 14A		1059	SF	KIT	R	30	ON	25	—
05	ARGONNE 14B		1102	SF	KIT	R	30		25	
06	ARGONNE 14C		1554	SF	KIT	R	0		25	
07	ARGONNE 23A		1107	SF	203	R	30	ON	11	—
08	ARGONNE 23B		1108	SF	203	R	30		10	
09	ARGONNE 23C		1551	SF	203	R	0		10	

RELINQUISHED BY: [signature] Date/Time: 2-2-98 10:35 am
RECEIVED BY: [signature] Date/Time: 2/2/98 10:35 AM

Page 1 of 1

ARGONNE ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY 66564

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 24 / 99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

☐ PROJECT #: ☐ B-2243

SITE: ARGONNE

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

INSPECTOR: GCA / firm

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH WEIG
ARGONNE 1A (01)	W	3/24/99	700 A	DF	HALLWAY (1ST FL)	1ST	0	> 6 H	45	3 ?
ARGONNE 1B (02)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 2A (03)	"	"	"	SF	CAFETERIA	1ST	0	"	15	✓ N/
ARGONNE 2B (04)	"	"	"	"	"	2ND	30	"	"	✓
ARGONNE 3A (05)	"	"	"	MDF	HALLWAY (1ST FL)	1ST	0	"	"	✓
ARGONNE 3B (06)	"	"	"	"	" "	2ND	30	"	"	✓ "
ARGONNE 4A (07)	"	"	"	"	" "	1ST	0	"	45	4 4
ARGONNE 4B (08)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 5A (09)	"	"	"	MDF	HALLWAY (2ND FL)	1ST	0	"	40 ✓	2 2

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 3/25/99 @ 1:00 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Argonne E-5

66564

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 24 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ARGONNE

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARC HEIG
ARGONNE 5B (10)	W	3/24	700 A	MDF	HALLWAY (2ND FL)	2ND	30	> 6 H	40	2
ARGONNE 6A (11)	"	"	"	"	" "	1ST	0	"	"	"
ARGONNE 6B (12)	"	"	"	"	" "	2ND	30	"	"	
ARGONNE 7A (13)	"	"	"	"	" (3RD FL)	1ST	0	"	35	4
ARGONNE 7B (14)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 8A (15)	"	"	"	"	" "	1ST	0	"	45	2
ARGONNE 8B (16)	"	"	"		" "	2ND	30	"	"	"
ARGONNE 9A (17)	"	"	"	SF	FACULTY LOUNGE	1ST	0	"	15	N
ARGONNE 9B (18)	"	"	"	"	" "	2ND	30	"	"	

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 3/25/99 @ 1:00pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Argonne 25

66564

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 24 / 99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ARGONNE

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: GCA / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARC HEI
ARGONNE 10A (19)	W	3/24	700A	MDF	EXT. COURTYARD	1ST	0	> 6H	45	2
ARGONNE 10B (20)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 11A (21)	"	"	"	"	" "	1ST	0	"	35	4
ARGONNE 11B (22)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 12A (23)	"	"	"	"	" "	1ST	0	"	35	5
ARGONNE 12B (24)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 13A (25)	"	"	"	"	" "	1ST	0	"	"	3
ARGONNE 13B (26)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 14A (27)	"	"	"	"	" "	1ST	0	"	50	2

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 3/27/99 @ 1:00pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Argonne ES

66564

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-** 465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 24 / 99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ARGONNE

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
ARGONNE 14B (28)	W	3/24	700 A	MDF	EXT. COURTYARD	2ND	30	> 6 H	50	2
ARGONNE 15A (29)	"	"	"	"	" "	1ST	0	"	35	3
ARGONNE 15B (30)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 16A (31)	"	"	"	"	" "	1ST	0	"	25	12
ARGONNE 16B (32)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE 17A (33)	"	"	"	"	" "	1ST	0	"	35	4
ARGONNE 17B (34)	"	"	"	"	" "	2ND	30	"	"	"
ARGONNE BL 1 (35)		BLANK								
ARGONNE BL 2 (36)		BLANK								

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 3/25/99 @ 1:[illegible]

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Argonne

48578

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (S.A.P.)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BALBOA H.S.
SITE FILE: Water Sampling
Site #439 - [X] Lead
INSPECTOR: M. Eduardo / SES (Firm)
WORK ORDER #: SFUSD PO

[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY (W/E)	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
439-1	W	9-17-97	7:00	DF	BUNGALOW 21	F	10MIN	
439-2			7:05	DF	GYM Bldg - 1st Floor - RM 704	F		
439-3			7:07	DF	GYM Bldg - 1st Floor - RM 702	F		
439-4			7:10	DF	1st Floor - C90B Across from RM 108	F		
439-5			7:12	DF	1st Floor - C90C Across from RM 100	F		
439-6			7:15	DF	Ext. walkway - C90 outside TSBA	F		
439-7			7:18	MDF	Ext. walkway - C90 outside 154C	F		
439-8			7:21	MDF	Ext. walkway - C90 outside 156	F		
439-9			7:25	DF	2ND Floor - C90A outside RM 200	F		

RELINQUISHED BY: [signature]
Date/Time: 9-17-97

RECEIVED BY: Lorin Sanchez
Date/Time: 9-17-97 936 A.M.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Balboa HS

48578

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BALBOA H.S.
SITE FILE: Water Sampling
Site #439 - ☐ Lead
INSPECTOR: M. Edwards / SES Firm
WORK ORDER #: SFUSD PO

☐ ☐
Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY WE	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
439-10		9-17-97	7:28	DF	3RD Floor - C90 A outside RM 300	F	10 min	
439-11			7:30	DF	3RD Floor - C90 outside RM 309	F		
439-12			7:32	DF	3rd Floor - C92 outside RM 318	F		
439-13			7:35	DF	3rd Floor - C92 outside RM 329	F		
439-14			7:39	DF	2nd Floor - C92 outside RM 229	F		
439-15			7:41	DF	2nd Floor - C92 outside RM 218	F		
439-16			7:45	DF	1st Floor - C91 outside RM 116	F		
439-17			7:48	DF	1st Floor - C92 outside RM T62	F		
439-18			7:53	DF	Basement Floor - C91 - outside RM 023	F		

RELINQUISHED BY: [signature]
Date/Time: 9-17-97

RECEIVED BY: John Sachdo
Date/Time: 9-17-97 937 A.M

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Balboa HS

48578

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BALBOA H.S.
SITE FILE: Water Sampling
Site # 439 - ☐ Lead
INSPECTOR: M. Edwards Firm SES
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
439-19	W E	9-17-97	7:55	DF	BASEMENT FLOOR C91-outside RM 022	F	10 MIN	
439-20	W E	9-17-97	7:57	B	BLANK	B	↓	
439-21	W E	9-17-97	8:00	SF	kitchen faucet 158D	F	10 MIN	

RELINQUISHED BY: [signature]
Date/Time: 9-17-97

RECEIVED BY: Leon SAGERTO
Date/Time: 9-17-97 9:36 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Balboa HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA (MICROANALYTICAL)

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BAY HIGH SCHOOL

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: Emmanuel / Firm SFUSD

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
~~S - spiked~~
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	TUE	8/26/97	11:00	Df	Restroom Area By Main Office	I	N/A	20 Hrs
#2	"	8/26/97	11:10	Df	Home Study Office	I	N/A	20 Hrs
#3	"	8/26/97	11:15	SF	Main Office Sink Faucet	I	N/A	20 Hrs
#4	"	8/26/97	11:30	Df	Special Education Room	I	N/A	20 Hrs
#5	"	8/26/97	11:35	Df	Rest Room By Special Ed. Office	I	N/A	20 Hrs
#6	"	8/26/97	11:45	Df	Regular Education Office	I	N/A	20 Hrs
#7		BLANK					N/A	

RELINQUISHED BY: [signature] 8/26/97
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Bay HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

#74482

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: [redacted] / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BRYANT E. S.
SITE FILE: Water Sampling - [X] Lead
INSPECTOR: P. HOYT / ATC Firm
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	S/N	8/17/97	14:38	SDF	Rm 12 FLOOR 2	F	:26	29 HR
2			14:42	SDF	Rm 11		:23	
3			14:45	SDF	Rm 10		:21	
4			14:52	SDF	Rm 9		:21	
5			14:54	SDF	Rm 8		:22	
6			14:57	SDF	Rm 7		:21	
7			15:01	SDF	Rm 6		:21	
8			15:04	DF	2ND FLOOR CENTER/LIB.		:10	
9			15:07	SDF	Rm 5		:19	

RESTRICTED SPACE FOR 14 SHORT

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:53
RECEIVED BY: [signature]
Date/Time: 8/18/97 12:53

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 14

Bryant ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~[illegible]~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824

DATE: 8/17/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BRYANT E. S.

SITE FILE: Water Sampling

☐ Lead

INSPECTOR: P. HOYT Firm ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	S/N	8/17/97	15:12	SDF	Rm 4	F	:18	29 HR
11			15:18	SDF	Rm 2		:17	
12			15:16	SDF	Rm 3		:17	
13			15:23	SDF	Rm 1 FLOOR 2		:17	
14			15:35	DF	FLOOR 1 M-PURPOSE RM		:16	
15			15:38	SF	FOOD SERVICE OFF M-PURPOSE RM		:16	
16		NON-OPERATIONAL		SF	KITCHEN OFF CHILD CARE			
17			15:48	DF	CHILD CARE		:21	
18			15:56	SDF	GIRLS RR NW 1ST FLOOR		:11	

RESTRICTED SPACE ⇒ ILL LINE 3 INCH FROM TOP

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:53

RECEIVED BY: [illegible]
Date/Time: 8/18/97 12:53

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Bryant ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SPECTRA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BRYANT E. S.

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: P. HOYT / FIRM ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	SUN	8/17/97	15:59	SDF	BOYS RR NW 1ST FLOOR	F	:12	29 HR
20		↓	16:07	SF	FACULTY LOUNGE	↓	:18	↓
21		↓	16:09	SF	NURSE'S OFFICE	↓	:14	↓
					TEAPOT NOTED			
22		FIELD	BLANK					

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:53

RECEIVED BY: Thomas
Date/Time: 8/18/97 12:53

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Bryant ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SECURA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824

DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BRYANT E.S.

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: P. Hoyt / Firm ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
23	SAT	8/23/97	9:47	SDF	KINDERGARTEN A	F	:17	20HR
24	SAT	8/23/97	9:50	SDF	KINDERGARTEN B	F	:17	20HR
25	TUE	8/26/97	8:11	DF	1st FLOOR ENTRY HALL	F	:10	23HR
		NOTE:	#	1 -	22	RELINQUISHED	8/18/97	

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50

RECEIVED BY: John Ryan
Date/Time: 8/30/97 8:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Bryant ES

48022

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SECURA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BRYANT E.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	23	SAT	8/23/97	9:47	SDF	KINDERGARTEN A	F	:17	20HR
02	24	SAT	8/23/97	9:50	SDF	KINDERGARTEN B	F	:17	20HR
03	25	TUE	8/26/97	8:11	DF	1ST FLOOR ENTRY HALL	F	:10	23HR
			NOTE:	#	1 -	22 RELINQUISHED		8/18/97	

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50

RECEIVED BY: [illegible]
Date/Time: 8/30/97 8:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Bryant ES (~~Return~~)

P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S.

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: P. Hoyt / firm ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	FUN	8/17/97	19:09	SF	KITCHEN	F	:28	27HR
2			19:12	SF	TEACHERS LOUNGE		:28	
3			19:16	SDF	Rm 3 1ST FLOOR		:20	
4			19:19	SDF	Rm 1		:22	
5			19:23	DF	HALL 1ST FLOOR OUTSIDE Rm 3		:23	
6			19:26	SDF	Rm 5		:19	
7			19:29	SDF	Rm 4		:15	
8			19:34	SDF	NURSE'S OFF. NEXT TO ADMIN.		:16	
9			19:39	DF	HALL 1ST FLOOR LOWER LEVEL OUTSIDE REST ROOMS		:13	

NOTE: DF FLOW RATE VERY LOW

RESTRICTED SPACE => FILL 1/2 IN. CUP

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:43

RECEIVED BY: [illegible]
Date/Time: 8/18/97 12:45

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Buena Vista ES

P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~[illegible]~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	SUN	8/17/97	19:37	SDF	Rm 2	F	:13	27 HR
11			19:48	SDF	Rm 14 2ND FLOOR		:11	
12			19:51	SDF	Rm 16		:11	
13			19:54	SDF	Rm 18		:11	
14			19:58	SDF	Rm 20		:12	
15			20:02	DF	HALL 2ND FLOOR EAST END		:12	
16			20:05	SDF	Rm 22		:11	
17			20:08	SDF	Rm 21		:12	
18			20:14	SDF	Rm 19		:12	

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:43

RECEIVED BY: [illegible]
Date/Time: 8/18/97 12:45

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Buena Vista ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SHOMOLA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E. S.

SITE FILE: Water Sampling - [X] Lead

INSPECTOR: D. Hoyt / Firm ATC

WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	S U N	8/17/97	20:21	SDF	Rm 15	F	:15	27 HR
20			20:17	SDF	Rm 17		:14	
21			20:25	SDF	Rm 13		:15	
22			20:27	SDF	Rm 11		:11	
23			20:29	SDF	Rm 12		:12	
24	FIELD BLANK							

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:43

RECEIVED BY: [illegible]
Date/Time: 8/18/97 [illegible]

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Buena Vista ES

219281

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: 10/4/97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: P. Hoyt / ATC (Full time)
WORK ORDER #: SFUSD PO

[ ] [ ] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01 N/A	1A	5th	10-4-97	11:28	SF	Kitchen		30s	>6hr	N/A
02	1B			11:29				30s	—	
03	1C			16:31			F	—	5.0hr	
04 N/A	2A			11:38		Teacher's Lounge		30s	>6hr	N/A
05	2B			11:39				30s	—	
06	2C			16:32			F	—	4.9hr	
07 30s	3A			11:49	SDF	Rm 3		30s	>6hr	14
08	3B			11:50				30s	—	
09	3C			16:39			F	—	4.8hr	

RELINQUISHED BY: Phil Hoyt
Date/Time: 10-6-97 9:19
RECEIVED BY: John Chan
Date/Time: 10/6/97 903 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 7

P012

Buena Vista Returns

419281

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 10/14/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: B. VISTA E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: P. Hoxt / Firm ATC
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILE

ARCH

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
10 20s	4A		10-4-97	11:57	SDF	Rm 1		30s	>6hr	44
11	4B			11:58	↓	↓		30s	—	
12	4C			16:41	↓	↓	F	—	4.7hr	
	5		NON-OPERATIONAL - DRAINING							
13 25s	6A			12:04	SDF	Rm 5		30s	>6hr	44
14	6B			12:05	↓	↓		30s	—	
15	6C		↓	16:45	↓	↓	F	—	4.7hr	

RELINQUISHED BY: Phil Hoxt
Date/Time: 10-6-97 9:15
RECEIVED BY: John Ayton
Date/Time: 10/6/97 9:15 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 7

P012

Buena Vista Returns

419281

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
S. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: B. VISTA ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: PH / HTC
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

Fill

Area

		SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
16	40s	7A		10-4-97	12:11	SDF	Rm 4		30s	>6hr	1"
17		7B			12:12				30s	—	
18		7C			16:49			F	—	4.6hr	
19	22s	8A			12:16		NURSE		30s	>6hr	2.5"
20		8B			12:17				30s	—	
21		8C			16:51			F	—	4.6hr	
22	35s	9A			12:22	DF	HALL 1st WEST		30s	>6hr	0.5"
23		9B			12:23				30s	—	
24		9C			16:53			F	—	4.5hr	

RELINQUISHED BY: [signature]
Date/Time: 10-6-97 9:19

RECEIVED BY: [signature]
Date/Time: 10/6/97 9:03 Am

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

Buena Vista Returns

49281

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
S. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: B. VISTA ES
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: / firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

Fac

Arch

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
43	16A		10-4-97		SDF	Rm 22		30s	>6hr	1.5"
44 (30s)	16B			13:19		↓		30s	—	
45	16C			17:26		↓	F	—	4.1 hr	
46	17A					Rm 21		30s	>6hr	2.5"
47 (25s)	17B			13:25		↓		30s	—	
48	17C			17:34		↓	F	—	4.2 hr	
49	18A					Rm 19		30s	>6hr	3.5"
50 (20s)	18B			13:32		↓		30s	—	
51	18C		↓	17:36	↓	↓	F	—	4.1 hr	

RELINQUISHED BY: [signature] Date/Time: 10-6-97 9:19
RECEIVED BY: [signature] Date/Time: 10/6/97 9:03 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 6 of 7

P012

Buena Vista Returns

49281

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BUENA VISTA ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: P. HOYT / FTC
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

Full

Arch

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
52	21A		10-4-97		SDF	Rm 13		30s	>6h	3.5"
53	21B			13:38				30s	—	
54	21C			12:47			F	—	4.2h	
55	22A					Rm 11		30s	>6h	2"
56	22B			13:45				30s	—	
57	22C			12:50			F	—	4.1h	
58	24A		FIELD	BLANK						

23s
23s

RELINQUISHED BY: [signature] Date/Time: 10-6-97 9:19
RECEIVED BY: [signature] Date/Time: 10/6/97 9:19 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 7 of 7

P012

Buena Vista Returns

San Francisco Unified School District (SFUSD)
based on Drinking Water Sampling and Analysis Plan [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 1/10/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Buena Vista E.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. Hoyt ATC
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILL TIME	SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
25s	A20	PM	1-10-98	12:11	SDF	Room 17		30s	>6 HR	4"
	B20			12:12				30s	-0- NONE	
	C20			17:06				-0-	4.9 HR	

RELINQUISHED BY: [signature] Date/Time: 1-12-98 13:15
RECEIVED BY: [signature] Date/Time: 1-12-98 13:15

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

Page 1 of 1

Buena Vista ES returns

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

69467

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-**465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / (MICROANALYTICAL)

PHONE: 650-364-9600
510-653-0824

DATE: 6 / 2 /99

TURNAROUND TIME: 6/7 /99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: BUENA VISTA ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AR HE
01	VISTA 1 I	W	6/2	630 A	SF	KITCHEN	1ST	30	>6 H	15	N
02	VISTA 1 II	"	"	"	"	"	2ND	"	"	"	
03	VISTA 2 I	"	"	"	"	TEACHER'S LOUNGE	1ST	"	"	15	N
04	VISTA 2 II	"	"	"	"	" "	2ND	"	"	"	
05	VISTA 3 I	"	"	"	SDF	ROOM 3 (1ST FL)	1ST	"	"	3	
06	VISTA 3 II	"	"	"	"	" "	2ND	"	"	"	
07	VISTA 4 I	"	"	"	"	ROOM 1	1ST	"	"	25	4
08	VISTA 4 II	"	"	"	"	"	2ND	"	"	"	
09	VISTA 5 I	"	"	"	DF	ROOM 3 (1ST FL)	1ST	"	"	35	3

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 6/2/99 2:45 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69467

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 2 /99

TURNAROUND TIME: 6/7/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: BUENA VISTA ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AR HE
10	VISTA 5 I	W	6/2	630 A	DF	ROOM 3 (1ST FL)	2ND	30	> 6 H	35	
11	VISTA 6 I	"	"	"	SDF	ROOM 5	1ST	"	"	15	
12	VISTA 6 II	"	"	"	"	"	2ND	"	"	"	
13	VISTA 7 I	"	"	"	"	ROOM 4	1ST	"	"	35	
14	VISTA 7 II	"	"	"	"	"	2ND	"	"	"	
15	VISTA 8 I	"	"	"	"	NURSE'S OFFICE	1ST	"	"	25	2
16	VISTA 8 II	"	"	"	"	" "	2ND	"	"	"	
17	VISTA 9 I	"	"	"	DF	BY RR'S 1ST FL HALL	1ST	"	"	25	4
18	VISTA 9 II	"	"	"	"	" "	2ND	"	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/2/99 2:45pm

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

69467

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0874 DATE: 6 / 2 /99

TURNAROUND TIME: 6 / 7 / 99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY PROJECT # 8-2243

SITE: BUENA VISTA EG

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling ☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AR HE
VISTA 10 I	W	6/2	630 A	SDF	ROOM 2	1ST	30	>6H	30	
VISTA 10 II	"	"	"	"	"	2ND	"	"	"	
VISTA 11 I	"	"	"	"	ROOM 14 (2ND FL)	1ST	"	"	20	7
VISTA 11 II	"	"	"	"	" "	2ND	"	"	"	
VISTA 12 I	"	"	"	"	ROOM 16	1ST	"	"	20	>5
VISTA 12 II	"	"	"	"	"	2ND	"	"	"	
VISTA 13 I	"	"	"	"	ROOM 18	1ST	"	"	25	2
VISTA 13 II	"	"	"	"	"	2ND	"	"	"	
VISTA 14 I	"	"	"	"	ROOM 20	1ST	"	"	30	1

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/2/99 2:45pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69467

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 2 /99

TURNAROUND TIME: 6/7 /99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: BUENA VISTA ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARI HE
28	VISTA 14 I	W	6/2	630 A	SDF	ROOM 20	2ND	30	> 6 H	30	
29	VISTA 15 I	"	"	"	DF	HALL 2ND FL EAST	1ST	"	"	20	?
30	VISTA 15 II	"	"	"	"	" "	2ND	"	"	"	"
31	VISTA 16 I	"	"	"	SDF	ROOM 22	1ST	"	"	20	4
32	VISTA 16 II	"	"	"	"	"	2ND	"	"	"	"
33	VISTA 17 I	"	"	"	"	ROOM 21	1ST	"	"	20	2
34	VISTA 17 II	"	"	"	"	"	2ND	"	"	"	
35	VISTA 18 I	"	"	"	"	ROOM 19	1ST	"	"	20	4
36	VISTA 18 II	"	"	"	"	"	2ND	"	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/2/99 @ 2:45pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

69467

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 2 /99

TURNAROUND TIME: 6/7/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: BUENA VISTA ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
37	VISTA 21 I	W	6/2	630 A	SDF	ROOM 13	1ST	30	>6H	20	3
38	VISTA 21 II	"	"	"	"	"	2ND	"	"	"	
39	VISTA 22 I	"	"	"	"	ROOM 11	1ST	"	"	25	1
40	VISTA 22 II	"	"	"	"	"	2ND	"	"	"	"
41	VISTA BL 1					BLANK					
42	VISTA BL 2					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/2/99 @ 2:45pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 50946

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Luther Burbank MS
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones / firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Height
1	SA	11/22/97	8:00 AM	DF	South End of 1st Floor Corridor C92	I	11:00	8 HRS		
2	"	"	8:20	"	Outside of T61 in Corridor 1st Floor C90	"	11:00	8 HRS		
3	"	"	8:40	"	outside of T63 in Corridor 2nd Floor C92	"	11:00	8 HRS		
4	"	"	9:00	"	West end of Cafeteria	"	11:00	8 HRS		
5	"	"	9:20	"	East end of Cafeteria	"	11:00	8 HRS		
6	"	"	9:40	MDF	Outside in yard by Cafeteria	"	11:00	8 HRS		
7	"	"	10:00	MDF	Outside in yard by Gymnasium 337	"	11:00	8 HRS		
8	"	"	10:20	DF	Boys' Locker Room RM by Room T66B	"	11:00	8 HRS		
9	"	"	10:40	DF	3rd Floor in Corridor C94 outside of RM 324	"	11:00	8 HRS		

RELINQUISHED BY: [signature]
Date/Time: 11/22/97

RECEIVED BY: [signature]
Date/Time: 11/24/97 @ 555

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

BURBANK MS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

57946

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Luther Burbank MS

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: / FIRM

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
10	SAT	11/22/97	11:00	DF	3RD FLOOR IN CORRIDOR C94 outside of RM 358	I	11:00	8 HRS		
11	"	"	11:00	DF	2ND FLOOR IN CORRIDOR C90 by RM 311	I	11:00	8 HRS		

RELINQUISHED BY: [signature]
Date/Time: 11/22/97

RECEIVED BY: [signature]
Date/Time: 11/24/97 @ 555 PM

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

BURBANK MS

#52534

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

KFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: ~~(707) 658-364-9600~~ ~~(510) 658-0884~~ DATE: 1/31/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BURBANK
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / FILM 1.5GA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

ON=OVER NIGHT

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOZZLE TIME	Fill Time	Arch Height
01	BURBANK 5A	Sat	1/31/98	1310	DF	CAF	R	30	ON	85	1/2"
02	BURBANK 5B			1312	DF	CAF	R	30		90	1/4"
03	BURBANK 5C			1715	DF	CAF	R	0		91	1/4
04	BURBANK 7A	Sat	1/31/98	1324	MDF	YARD OUTSIDE RM 33	R	30	ON	43	1.5
05	BURBANK 7B			1331	MDF		R	30		40	1.5
06	BURBANK 7C			1732	MDF		R	0		41	1.5

RELINQUISHED BY: [signature] Date/Time: 2-2-98 10:35 AM
RECEIVED BY: [signature] Date/Time: 2-2-98 10:35 AM

Page 1 of 1

BURBANK MS

9708857

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Burnett CC
SITE FILE: Water Sampling
site # 910 - Lead
INSPECTOR: M. Edwards / SFJ
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOZZLE TIME
1,2	910-1	Su	8-17-97	7:49	SDF	Room 222 - 2nd Floor	F	10 mins 8-18-97	28 Hrs
3,4	910-2	Su	8-17-97	7:51	SDF	Room 219 - 2nd Floor	F		
5	910-3	Su	8-17-97	7:53	SDF	Room 217 - 2nd Floor	F		
6	910-4	Su	8-17-97	7:55	SDF	Room 215 - 2nd Floor	F		
7	910-5	Su	8-17-97	7:58	SDF	Room 119 - 1st Floor	F		
8	910-6	Su	8-17-97	8:00	SDF	Room 117 - 1st Floor	F		
9	910-7	Su	8-17-97	8:02	SDF	Room 118 - 1st Floor	F		
10	910-8	Su	8-17-97	8:04	DF	C93 - First Floor	F		
11	910-9	Su	8-17-97	8:06	DF	C93 - First Floor	F		

RELINQUISHED BY: Date/Time: 8/21/97 5:00
RECEIVED BY: Date/Time: 8/21/97 1520

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/21/97 1610 8/21/97 1610 Page 1 of 2
8-22-97 1230

Burnett CC/ES

9708B57

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Burnett CC
SITE FILE: Water Sampling
Site #910 - Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
12	910-10	Su	8-17-97	8:22	SDF	1st Floor-Room 020	F	10 minutes 8-16-97	28 hours
13	910-11	Su	8-17-97	8:24	SDF	1st Floor-Room 030	F		
14	910-12	Su	8-17-97	8:26	SDF	1st Floor-Room 010	F		
15	910-13	Su	8-17-97	8:28	DF	1st Floor - C93A	F		
16	910-14	Su	8-17-97	8:30	DF	2nd Floor - C90 outside Rm 211	F		
17	910-15	Su	8-17-97	8:33	DF	1st Floor - C90 outside Rm 111	F		
18	910-16	Su	8-17-97	8:35	SF	1st Floor - Kitchen/Service Area for Employees	F		
19	910-17	Su	8-17-97	8:40	DF	Basement Floor - Room H01	F		
20	910-18	Su	8-17-97	8:42	B	BLANK	B		

RELINQUISHED BY: Date/Time: 8/21/97 3:20
RECEIVED BY: Date/Time: 8/21/97 3:20

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/21 1610 8/21/97 1610 Page 2 of 2
8-22-97 1130

Burnett CC/ES

48007

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instructions to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/29/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Burnett CC
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Jason Cook FILE SES
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	WORKER TIME	
01	910-7A	Fri	8/29/97	8:50 ~~9:49~~	SDF	Room 118 sink drinking fountain	First	30sec	24hr	
02	910-7B	Fri	8/29/97	8:54 ~~9:50~~	SDF	Room 118 sink drinking fountain	Second Draw	1min	24hr	
03	910-7C	Fri	8/29/97	4:19	SDF	Room 118 sink drinking fountain	First	NA	7hrs	3rd Draw
04	910-1A	Fri	8/29/97	9:09	SDF	Room 222 sink drinking fountain	First	30sec	24hr	
05	910-1B	Fri	8/29/97	9:11	SDF	Room 222 sink drinking fountain	Second Draw	1min	24hr	
06	910-1C	Fri	8/29/97	1:27	SDF	Room 222 sink drinking fountain	First	NA	7hr	3rd Draw
07	910-2A	Fri	8/29/97	9:20	SDF	Room 217 sink drinking fountain	First	30sec	24hr	
08	910-2B	Fri	8/29/97	9:22	SDF	Room 217 sink drinking fountain	Second Draw	1min	24hr	
09	910-2C	Fri	8/29/97	1:22	SDF	Room 217 sink drinking fountain	First	NA	7hr	3rd Draw

RELINQUISHED BY: Date/Time: 8/29/97
RECEIVED BY: Date/Time: 8/30/97

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5800

Page 1 of 1

→ 10 Blank sample

08-28-97 08:46PM P003 #36

Returns
BURNETT CC/ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52167

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BURNETTE CC
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: NB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	BURNETTE 14A	Sat	1-17-98	929	DF	1ST FLOOR HALL		30s	OVER NIGHT	.5" *
02	BURNETTE 14B	Sat	1-17-98	930	DF	"		30s		.5"
03	14C	Sat	1-17-98		DF	"		0s		.5"
										* ARCH HAS LOW TRAJECTORY STRONG PRES
04	BURNETTE 5A	Sat	1.17.98		DF	119		30s		2"
05	BURNETTE 5B	Sat	1-17-98		DF	119		30s		2"
06	BURNETTE 5C		1-17-98	1416		119		0s		2"
07	BURNETTE 6A	Sat	1-17-98	1005	DF	117		30s		3.5"
08	BURNETTE 6B	Sat	1-17-98	1006	DF	117		30s		3.5"
09	BURNETTE 6C		1-17-98	1414		117		0s		3.5"

RELINQUISHED BY: NB
Date/Time: 1-17-98

RECEIVED BY: [signature]
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415)695-5500

Page 1 of 1

BURNETTE CC/ES

72164

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 8 / 4 /99

TURNAROUND TIME: 8/26/99 12PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # B-3681

SITE: BURNETT CC

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECOND
(IN) - INCHE

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

	SAMPLE #	D. A. Y.	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE TIME (S)	AC IN
*	~~BURNETT 1 I~~	~~W~~	~~8/4~~	~~0615A~~	~~SDF~~	~~ROOM 202~~	~~1ST~~	~~0~~	~~→ 6H~~	~~NO~~	
*	~~BURNETT 1 II~~	"	"	"	"	" "	~~2ND~~	~~30~~	"	"	
1	BURNETT 2 I	"	"	"	"	ROOM 219	1ST	0	"	30	
2	BURNETT 2 II	"	"	"	"	" "	2ND	30	"	"	
3	BURNETT 5 I	"	"	"	"	ROOM 119	1ST	0	"	35	
4	BURNETT 5 II	"	"	"	"	" "	2ND	30	"	"	
5	BURNETT 7 I	"	"	"	"	ROOM 118	1ST	0	"	30	
6	BURNETT 7 II	"	"	"	"	" "	2ND	30	"	"	
*	~~BURNETT 14 I~~	"	"	"	~~DF~~	~~C90, 2ND FL, 211~~ BY RM	~~1ST~~	~~0~~	"	~~NO~~	

RELINQUISHED BY:
Date/Time:

RECEIVED BY: Joan [illegible]
Date/Time: 8/12/99 @ 12:00PM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLES NOT SENT!

72164

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 8 / 4 /99

TURNAROUND TIME: 8/26/99 12PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # B-3581

SITE: BURNETT CC

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECOND
(IN) - INCHE

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE (s) TIME	A
*	~~BURNETT 14 II~~	~~W~~	~~8/4~~	~~0615 A~~	~~DF~~	~~C90, 2ND FL, BY RM. 211~~	~~2ND~~	~~30~~	~~> 6H~~	~~NO~~	
07	BURNETT 8 I	"	"	"	DF	C93, 1ST. FL.	1ST	0	"	30	
08	BURNETT 8 II	"	"	"	"	" "	2ND	30	"	"	
09	BURNETT 4 I	"	"	"		ROOM 215	1ST	0	"	25	
10	BURNETT 4 II	"	"	"	"	" "	2ND	30	"	"	
11	BURNETT BL I					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible]
Date/Time: 8/25 @ 12:00 PM.

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLES NOT SENT!

9708B65 SH

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F. & S. BURTON H. S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: M. LUNA / RST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A/Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W	8/20/97	5:50Am	Blank	Blank	B	1:30Pm	17 hrs
2				DF	SECOND Floor OUTSIDE OF Rm-S-210	F		
3				DF	SECOND Floor OUTSIDE Rm-204			
4				SF	SECOND Floor Rm-202 - Small Kitchen			
5				DF	SECOND Floor OUTSIDE Rm-236	NO SAMPLE DRIBBLE	NON-OPERATIONAL	FOR INFO ONLY
6				SF	SECOND Floor FACULTY LOUNGE Room - 236			
7				DF	SECOND Floor OUTSIDE Rm-OA5			
8				DF	~~Second~~ First Floor OUTSIDE Room 105			
9				DF	FIRST Floor Level OUTSIDE Room 150	NON-OPERATIONAL		

not submitted → 5
not submitted → 9

RELINQUISHED BY: [signature] Date/Time: 8/20/97
RECEIVED BY: Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 4

M.S. 8-22-97 1230

Burton HS

9708865

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling – An Overview Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F.S. Burton H.S.
SITE FILE: Water Sampling – ☒ Lead
INSPECTOR: M. Luna / FIRM QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
Not submitted 10	W	8/20/97	5:50am	DF	First Floor outside Rm-118	NO SAMPLE - NO WATER	F/OUT		FOR INFO ONLY - NON-OPERATIONAL
11	W	8/20/97	5:50 am	DF	Third Floor outside Room-306	F	1:30pm	17hrs	
Not Submitted 12	W	8/20/97	5:50am	DF	third Floor outside Rm-342	NO SAMPLE - Missing handle -	inoperative		FOR INFO ONLY NON-OPERATIONAL
13	W	8/20/97	5:50am	MDF	First Floor level outside cafeteria North/west side	F	1:30 Pm	17 hrs	
14	↓	↓	↓	DF	First Floor level inside cafeteria	↓	↓	↓	
15	↓	↓	↓	SF	Faculty Dining inside cafeteria First Floor level	↓	↓	↓	
16	↓	↓	↓	MDF	First Floor level outside cafeteria South/west side	↓	↓	↓	
17	↓	↓	↓	DF	First Floor level inside Gym Entrance Room -	↓	↓	↓	
18	↓	↓	↓	DF	Basement level inside Boy's Gym Room	↓	↓	↓	

RELINQUISHED BY: [signature] Date/Time: 8/20/97
RECEIVED BY: [signature] Date/Time: 8/22 0900

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22

Page 2 of 4

[signature] 8-20-97 1230

Burton HS

9708B65

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: / /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F. & S. BURTON
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: M. LUNA / ~~FIRM~~ QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	W	8/20/97	5:50Am	MDF	BASEMENT LEVEL OUTSIDE Gym - (OUTSIDE Room 070)	F	1:30Pm	17 hrs
20	W	8/20/97	5:50Am	MDF	BASEMENT LEVEL OUTSIDE Gym - (OUTSIDE Room-080)	F	1:30Pm	17 hrs
21	W	8/20/97	5:50Am	~~SDF~~ SF	FIRST FLOOR INSIDE Room-237D Room-239-	F	1:30Pm	17hrs
22	W	8/20/97	5:50Am	SF	SECOND FLOOR Room-238 (#1) COOKING Rm-			
23				SF	SECOND FLOOR Room-238 (#2) Cooking Rm			
Spike — 24				DF	SECOND FLOOR Room-238-			
25				SF	SECOND FLOOR Room 238 #(3) Cooking Room			
26				SF	SECOND FLOOR Room 238 (#4) Cooking Room			
27				SF	SECOND FLOOR Room-238 (#5) Cooking Room-			

RELINQUISHED BY: [signature]
Date/Time: 8/20/97

RECEIVED BY: [signature] 8/22 0950
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22

Page 3 of 4

[signature] 8-22-97 1230

Barton HS

9708B65

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Form 5/1

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F. & S. BURTON H.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / FIRM QST
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	W	8/20/97	5:30AM	SF	Second Floor Room # 238 (#6) Cooking Room			
29	↓	↓	9:15AM	SF	Second Floor Room #238 (#7) Cooking Room			

RELINQUISHED BY: [signature] Date/Time: 8/20/97
RECEIVED BY: [signature] Date/Time: 8/22 0900

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415)695-5500

[signature] 8/22

Page 4 of 4

[signature] 8-22-97 1230

Burton HS

48316

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SFF

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F. & S. BURTON H.S.

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: M. LUNA / Film QST

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01 A	30	T	9/9/97	06:30	SF	Second Floor Room-238 (7)	F	06:30 30 sec	30 sec
02 B	31	T	9/9/97	06:32	SF	Second Floor Room-238 (7)	F	06:32 30 sec	2 minutes
03 C	32	T	9/9/97	10:35	SF	Second Floor Room-238 (7)	F	10:35 30 sec	4 hrs

RELINQUISHED BY: Manuel F Luna
Date/Time: 9/9/97

RECEIVED BY: [illegible]
Date/Time: 9/9/97 1:50pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

P012

Burton HS

MAL

(49186)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F. & S. BURTON H.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / [illegible]

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	3A	Th	10/2/97	10:25	DF	2nd Floor Rm 204 Room-204	F	10:40	30 Secs
02	3B	Th	10/2/97	10:25	DF	2nd Floor Room-204	F	10:42	30 secs
03	3C	Th	10/2/97	14:50	DF	2nd Floor Room-204	F	14:50	4 hrs
04	25A	Th	10/2/97	10:25	SF	Second Floor Room-238 (#3) Cooking Room.	F	10:45	30 Secs
05	25B	Th	10/2/97	10:25	SF	Second Floor Room-238 (#3) Cooking Room	F	10:47	30 Secs
06	25C	Th	10/2/97	14:50	SF	Second Floor Room-238 (#3) Cooking Room	F	14:55	4 hrs
07	29A	Th	10/2/97	10:25	SF	Second Floor Room # 238 (#6) Cooking Room	F	10:50	30 Secs
08	29B	Th	10/2/97	10:25	SF	Second Floor Room # 238 (#6) Cooking Room	F	10:52	30 Secs
09	29C	Th	10/2/97	14:50	SF	Second Floor Room # 238 (#6) Cooking Room	F	15:00	4 hrs

RELINQUISHED BY: [signature]
Date/Time: 10/2/97

RECEIVED BY: [signature]
Date/Time: 10/2/97 3:21pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Burton HS - Ret.

MAL

49186

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: F. & S. BURTON H.S.

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm QST

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	30A	Th	10/2/97	10:25	MDF	BASEMENT LVL. TENNIS COURT	F	10:55	30 Sec
11	30B	Th	10/2/97	10:25	MDF	BASEMENT LVL. TENNIS COURT	F	10:57	30 Sec
12	30C	Th	10/2/97	14:50	MDF	BASEMENT LVL TENNIS COURT	F	15:05	4 hrs.
13	Blank	Th	10/2/97	/	/	Blank	/	/	/

RELINQUISHED BY: [signature]
Date/Time: 10/2/97

RECEIVED BY: [signature]
Date/Time: 10/02/97 3:21pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Burton HS - Ret.

52058

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 01/14/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

☑ Rush ☐

SITE: BURTON H.S.

☑ Graphite Furnace AA EPA 239.2 | LEAD

SITE FILE: Water Sampling
☑ Lead

INSPECTOR: OWEN / S.F.H.U.D. (from)

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
01	22A	1		10:50	S.F.	Rm 238	R	30	3	13	
02	22B	1						30		12	
03	22C	1			★	↓	↓	0	330 min.	12	
		S									
		D									
		A									
		Y									

RELINQUISHED BY: [signature]
Date/Time: 01-14-98 13:00

RECEIVED BY: Jorge Cruz
Date/Time: 1/14/98 @ 1:20

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

NOTE USED VERY SELDOM IF AT ALL.

Page 1 of 1

BURTON HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52166

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~CROCUTA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 1/17/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BURTON HS

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	BURTON 22A	Sat	1.17.98	1108	SF	238		30s	over night	NA
02	BURTON 22B	Sat	1.17.98	1104	SF	238		32s	"	NA
03	BURTON 22C	Sat	1.17.98	1515	SF	238		0s		NA
04	~~BLK~~ BURTON BLANK						B			

RELINQUISHED BY: MB
Date/Time: 1.19.98

RECEIVED BY: [signature]
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

BURTON HS

LEAD/COLIFORM WATER SAMPLE FORM

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

FILE COPY

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal COLIFORM

☒ Graphite Furnace AA LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	~~NON USE~~ Time	NONUSE TIME
61491	Sat	6-14-97	4:35pm	DF	Rm 214	1st Draw	6+ Hrs	250 mL
61491a	"	"	4:37	"	"	2nd Draw	"	750 mL
61492	"	"	4:39	"	Rm 215	1st	"	250 mL
61492a	"	"	4:40	"	"	2nd	"	750 mL
61493	"	"	4:42	"	Rm 213	1st	"	250 mL
61493a	"	"	4:43	"	"	2nd	"	750 mL
61494	"	"	4:45	"	Rm 212	1st	"	250 mL
61494a	"	"	4:47	"	"	2nd	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-18-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 100, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES

LEAD/COLIFORM WATER SAMPLE FORM

FILE COPY

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb immediately perform analysis of 30-second sample.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	VOLUME TIME
61495	Sat	6-14-97	4:50	DF	Rm 211	1st	6 hrs	250 mL
61495a	"	"	4:52	"	"	2nd	"	750 mL
61496	"	"	4:54	"	Rm 212a Mr. Lu	1st	"	250 mL
61496a	"	"	4:56	"	"	2nd	"	750 mL
61497	"	"	4:58	"	Rm 200 Library	1st	"	250 mL
61497a	"	"	5:00	"	"	2nd	"	750 mL
61498	"	"	5:07	"	Rm 204	1st	"	250 mL
61498a	"	"	5:09	"	"	2nd	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES 2 OF 6

LEAD/COLIFORM WATER SAMPLE FORM

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb immediately perform analysis of 30-second sample.

FILE COPY

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 6 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal COLIFORM

☒ Graphite Furnace AA LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	VOLUME
61499	6-14-97	5:10	DF	Rm 203	1st	6 hrs	250 mL
61499a	"	"	5:11	"	"	2nd	"	750 mL
61490	"	"	5:13	"	Rm 205	1st	"	250 mL
61490a	"	"	5:15	"	"	2nd	"	750 mL
61450	"	"	5:17	"	Rm 202	1st	"	250 mL
61450a	"	"	5:19	"	"	2nd	"	750 mL
61451	"	"	5:21	"	Rm 201	1st	"	250 mL
61451a	"	"	5:23	"	"	2nd	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES 3 of 6

LEAD/COLIFORM WATER SAMPLE FORM

FILE COPY

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
61452	Su	6-14-97	5:33	DF	Kitchen 2nd Floor	1st	6 hrs	250 ml
61452a	"	"	5:35	"	"	2nd	"	750 ml

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES 4 OF 6

LEAD/COLIFORM WATER SAMPLE FORM

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb immediately perform analysis of 30-second sample.

FILE COPY

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling
☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
58111	59	6-14-97	5:55	DF	Rm 114	1st Draw	6 hrs	250 mL
58111a	"	"	5:57	"	"	2nd Draw	"	750 mL
58112	"	"	5:59	"	Rm 115	1st	"	250 mL
58112a	"	"	6:01	"	"	2nd	"	750 mL
58113	"	"	6:03	"	Rm 113	1st	"	250 mL
58113a	"	"	6:04	"	"	2nd	"	750 mL
58114	"	"	6:06	"	Rm 116	1st	"	250 mL
58114a	"	"	6:07	"	"	2nd	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-18-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES 5 OF 6

LEAD/COLIFORM WATER SAMPLE FORM

FILE COPY

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal COLIFORM

☒ Graphite Furnace AA LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling
☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
58115	Sat	6-14-97	6:10	DF	Rm 112	1st	6 hrs	250 mL
58115a	"	"	6:11	"	"	2nd	6+ hrs	750 mL
58116	"	"	6:15	"	Rm 111	1st	"	250 mL
58116a	"	"	6:16	"	"	2nd	"	750 mL
58117	"	"	6:18	MDF	Rm 106 multi-Purpose Rm	1st	"	250 mL
58117a	"	"	6:19	"	"	2nd	"	750 mL
58118	"	"	6:21	"	"	1st	"	250 mL
58118a	"	"	6:22	"	"	2nd	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES 6 OF 6

LEAD/COLIFORM WATER SAMPLE FORM

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

45445

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling
☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
ST-Sink Faucet
WF-Water Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	61497-1	6/4	6-14-97	6:45	DF	Rm 214	1st Draw I	12 hrs	250 mL
2	61497-1a	"	"	6:47	"	"	Second draw	"	750 mL
3	61497-2	"	"	6:50	"	215	1st Draw	"	250 mL
4	61497-2a	"	"	6:51	"	"	2nd Draw	"	750 mL
5	61497-3	"	"	6:53	"	213	1st Draw	"	250 mL
6	61497-3a	"	"	6:55	"	"	2nd Draw	"	750 mL
7	61497-4	"	"	6:57	"	212	1st Draw	"	250 mL
8	61497-4a	"	"	6:59	"	"	2nd Draw	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY: Fidel Martinez
Date/Time: 6-25-97 1:30pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

FILE COPY

CABRILLO ES 1 OF 6

LEAD/COLIFORM WATER SAMPLE FORM

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

45445

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	VOLUME TAKEN
L1497-5	5	6-14-97	7:10	DF	Rm 212A	1st Draw	12+hrs	250 ml
L1497-5a	"	"	7:12	"	"	2nd Draw	"	750 ml
L1497-6	"	"	7:13	"	Rm 211	1st Draw	"	250 ml
L1497-6a	6	"	7:15	"	"	2nd Draw	"	750 ml
L1497-7	"	"	7:17	"	Rm 200	1st Draw	"	250 ml
L1497-7a	"	"	7:18	"	"	2nd Draw	"	750 ml
L1497-8	4	"	7:22	"	Rm 204	1st Draw	"	250 ml
L1497-8a	"	"	7:23	"	"	2nd Draw	"	750 ml

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-14-97

RECEIVED BY: Field Delivery
Date/Time: 6-15-97 1:30pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

FILE COPY

CABRILLO ES 2 OF 6

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

454245

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME: ☐ 6 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

SITE: Cabrillo ES

☒ Graphite Furnace AA | LEAD

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	VOLUME
1	61497-9	S/T	6-14-97	7:30	DF	Rm 205	1st Draw	12 hrs	250 ml
2	61497-9a	"	"	7:31	"	"	2nd Draw	"	750 ml
1	61597-10	"	"	7:32	"	Rm 203	1st	"	250 ml
2	61597-10a	"	"	7:33	"	"	2nd	"	750 ml
1	61597-11	"	"	7:35	"	Rm 202	1st	"	250 ml
2	61597-11a	"	"	7:36	"	"	2nd	"	750 ml
3	61597-12	"	"	7:40		Rm 201	1st	"	250 ml
4	61597-12a	"	"	7:41		"	2nd	"	750 ml

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-14-97

RECEIVED BY: Fidel Inocencio
Date/Time: 6-15-97 1:30 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

FILE COPY

CABRILLO ES 3 OF 6

LEAD/COLIFORM WATER SAMPLE FORM

FILE COPY

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

45445

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME:
☐ 6 Hr. RUSH ☐ 24 Hr. ☐ 3-5 Days

☐ Total ☐ Fecal | COLIFORM

SITE: Cabrillo ES

☒ Graphite Furnace AA | LEAD

SITE FILE: Water Sampling
☐ Coliform ☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine
Development

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: W797-357

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
W1597-13	SWF	6-14-97	7:45	DF	Kit Area 2nd floor	1st	12+ hrs	250 ml
W1597-13a	"	"	7:46	"	"	2nd	"	750 ml
W1597-14	"	"	8:00	"	Rm-112	1st	"	250 ml
W1597-14a	"	"	8:01	"	"	2nd	"	750 ml
W1597-15		"	8:15	"	Rm-111	1st	"	
W1597-15a		"	8:04	"	"	2nd	"	
W1597-16		"	8:06	"	Rm-113	1st	"	
W1597-16a		"	8:07	"	"	2nd	"	

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-14-97

RECEIVED BY: Fidel Martinez
Date/Time: 6-15-97 1:30pm

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94114 Phone: (415) 695-5500

CABRILLO ES 4 of 6

LEAD/COLIFORM WATER SAMPLING FORM

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

45445

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME: ☐ 6 Hr. Rush ☐ 24 Hr. ☐ 1-5 Days

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE: Cabrillo ES

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	DO NOT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	VOLUME TIME
3 L1597-17	S 4+	6-14-97	8:10	DF	Rm 114	1st	12 hrs	250 mL
4 L1597-17a	"	"	8:12	"	"	2nd	"	750 mL
5 L1597-18	"	"	8:14	"	Rm 115	1st	"	250 mL
6 L1597-18a	"	"	8:16	"	"	2nd	"	750 mL
7 L1597-19	"	"	8:18	"	Rm 116	1st	"	250 mL
8 L1597-19a	"	"	8:20	"	"	2nd	"	750 mL
9 L1597-20	"	"	8:22	"	106 cafe	1st	"	250 mL
10 L1597-20a	"	"	8:24	"	"	2nd	"	750 mL

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY: Field Technology
Date/Time: 6-15-97 1:30pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5800

FILE COPY

CABRILLO ES 5 of 6

FILE COPY

INSTRUCTIONS TO LABORATORY: If first draw is greater than 15 ppb, immediately perform analysis of 30-second sample.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: (510) 653-0824 DATE: 6-14-97

TURNAROUND TIME: ☐ 8 Hr. Rush ☐ 24 Hr. ☐ 3-5 Days

SITE: Cabrillo ES

☐ Total ☐ Fecal | COLIFORM

☒ Graphite Furnace AA | LEAD

SITE FILE: Water Sampling

☐ Coliform ☒ Lead

INSPECTOR: Ray Williams, Jr.

WORK ORDER #: WT97-357

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
R-Resample
FU-Follow-Up
FR-Flushing Routine Development

SAMPLE #	LAB	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
61597-21	SUT	6-14-97	9:30	MDF	106	1st	12 hrs	250 ml
61597-21*	"	"	9:32	"	"	2nd	"	750 ml

RELINQUISHED BY: Ray Williams, Jr.
Date/Time: 6-16-97

RECEIVED BY: Fidel Martinez
Date/Time: 6-15-97 1:30 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

CABRILLO ES 6 OF 6

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708C94

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARMICHAEL
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: DK / RGD
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 49

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1, 2	1	Thu	8/21/97	1000	DF	023	F	10 min	36 hr
3	2			1010		022			
4	3			1115		020			
5	4			1120		C93 OUTSIDE			
6	5			1200	SF	~~C92~~ 009 ~~OUTSIDE~~			
7	6			1205	DF	C90 OUTSIDE			
8	7			1210		C92 OUTSIDE			
9	8			1215		– PLAYGRD			
10	9			1230		– PLAYGRD			

RELINQUISHED BY: Karin Schnooter Date/Time: 8/25/97
RECEIVED BY: Date/Time: 8/25/97 4:25

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 595-5500

Relinquished by: 8/25/97 8-25-97

Page 1 of 2

P012

Carmichael

SAME DAY PICKUP

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708C94

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARMICHAEL
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: DK / RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 49

SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11 B		12/pitm			BLANK	B		
		ONSITE	8/24	-	IN SPECT RMS	NOT	ALLOWED	
		IN TO INCLUDE	8/27	- NEW	NO "DF" PORTABLES	IN	ROOMS -	

RELINQUISHED BY: Karen Arbuckle Date/Time: 8/25/97
RECEIVED BY: [signature] Date/Time: 8/25/97 1425

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

NR 8-25-97

Page 2 of 2

P012

Carmichael

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49291

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 2 / 1997
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: CARMICHAEL	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: R. Richards FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	7~~10~~A		10-2-97	0700	DF	C92 OUTSIDE	F	30 SEC.	11-12hr	2"-35 SEC
02	7~~10~~B		↓	0704	↓	↓	2ND	30 SEC	↓	2"-35 SEC
03	7~~10~~C		↓	1250	↓	↓	3RD	0	4-6	2" 35" SEC
04	11B		10-2-97	0710	—	BLANK	B	—	—	

RELINQUISHED BY: Kari Ahrens Date / Time: 10/7/97	RECEIVED BY: [illegible] Date / Time: 10/7 [illegible]
1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500	

Carmichael ES-Ret

SAMPLES # 2, 10, 13-15, 19 ERRONEOUSLY SAMPLED -

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL
PHONE:
DATE: 8/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. Carver Elementary
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: Kenneth Pilgrim / Firm R&A
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	T	8/19/97	0715	DF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
~~2~~	T	~~8/19/97~~	~~0724~~	~~SF~~	~~Upper Floor SE Wing~~	~~F~~	~~N/A~~	~~6+ hrs <36hrs~~
3	T	8/19/97	0728	SDF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
4	T	8/19/97	0731	SDF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
5	T	8/19/97	0737	SDF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
6	T	8/19/97	0741	SDF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
7	T	8/19/97	0745	SDF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
8	T	8/19/97	0749	SDF	Upper Floor SE Wing	F	N/A	6+ hrs <36hrs
9	T	8/19/97	0754	SF	Upper Floor Courtyard	F	N/A	6+ hrs <36hrs

Serving Area Kely used for drinking

RELINQUISHED BY: Karin Ahrens
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ryan
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Carver ES P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO
PHONE:
DATE: 8/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G.W. Carver Elementary
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: Kenneth P. Lyon Firm R6A
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	T	8/19/97	0758	SF	upper Floor SW classrooms	F	N/A	6+ hrs <36hr
11	T	8/19/97	0800	SDF	upper Floor SW classrooms	F	N/A	6+ hrs <36hrs
12	T	8/19/97	0803	SDF	upper Floor SW classrooms	F	N/A	6+ hrs <36hrs
13	T	8/19/97	0806	SF	upper Floor SW classrooms	F	N/A	6+ hrs <36hrs
14	T	8/19/97	0818	SF	upper Floor Nurse's office	F	N/A	6+ hrs <36hrs
15	T	8/19/97	0822	SF	upper Floor Nurse's office	F	N/A	6+ hrs <36hrs
16	T	8/19/97	0825	SF	upper Floor Teacher's Lounge	F	N/A	6+ hrs <36hrs
17	T	8/19/97	0827	SF	upper Floor Teacher's Lounge	F	N/A	6+ hrs <36hrs
18	T	8/19/97	0836	DF	upper Floor NW Wing	F	N/A	6+ hrs <36hrs

RELINQUISHED BY: Karen Ahnert
Date/Time: 8/22/97 4:15
RECEIVED BY: John Aque
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Carver ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL
PHONE:
DATE: 8/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: G. W. Carver Elementary
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Kenneth Pilgrim RGA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
~~#19~~	T	8/19/97	0840	SF	Upper Floor NW Wing-Room 283	F	N/A	6+hrs <36hrs
#20	T	8/19/97	0845	SDF	Upper Floor NW Wing	F	N/A	6+hrs <36hrs
#21	T	8/19/97	0848	SDF	Upper Floor NW Wing	F	N/A	6+hrs <36hrs
#22	T	8/19/97	0852	SDF	Upper Floor NW Wing - Library	F	N/A	6+hrs <36hrs
#23	T	8/19/97	0856	SDF	Upper Floor NW Wing - Library	F	N/A	6+hrs <36hrs
#24	T	8/19/97	0859	SDF	Upper Floor NW Wing	F	N/A	6+hrs <36hrs
#25	T	8/19/97	0902	SDF	Upper Floor NW Wing	F	N/A	6+hrs <36hrs
#26	T	8/19/97	0938	DF	Lower Floor Hall	F	N/A	6+hrs <36hrs
#27	T	8/19/97	0942	DF	Lower Floor SE Wing - Hall	F	N/A	6+hrs <36hrs

RELINQUISHED BY: Karen Ahrens
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ayon
Date/Time: 8/22/97 4:15

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Carver ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL
PHONE:
DATE: 8/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

☐ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

INSPECTOR: Kenneth Pilgrim / FIRM RGA

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#28	T	8/19/97	0946	SDF	Lower Level SE Wing	F	N/A	6+ hrs <36hrs
#29	T	8/19/97	0950	SDF	Lower level SE Wing	F	N/A	6+ hrs <36hrs
#30	T	8/19/97	0953	SDF	Lower level SE Wing	F	N/A	6+ hrs <36hrs
#31	T	8/19/97	0956	SDF	Lower Level SE Wing	F	N/A	6+ hrs <36hrs
#32	T	8/19/97	0959	SDF	Lower level SE Wing	F	N/A	6+ hrs <36hrs
#33	T	8/19/97	1001	SDF	Lower level SE Wing	F	N/A	6+ hrs <36hrs
#34	T	8/19/97	1005	SDF	Lower level SE Wing	F	N/A	6+ hrs <36hrs
#35	T	8/19/97	1009	DF	Lower level Multi-purpose	F	N/A	6+ hrs <36hrs
#36	T	8/19/97	1014	SDF	Lower level Multi-purpose	F	N/A	6+ hrs <36hrs

RELINQUISHED BY: Karin Schroeter
Date/Time: 8/22/97 4:15

RECEIVED BY: John Aiyou
Date/Time: 8/22/97 4:15

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Carver 01E5

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL
PHONE: DATE: 8/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: Kenneth Pibai / RGA
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
37	T	8/19/97	1018	SF	Lower Level Faculty Dining	F	N/A	6t hrs <36hrs
38	T	8/19/97	1021	SF	Lower level Kitchen	F	N/A	6t hrs <36hrs
B	T	8/19/97	1030	—	Blank	B	—	—
39						S	—	—

RELINQUISHED BY: Karin Achrat
Date/Time: 8/22/97 4:15
RECEIVED BY: John Agre
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone (415) 695-5500

Page 5 of 5

Carver P01 ES

60

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results ONLY to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/7 / 1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARVER
SITE FILE: Water Sampling
Lead
INSPECTOR: DR FIRM: RGA
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2
FIXTURE TYPE: DF--Drinking Fountain; MDF--Multiple DF; WCDF--Water Cooled DF; SDF--Sink DF; SF--Sink Faucet
SAMPLE TYPE: B--Blank; S--Spiked; F--First Draw

Arch Fitness

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
38 01 2"	25 A		10/5	1040	SDF	UPPER LEVEL N.W WING	F	30sec	10HR
02	B			1041				30sec	34sec
03	C			1742				—	7 HR
04	38A		10/5	1105	SF SDF	LOWER LEVEL KITCHEN	F	30sec	10HR
3" 05	B			1106				30sec	34sec
06	C			1755				—	6 1/2
07	CARVER S			SPIKE			S		
08	BLANK						B		

RELINQUISHED BY: K Atwater Date / Time: 10/7/97
RECEIVED BY: Silvi Siu Date / Time: 10/7 2:57

1551 Newcomb Ave., Rm. 106. San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 3

Carver Returns

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARVER
SITE FILE: Water Sampling
Lead
INSPECTOR: DE FIRM: RGA
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2
FIXTURE TYPE:
DF--Drinking Fountain
MDF--Multiple DF
WCDF--Water Cooled DF
SDF--Sink DF
SF--Sink Faucet
SAMPLE TYPE:
B--Blank
S--Spiked
F--First Draw

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
E.11 TIME 505	22 A		10/5	0900	SDF	NW WING UPPER	F	30 SEC	8 hr
2" 10	~~27~~ B		10/5	0904	↓	↓	↓	~~30 SEC~~ 30	~~8 hr~~ 30 SEC
11	C		10/5	1700	↓	↓	↓	–	8 hr
48 SEC 12	21 A		10/5	0903	SDF	N-W WING UPPER FLR	F	30 SEC	<10 HR
2" 13	B		↓	0904	↓	↓	↓	30 SEC	30 SEC
14	C		↓	1712	↓	↓	↓	–	8 HR
15 ✓	1 A		10/5	0910	DF	S.E WING UPPER FLR	F	30 SEC	<10 HR
2" 38/16	B		↓	0911	↓	↓		30 SEC	30 SEC
17	C		↓	1715	↓	↓		–	8 HR

RELINQUISHED BY: [signature] Date / Time: 10/7/97
RECEIVED BY: [signature] Date / Time: 10/7/97 2:40pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

Page 2 of 7

Carver Returns

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results ONLY to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 05 / 6 / 1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARVER
SITE FILE: Water Sampling
Lead
INSPECTOR: DG FIRM: [illegible]
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2

FIXTURE TYPE:
DF--Drinking Fountain
MDF--Multiple DF
WCDF--Water Cooled DF
SDF--Sink DF
SF--Sink Faucet

SAMPLE TYPE:
B--Blank
S--Spiked
F--First Draw

6" TIME	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
45 18	16 A		10/5	0914	SF	TEACHER LOUNGE/LUNCH ROOM	F	30 sec	10 HR
3" 19	B			0915				30 sec	30 sec
20	C			1718				—	8 HR
52 21	5 A		10/5	0928	SDF	UPPER LEVEL S.E. WING	F	30 sec	10 HR
22	B			0929				30 sec	30 sec
2" 23	C			1720					8 HR
45 24	6 A		10/5	940	SDF	UPPER LEVEL S.E. WING	F	30 sec	10 HR
25	B			941				30 sec	30 sec
3" 26	C			1722				—	8 HR

RELINQUISHED BY: [illegible] Date / Time: 10/7/97
RECEIVED BY: [illegible] Date / Time: 10/7 [illegible]

1551 Newcomb Ave., Rm. 106. San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 7

Carver Returns

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: CARVER SITE FILE: Water Sampling Lead INSPECTOR: DR FIRM: RGA WORK ORDER #: SFUSD PO	Graphite Furnace AA EPA 239.2 FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw

Fill Time	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
2" 27	7A		10/5	1000	SDF	UPPER LEVEL S.E. WING	F	30 sec	2.00 hr
28	B		↓	1001	SDF	↓	↓	30 sec	30 sec
29	C		↓	1726	SDF	↓	↓	—	7 days
3" 30	11A		10/5	1020	SDF	UPPER LEVEL S.W WING	F	30 sec	30 sec
31	B		↓	1021	↓	↓		30 sec	30 sec
32	C		↓	1728	↓	↓		—	7 days
3" 33	12A		10/5	1035	SDF	UPPER LEVEL S.W WING	F	30 sec	10 hr
34	B		↓	1036	↓	↓		30 sec	30 sec
35	C		↓	1730	↓	↓		—	7 hr

RELINQUISHED BY: Karen Athoetu Date / Time: 10/7/97	RECEIVED BY: [illegible] Date / Time: 10/7/97 @ 2:57 pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

Page 4 of 7

Carver Returns

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: CARVER	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: DR FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain; MDF--Multiple DF; WCDF--Water Cooled DF; SDF--Sink DF; SF--Sink Faucet SAMPLE TYPE: B--Blank; S--Spiked; F--First Draw
WORK ORDER #: SFUSD PO	

Fill Time	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
40 35	29 A		10/5	1120	SDF	LOWER LEVEL S.E WING	R	30 sec	10 min
2" 37	B		↓	1121	↓	↓		30 sec	30 sec
38	C		↓	1810	↓	↓		—	7 min
22 39	30 A		10/5	1135	SDF	LOWER LEVEL S.E WING	R	30 sec	14 min
3" 40	B		↓	1136	↓	↓		30 sec	30 sec
41	C		↓	1812	↓	↓		—	7 min
14 42	17 A		10/5	1150	SF	UPPER LEVEL TEACHER LOUNGE	R	30 sec	10 min
2" 43	B		↓	1151	↓	↓		30 sec	30 sec
44	C		↓	1758	↓	↓			6 min

RELINQUISHED BY: [signature] Date / Time: 10/7/97	RECEIVED BY: [signature] Date / Time: 10/7 [illegible]

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

Page 5 of 7

Carver Returns

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results ONLY to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUIOA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/ 6 / 1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARVER
SITE FILE: Water Sampling
Lead
INSPECTOR: D.R. FIRM RGA
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2

FIXTURE TYPE:
DF--Drinking Fountain
MDF--Multiple DF
WCDF--Water Cooled DF
SDF--Sink DF
SF--Sink Faucet

SAMPLE TYPE:
B--Blank
S--Spiked
F--First Draw

Fill time	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
30/5	35A		10/5	1205	DF	LOWER LEVEL MULTI PURPOSE RM	F	30 sec	NUSE
46	B			1206				30 sec	30 sec
47	C			1800				—	60 sec
48	36 A		10/5	1224	SDF	LOWER LEVEL MULTI PURPOSE RM	F	30 sec	NUSE
49	B			1221				30 sec	30 sec
50	C			1802				—	60 sec
22/51	37 A		10/5	1235	SF	LOWER LEVEL FACILITY DINING	F	30 sec	NUSE
52	B			1236				30 sec	30 sec
53	C			1805				—	5 1/2

3"
2"
2"

RELINQUISHED BY: [signature]
Date / Time: 10/9/97
RECEIVED BY: [signature]
Date / Time: 10/9/97 2:45 pm

1551 Newcomb Ave., Rm. 106. San Francisco, CA 94124 Phone: (415) 695-5600

Page 6 of 7

Carver Returns

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results ONLY to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49292

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUIOA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/6 /1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARVER
SITE FILE: Water Sampling
Lead
INSPECTOR: DR FIRM RGA
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2
FIXTURE TYPE: DF--Drinking Fountain; MDF--Multiple DF; WCDF--Water Cooled DF; SDF--Sink DF; SF--Sink Faucet
SAMPLE TYPE: B--Blank; S--Spiked; F--First Draw

Fill TIME	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
2559	26A		10/5	1240		LOWER LEVEL HALL	~~DF~~ F	30sec	<-/0sec
55	B		↓	1241		↓	↓	30sec	30sec
2" 56	C		↓	1814		↓	↓	—	5 1/2 HR
57	27A		10/5	1252		LOWER LEVEL S.E WING HALL	R	30sec	10sec
22 58	B		↓	1253		↓		30sec	30sec
2" 59	C		↓	1817		↓			5 1/2 HR
2900	28A		10/5	1302		LOWER LEVEL S.E. WING	R	30sec	15HR
61	B		↓	1303		↓		30sec	30sec
2" 62	C		↓	1819		↓		—	5 HR

RELINQUISHED BY: J Schroeder
Date / Time: 10/7/97
RECEIVED BY: Silvia Sudin
Date / Time: 10/7 2:30 pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Carver Returns

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

5216

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CARVER E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: [illegible] / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	CARVER 33A	Sat	1/17/98	848	SDF	LOWER LEVEL SE WING		30s	OVER NIGHT	1.5"
02	CARVER 33B	Sat	1/17/98	849	SDF	"		30s	"	1.5"
03	CARVER 33C	Sat	1/17/98	859	SDF	"		0s		1.5"

RELINQUISHED BY: [illegible]
Date/Time: 1-19-98

RECEIVED BY: [illegible] 1/19/98
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

CARVER ES

69498

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 6 / 3 /99

TURNAROUND TIME: 6/ 8 /99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: CARVER ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AR HE
(01) CARVER 1 I	TH	6/3	645 A	DF	UPPER FL, SE WING	1ST	30	> 6 H	25	
CARVER 1 II	"	"	"	"	" "	2ND	"	"	"	
(02) CARVER 5 I	"	"	"	SDF	" "	1ST	"	"	40	
CARVER 5 II	"	"	"	"	" "	2ND	"	"	"	
(03) CARVER 6 I	"	"	"	"	" "	1ST	"	"	20	
CARVER 6 II	"	"	"	"	" "	2ND	"	"	"	
(04) CARVER 7 I	"	"	"	"	" "	1ST	"	"	40	
CARVER 7 II	"	"	"	"	" "	2ND	"	"	"	
(05) CARVER 11 I	"	"	"	"	SW CLASSES, UPPER FL	1ST	"	"	45	

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 6/3/99 @ 1145 AM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69498

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / (MICROANALYTICAL)

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 3 /99

TURNAROUND TIME: 6/8/99 10AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: CARVER ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AE HE
CARVER 11 I	TH	6/3	645 A	SDF	SW CLASSES, UPPER FL	2ND	30	>6 H	45	?
(06) CARVER 12 I	"	"	"	"	" "	1ST	"	"	40	
CARVER 12 II	"	"	"	"	" "	2ND	"	"	"	
(07) CARVER 16 I	"	"	"	SF	TEACHERS' LGE., UPPER FL	1ST	"	"	15	
CARVER 16 II	"	"	"	"	" "	2ND	"	"	"	
(08) CARVER 17 I	"	"	"	"	" "	1ST	"	"	15	N
CARVER 17 II	"	"	"	"	" "	2ND	"	"	"	
(9) CARVER 21 I	"	"	"	SDF	NW WING, UPPER FL	1ST	"	"	20	3
CARVER 21 II	"	"	"	"	" "	2ND	"	"	"	

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/3/99 @ 1:45 PM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69498

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 3 /99

TURNAROUND TIME: 6/8/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: CARVER ES

SITE FILE: Water Sampling

☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AE HE
(10)	CARVER 22 I	TH	6/3	645 A	SDF	NW WING, UPPER FL	1ST	30	> 6H	20	
	CARVER 22 II	"	"	"	"	" "	2ND	"	"	"	
(11)	CARVER 25 I	"	"	"	"	" "	1ST	"	"	20	
	CARVER 25 II	"	"	"	"	" "	2ND	"	"	"	
(12)	CARVER 26 I	"	"	"	DF	LOWER FL. HALL	1ST	"	"	30	
	CARVER 26 II	"	"	"	"	" "	2ND	"	"	"	
(13)	CARVER 27 I	"	"	"	"	SE WING, HALL LOWER LEVEL	1ST	"	"	25	
	CARVER 27 II	"	"	"	"	" "	2ND	"	"	"	
(14)	CARVER 28 I	"	"	"	SDF	SE WING, LOWER LVL	1ST	"	"	25	3

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/3/99 @ 11:45 am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69498

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / (MICROANALYTICAL)

PHONE: 650-364-9600 510-653-0824 DATE: 6/3/99

TURNAROUND TIME: 6/8/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: CARVER ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	AR HE
CARVER 28 II	TH	6/3	645 A	SDF	SE WING, LOWER LEVEL	2ND	30	> 6H	25	
(15) CARVER 29 I	"	"	"	"	" "	1ST	"	"	25	
CARVER 29 II	"	"	"	"	" "	2ND	"	"	"	
(16) CARVER 30 I	"	"	"	"	" "	1ST	"	"	40	
CARVER 30 II	"	"	"	"	" "	2ND	"	"	"	
(17) CARVER 35 I	"	"	"	DF	MULTI-PURPOSE, LOWER LEVEL	1ST	"	"	20	
CARVER 35 II	"	"	"	"	" "	2ND	"	"	"	
(18) CARVER 37 I	"	"	"	SF	FACULTY DINING, LWR LEVEL	1ST	"	"	15	
CARVER 37 II	"	"	"	"	" "	2ND	"	"	"	

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 6/3/99 @ 11:45 AM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69498

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 3 /99

TURNAROUND TIME: 6/8/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: CARVER ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: GCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARC HEIG
(19) CARVER 38 I	TH	6/3	645 A	SF	KITCHEN, LOWER LVL	1ST	30	> 6H	15	4
CARVER 38 II	TH	"	"	"	" "	2ND	"	"	"	
(20) CARVER 40 I	"	"	"	MDF	EXT. COURTYARD, LWR. LVL	1ST	"	"	25	5
CARVER 40 II	"	"	"	"	" "	2ND	"	"	"	"
CARVER BL1					BLANK					
CARVER BL2					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible]
Date/Time: 6/3/99 @ 11:45 AM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

49455

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Central City Hospitality

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: HG / Firm AAE

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	T	10/7	915	SF	Kitchen			
2		"	930	DF	Hall Drinking Fountain			
3		"	945	SF	Women's RR LEFT			
4		"	955	SF	Women RR RIGHT			
5		"	1010	SF	Men's RR LEFT			
6		"	1020	SF	Men's RR RIGHT			
7		"	1045	SF	Men's RR			
8		"	1100	SF	Women's RR			
9		"	—	—	—	B		

RELINQUISHED BY: Harry Gee
Date/Time: 10/10/97 15:7

RECEIVED BY: LOUIN
Date/Time: 10-10-97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Central City Hospitality

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

RECEIVED SEP -3 1997 ENVIRONM

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CESAR CHAVES ES
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AYTUE	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		8/26/97	8:19	SF	KITCHEN OFF Rm 2	F	:31	20HR
2			8:24	MDF (RHS)	1ST FL. HALL NORTH		:11	22
3			8:28	SDF	Rm 30 B (KIND. 2)		:11	19
4			8:34	SF	KITCHEN Rm 15 A		:10	19
5			8:37	MDF(2) (LHS)	CORRIDOR E OF Rm 4		:10	19
6			8:41	MDF (3) (CENTER)	— " —		:10	19
7			8:46	CWDF	CORRIDOR W OF Rm 4		:10	20
8			8:48	MDF(3) (CENTER)	— " —		:10	20
9			8:50	MDF(2) (LHS)	— " —		:10	20

RELINQUISHED BY: [signature]
Date/Time: 08/30/97 11:50

RECEIVED BY: [signature]
Date/Time: 8/28/97 11:30

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
Chavez ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CHAVEZ

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: P. Hoyt / ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	TUE	8/26/97	8:58	MDF(2) (LHS)	1st FLOOR HALL SOUTH	F	:11	22
Spike — 11			9:00	SF	LOUNGE KITCHEN		:15	22
12			9:02	MDF(2) (RHS)	2nd FLOOR HALL - SOUTH		:15	22
13			9:08	MDF(2) RHS	2nd FLOOR HALL - NORTH		:13	22
14			9:11	SF	KITCHEN Rm 35A		:12	22
15		FIELD	BLANK					

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50

RECEIVED BY: Ellen Ryan
Date/Time: 8/30/97 11:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Chavez ES

P012

No spike

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: John Yehall Chin ES

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: / Firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Chin 1		8/22/97	0900	SF	C91	F	10mins	76hrs
Chin 2		↓	0905	SF	room 101	F	↓	↓
Chin 3		↓	0910	DF	C90	F	↓	↓
Chin 4		↓	0915	DF	C90	F	↓	↓
Chin 5		↓	0920	MDF	ext. 1	F	↓	↓
Chin 6		↓	0925	BLANK	→	→	→	→

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Chin ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710483

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ ~~510-848-3328~~.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 1 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Chin E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	ACCY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (Height)	HOUSE TIME (Filling time)
Chin 3-A		10/1/97	1 pm	DF	C90	1st	.5 in	1 min
Chin 3-B		↓	1:05 pm	↓	↓	2nd	↓	↓
Chin 3-C		↓	5pm	↓	↓	1st	↓	↓
Chin 5-A		10/1/97	1:10 pm	MDF	Ext. 1	1st	2in	25 sec
Chin 5-B		↓	1:15 pm	↓	↓	2nd	↓	↓
Chin 5-C		↓	5:05 pm	↓	↓	1st	↓	↓
Chin ES	BLANK →							

9 4 24

RELINQUISHED BY: Michelle Date/Time: 10/8/97 12pm
RECEIVED BY: Date/Time: 10/9/97 255

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab by, T. Downs 10-9-97 1624

Page 1 of 1

Chin ES-Ret.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CHINATOWN YOUTH CENTER

☐ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE. Water Sampling
☐ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

INSPECTOR: HG / firm AAE

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		10/9	8 00	SF	RM 112			
2		"	8 10	SF	RM 111			
3		"	8 20	SF	RM 109			
4		"	8 45	SF	RM 207			

RELINQUISHED BY: [illegible]
Date/Time: [illegible]

RECEIVED BY: Lowe
Date/Time: 10-10-97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Chinatown Youth Ctr

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**. 9708B86

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CHINESE ED. CENTER
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: CQ / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

RU 22 5 54

	SAMPLE #	DAT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	CHINESE ED CENTER 1		8.21.97	5:00	SDF	1ST FLOOR		10 MIN	>6 HR
3	CHINESE ED CENTER 2			5:05	SDF				
4	CHINESE ED CENTER 3			5:10	SDF				
5	CHINESE ED CENTER 4			5:15	SDF	2ND FLOOR			
6	CHINESE ED CENTER 5			5:20	SDF				
7	CHINESE ED CENTER 6			5:25	SDF				
8	CHINESE ED CENTER 7			5:30	SDF				
9	CHINESE ED CENTER 8			5:35	SDF				
10	CHINESE ED CENTER 9			5:40	SDF				

RELINQUISHED BY: Michelle [signature] Date/Time: 8/22/97 1:30 pm
RECEIVED BY: [signature] Date/Time: 3:20 8/22

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22/97

Page 1 of 2

[signature] 8-22-97 1754

P012

Chinese Ed Ctr

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

9708B86

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CHINESE ED. CENTER
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: CQ / SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11 CHINESE ED CENTER 10	8.21.97	5:45	MDF	ROOF		10 MIN	>6 Hrs
12 CHINESE ED CENTER BL	8.21.97	5:55	—	—	B		

RELINQUISHED BY: Michelle Ker
Date/Time: 8/22/97 1:30 pm
RECEIVED BY: [illegible]
Date/Time: 8/22/97 3:20

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22/97

Page 2 of 2

P012

Chinese Ed Ctr

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 9/9

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710491

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Chinese Ed. Ctr.
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

[x] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
Height Fill time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOZZLE TIME
1	CEC 3-A		10/4/97	11AM	SDF	First floor	1st	2in	25 sec
2	CEC 3-B		↓	11:05 AM	↓	↓	2nd	↓	↓
3	CEC 3-C		↓	3:15 PM	↓	↓	1st	↓	↓
4	CEC 4-A		↓	11:10 AM	SDF	Second floor	1st	3in	30 sec
5	CEC 4-B		↓	11:15 AM	↓	↓	2nd	↓	↓
6	CEC 4-C		↓	3:20 PM	↓	↓	1st	↓	↓
7	CEC 10-A		↓	11:20 AM	SDF	Second Floor	1st	2in	20 sec
8	CEC 10-B		↓	11:25 AM	↓	↓	2nd	↓	↓
9,10	CEC 10-C		↓	3:25 PM	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Date/Time: 10/8/97 12 p.m.
RECEIVED BY: Date/Time: 10/9/97 255

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 7

Chinese Ed Ctr- Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

9710491

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Chinese Ed. Ctr.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA (Firm)
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	HOUSE TIME
CEC BLANK								

RELINQUISHED BY: Michelle Lam
Date/Time: 10/8/97 12pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 255

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab
by: J. Downs
10-9-97
1624

Page 2 of 2

Chinese Ed Ctr-Ret.

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLARENDON E.S.
SITE FILE: Water Sampling
S.H. # 478 - ☐ Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	AQ/T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
478-1	S/U	8-17-97	10:30 pm	SF	1st Floor-RM 124-Kitchen	F	8-17-97 8:30 am	14 Hrs
478-2	S/U	8-17-97	10:32	SF	1st Floor-RM 124-Kitchen	F		
478-3	S/U	8-17-97	10:34	DF	1st Floor-C92	F		
478-4	S/U	8-17-97	10:38	SF	1st Floor-RM 106-Nurse office	F		
478-5	S/U	8-17-97	10:40	DF	1st Floor-C91	F		
478-6	S/U	8-17-97	10:42	SDF	1st Floor-RM 103	F		
478-7	S/U	8-17-97	10:44	SDF	1st Floor-RM 102	F		
478-8	S/U	8-17-97	10:46	SDF	1st Floor RM 105	F		
478-9	S/U	8-17-97	10:48	SDF	1st Floor RM 107	F		

RELINQUISHED BY: [signature]
Date/Time: 8-20-97
RECEIVED BY: [signature] 8/20/97
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 4

CLARENDON ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLARENDON E.S.
SITE FILE: Water Sampling
Site #478 - Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	AT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	WORKER TIME
478-10	S U	8-17-97	10:53	SDF	1st Floor RM 109	F	8-17-97	14 hrs
478-11	S U	8-17-97	10:55	SDF	1st Floor RM 110	F		
478-12	S U	8-17-97	10:57	SDF	1st Floor RM 116	F		
478-13	S U	8-17-97	11:01	SDF	Basement RM 001	F		
478-14	S U	8-17-97	11:03	SDF	Basement RM 003	F		
478-15	S U	8-17-97	11:05	SDF	Basement RM 005	F		
478-16	S U	8-17-97	11:07	DF	Basement RM 005	F		
478-17	S U	8-17-97	11:10	MDF	Basement-outside next to 580	F		
478-18	S U	8-17-97	11:16	SDF	2nd Floor RM 203	F		

RELINQUISHED BY: [signature]
Date/Time: 8-20-97

RECEIVED BY: [signature]
Date/Time: 8/20/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5800

Page 2 of 4

CLARENDON ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

[redacted]

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/27/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Clarendon E.S.

SITE FILE: Water Sampling
Site # 478 - ☐ Lead

INSPECTOR: M. Edwards / SES

WORK ORDER #: SFUSD PO

☐ ☐

Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - Fixture

SAMPLE #	AT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONITOR TIME
478-19	Su	8-17-97	11:18	SDF	2nd Floor Rm 205	F	8-17-97 8:30am	14 Hrs
478-20	Su	8-17-97	11:20	SDF	2nd Floor Rm 207	F		
478-21	Su	8-17-97	11:22	SDF	2nd Floor Rm 209	F		
478-22	Su	8-17-97	11:24	SDF	2nd Floor Rm 214	F		
478-23	Su	8-17-97	11:26	SDF	2nd Floor Rm 206	F		
478-24	Su	8-17-97	11:28	SDF	2nd Floor Rm 204	F		
478-25	Su	8-17-97	11:30	DF	2nd Floor C80	F		
478-26	Su	8-17-97	11:35	MDF	1st Floor Portable Bldg 1 T52	F		
478-27	Su	8-17-97	11:40	SDF	Kindergarten Classroom	F	↓	↓

RELINQUISHED BY: [signature]
Date/Time: 8-20-97

RECEIVED BY: [signature] 8/20/97
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 4

CLARENDON ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

[redacted]
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLARENDON E.S.
SITE FILE: Water Sampling
S.H.C. #478 - ☐ Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

☐ ☐
Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A/T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NO-USE TIME
478-28	S/U	8-17-97	11:42	SDF	Bungalow Classroom	F	F-17-97 8:30am	14 Hrs
478-29	S/U	8-17-97	11:44	B	Blank	B	—	—
478-30	S/U	8-17-97	11:46	DF	Room 102	F	F-17-97 8:30am	14 Hrs

RELINQUISHED BY: [signature]
Date/Time: 8-20-97
RECEIVED BY: [signature] 8/20/97
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone (415) 695-5500

Page 4 of 4

CLARENDON ES

50766

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/12/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Clarendon ES
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: J Gamson FILM SES
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Area weight	Fill Time
01	478-3A	WS	11/12/97	5:00	DF	1st f loor CR2	1st draw	30 sec	~14hrs	1/4"	30
02	478-3B	WS	11/12/97	5:02	DF	↓	2nd draw	30 sec	~14hrs	1/4"	45
03	478-3C	WS	11/12/97	9:34	DF	↓	3rd draw	NA	NA	1/4"	45
	Blank 2										
04	478-Blank										

RELINQUISHED BY: [signature]
Date/Time: 11/18/97 3:00

RECEIVED BY: Eddie Thompson
Date/Time: 11-18-97 4:00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Clarendon E.S.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLEVELAND E.S

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: HG / Firm AAE

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	8/22	650	SF	BASEMENT GIRL'S RM			12
2	"	"	701	WF	BASEMENT WF (LEFT)			"
3	"	"	713	WF	BASEMENT WF (RIGHT)			"
4	"	"	722	SF	BASEMENT BOY'S RM			"
5	"	"	738	WF	105A			"
6	"	"	746	WF	108A			"
7	"	"	804	DF	1ST FL. C90 (Hall)			"
8	"	"	822	WF	OFFICE R.R.			"
9	"	"	834	WF	PRINCIPAL RR.			"

RELINQUISHED BY: Harry Y. Lee
Date/Time: 8/26/97 420

RECEIVED BY: Peter Cafon
Date/Time: 8/26/97 420 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

Cleveland ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLEVELAND E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: HO / Film AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	F	8/22	840		BLANK	B		12
11	"	8/22	859	SF	1st Fl. Hall R.R.			"
12	"	"	911		210A			"
13	"	"	928	WF	FACULTY LUNCH RM			"
14	"	"	941	SF	211 A			"
15	"	"	958	SF	212A			"
16	"	"	1010	SF	214 A			"
17	"	"	1023	SF	215A			"
18	"	"	1040	DF	SECOND FL. EAST HALL	DF		"

REST RM FAUCET

RELINQUISHED BY: Harry S. Lee
Date/Time: 8/26/97 4:20

RECEIVED BY: John Ayon
Date/Time: 8/26/97 4:20 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Cleveland ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLEVELAND ES

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: HO / firm AAE

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	F	8/22	10:56	WF	B03A			12
20	"	"			BLANK	B		
97-W00753-5		"			SPIKE	S		97-W0075
22	"	"	11:15	DF	B01A			12
23	"	"	11:32	SF	B01A			"
24	"	"	11:46	MDF	LEFT SIDE MDF YARD			"
25	"	"	12:05	MDF	RIGHT SIDE MDF YARD			"

RELINQUISHED BY: Harry Ho
Date/Time: 8/26 4:20

RECEIVED BY: John Ayon
Date/Time: 8/26/97 4:20 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Cleveland ES

No access to Nurse office

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

9708D00

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

SAME DAY PICKUP

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY (SEQUOIA) / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/25/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: COBB

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: GENE / Elite RG-D

WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NON-FLUSH TIME
1		08/24/97	13:00	DF	1st floor adj rmoom	F	10min	36h
2			13:15	DF	2nd floor adj rmoom	F	"	"
3			13:25	SF	2nd floor cafeteria	F	"	"
4			13:38	DF	3rd floor adj 013	"	"	"
5			13:52	DF	3rd floor adj kitchen	"	"	"
6/B		—	—	—	—	B	—	—
7		—	—	—	SPIKE	S	—	—

5 49

97-W00752
5

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/25/97

RECEIVED BY: [signature] 8/25/97 4:25

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

[signature] 8-25-97

Page 1 of 1

P012

Cobb ES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49290

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 2 / 1997
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: COBB	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: R. Richards FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	8	th	10-2-97	0610	MDF	OUTSIDE	F	10 min	11 hrs	2"-35 sec
02	9			0630	MDF	OUTSIDE	F	10 min	"	3"-30 sec
03	10B			0635	—	BLANK	—	—	[redacted]	

RELINQUISHED BY: Kari Ahrens Date / Time: 10/7/97	RECEIVED BY: Julie Sueling Date / Time: 10/7/97 2:47pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-6500

Cobb ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SFUSD

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: COOPER CC
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: J. COPPERUD firm RGA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
1	Th	8/21	730	SF	1st fl - West Classroom	F	N/A	6+ hrs	>36
2	Th	8/21	735	SF	1st fl - East Classroom closet	F	N/A	6+ hrs	>36
3	Th	8/21	740	SF	2nd fl - East Classrm	F	N/A	6+ hrs	>36
4	Th	8/21	745	SF	2nd fl - west side classroom	F	N/A	6+ hrs	>36
5	Th	8/21	750	SF	2nd fl - west side Kitchen	F	N/A	6+ hrs	>36
6	Th	8/21	755	SF	2nd fl - middle classroom	F	N/A	6+ hrs	>36
7	Th	8/21	7:55	—	—	B	—	—	
8	—	—	—	—	—	S	—	—	

Facility obtained from 7 faucets.

RELINQUISHED BY: Karin Ahrendt
Date/Time: 8/22/97 4:15
RECEIVED BY: [illegible signature]
Date/Time: 8/22/97 4:15PM

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Cooper CC

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

066557.

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 23 / 99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

☐ PROJECT #: ☐ B-2243

SITE: SARAH B. COOPER

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	A.	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARC HEIGHT
01	COOPER ~~1A~~ 7A (a)	1	3/23/99	700 A	MDF	EXT. COURTYARD	1ST	0	> 6 H	40	5
02	COOPER ~~1B~~ 7B (a)	"	"	"	"	" "	2ND	30	"	"	"
03	COOPER ~~2A~~ 8A (a)	"	"	"	SDF	ROOM 4	1ST	0	"	30	5
04	COOPER ~~2B~~ 8B (a)	"	"	"	"	"	2ND	30	"	"	"
05	COOPER ~~3A~~ 9A (a)	"	"	"	"	ROOM 3	1ST	0	"	40	3
06	COOPER ~~3B~~ 9B (a)	"	"	"	"	"	2ND	30	"	"	"
07	COOPER BL		BLANK								

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible]
Date/Time: 3/25/99 @ 12:55 pm.

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 9708B58

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

Davis MS

SITE: ~~Claire Lilienthal M.S.~~
SITE FILE: Water Sampling
Site # 1550 - [redacted] Lead
Evans Street
INSPECTOR: / Firm
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	AQ	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1550-1	S U	8-17-97	7:24	DF chilled	First Floor Atrium Area	F	10 minutes 8-16-97	27 HRS
1550-2	S U	8-17-97	7:26	DF chilled	2nd Floor Atrium Area	F		
1550-3	S U	8-17-97	7:30	SF	1st Floor Kitchen Area	F		
1550-4	S U	8-17-97	7:32	BLANK	BLANK	B		
1550-5	S U	8-17-97	7:34	SF	Principals office ~~Room~~	F		
					Spike 97-W00761-13			

RELINQUISHED BY: Date/Time: 8/21/97 3:20
RECEIVED BY: Date/Time: 8/21/97 1523

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page___ of ___

8/21/97 1610 8-22-97 1230

Davis MS (Evans)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling at Administration Bldg.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

9708B69

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD
LOT C 718 9010

SITE: Gloria Davis Middle School
SITE FILE: Water Sampling
1195 Hudson
Sink # 641
- Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	641-1	S U	8-17-97	~~2:14~~	SF	Basement Rm 1-Rm 0028 - Kitchen Sink	F	8-16-97 10 minutes	28 hours
3	641-2	S U	8-17-97	~~2:24~~	SF	Basement Level 1-Rm 0028 - Kitchen Sink	F		
4	641-3	S U	8-17-97	2:04pm	DF	Gym Bldg - Gym Drinking Fountain	F		
5	641-4	S U	8-17-97	2:00pm	MDF	Outside Gym - Gym Drinking Fountain (3 TAPS)	F		
6	641-5	S U	8-17-97	2:06pm	DF	1st Floor - C90 Outside 105	F		
7	641-6	S U	8-17-97	2:09pm	DF	1st Floor - C91 Across from 119 Entry	F		
8	641-7	S U	8-17-97	2:11pm	DF	1st Floor - C91 Across from Rm 116 Doorway	F		
9	641-8	S U	8-17-97	2:14pm	DF	2nd Floor - C90 Outside 258	F		
10	641-9	S U	8-17-97	2:16pm	B	BLANK	B		

RELINQUISHED BY: [signature]
Date/Time: 8/21/97 3:20
RECEIVED BY: [signature]
Date/Time: 8/21/97 1520

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/21 1610 [signature] 8/21/97 1640 Page 1 of 2
[signature] 8-22-97 1200

Davis MS (Hudson)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B69

Instruction to lab: Fax results **ONLY** to:
B. Gianuini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Gloria Davis Middle School
SITE FILE: Water Sampling
1195 Hudson
Site # 641
☐ Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
11	641-10	Sa	8-17-97	2:02 pm	SF	Cafeteria - Modular 3 blg	F	8-16-97	28 Hrs	
12	641-11	Sa	8-17-97	2:05 pm	SF	Cafeteria - Modular 3 blg	F	↓	↓	Spike

RELINQUISHED BY: [signature]
Date/Time: 8/21/97 3:20
RECEIVED BY: [signature]
Date/Time: 8/21/97 1330

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/21 1610 [signature] 8/21/97 1610 Page 2 of 2
rec by [signature] 8-22. 1100 rel by [signature] 8-22 [signature] 8-22-97 1230

Davis MS (Hudson)

48006

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/29/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Gloria Davis
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: / FILE
WORK ORDER #: SFUSD PO

[x] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	SCHEDULED TIME
	~~641~~		~~8~~						
01	641-7A	Fri	8/29/97	8:20	DF	First floor corridor C91 adj to Room 114	First Draw	30sec	24hours
02	641-7B	Fri	8/29/97	8:22	DF	First floor corridor C91 adj to Room 114	Second Draw	1min	24hours
03	Blank								
04	641-7C	Fri	8/29/97	4:45	DF	First Floor corridor adj to Room 114	First	NA	8hrs

RELINQUISHED BY: [signature] Date/Time: 8/29/97
RECEIVED BY: [signature] Date/Time: 8/30/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

RETURNS
DAVIS MS (HUDSO

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: William De Avila Elem.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / FILM QST

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	Blank	6:35am	~~DF~~	Blank			
2		8/15/97		DF	First Floor Library	F	4:00 pm	14 hrs
3				DF	Second Floor outside Rm 209	F	4:00 pm	14 hrs
4				DF	STREET LEVEL (WALLER ST) Playground (EAST)	F		
5				DF	STREET LEVEL (WALLER ST) Playground -	F		
6				MDF	First Floor Level Playground (WEST	F		
7				MDF	First Floor Level Playground (WEST)	F		
8				MDF	~~First~~ BASEMENT LEVEL - North Side	F		
9				MDF	BASEMENT LEVEL EAST-SIDE	F		

RELINQUISHED BY: [signature]
Date/Time: 8/15/97

RECEIVED BY: [signature]
Date/Time: 8/18/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
WILLIAM DE AVILA E.S.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: William De Avila
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. Luna / firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	F	8/15/97	8:45Am	DF	First Floor Level Near Ladies Bath Room	F	4:00Am	14hm
11	↓	↓	↓	SF	First Floor Sink in Library office	F	↓	↓
12	↓	↓	↓	DF	3rd Floor Level Between-Rm 310 and 309	F	↓	↓
13	↓	↓	↓	MDF	First Level Playground - East Side -	F	↓	↓
14	↓	↓	↓	DF	3rd Floor Level Hallway -	S	↓	↓

RELINQUISHED BY: [signature]
Date/Time: 8/15/97

RECEIVED BY: [signature] 8/18/97
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415)695-5500

WILLIAM DE AVILA E.S

219189

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: William De Avila Elem.

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: M. Luna / QST firm

WORK ORDER #: SFUSD PO

[ ] [ ] [X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	9A	Th	10/2/97	08:45	MDF	Basement Lvl East side	F	08:45	30 secs
02	9B	Th	10/2/97	08:45	MDF	Basement Lvl East side	F	08:48	30 secs
03	9C	Th	10/2/97	12:40	MDF	Basement Lvl East side	F	12:55	4 hrs
04	Blank	Th	10/2/97	/	/	Blank	/	/	/

RELINQUISHED BY: [signature] Date/Time: 10/2/97

RECEIVED BY: J. Sadel Date/Time: 10/2/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

De Avila ES - Ret.

48577

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JAMES DENMAN M.S.
SITE FILE: Water Sampling
Site # 632 - Lead
INSPECTOR: M. Edwards firm SES
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
632-1	W E	9-17-97	6:02	DF	S84-1st Floor	F	10 Min	13 hrs
632-2	W E	9-17-97	6:05	DF	Room 050 Basement Floor	F	10 Min	13 hrs
632-3	W E	9-17-97	6:10	DF	C99 Basement Floor	F	10 Min	13 hrs
632-4	W E	9-17-97	6:15	DF	C99 First Floor	F	10 Min	13 hrs
632-5	W E	9-17-97	6:20	DF	C95-First Floor outside RM 105	F	10 Min	13 hrs
632-6	W E	9-17-97	6:22	DF	C95-First Floor outside RM 114E	F	10 Min	13 hrs
632-7	W E	9-17-97	6:25	DF	C91-First Floor Auditorium Wing	F	10 Min	13 hrs
632-8	W E	9-17-97	6:30	DF	C95-2nd Floor outside RM 204	F	10 Min	13 hrs
632-9	W E	9-17-97	6:32	DF	C95-2nd Floor outside RM 214	F	10 Min	13 hrs

RELINQUISHED BY: [signature]
Date/Time: 9-17-97

RECEIVED BY: Lam Sneehao
Date/Time: 9-17-97 936 AM.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Denman MS

48577

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JAMES DENMAN M.S.
SITE FILE: Water Sampling
Site # 632 - ☒ Lead
INSPECTOR: M. Edwards / Firm SES
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
632-10	WE	9-17-97	6:35	DF	C95-3rd Floor outside RM 314	F	10 min	13 hrs
632-11	WE	9-17-97	6:37	DF	C95-3rd Floor outside RM 304	F	10 min	13 hrs
632-12	WE	9-17-97	6:40	MDF	Ext. Court yard outside RM 005	F	10 min	13 hrs
632-13	WE	9-17-97	6:45	DF	C95-4th Floor	F	10 min	13 hrs
632-14	WE	9-17-97	6:50	B	BLANK	B	10 min	13 hrs

RELINQUISHED BY: [signature]
Date/Time: 9-17-97

RECEIVED BY: John Sieber
Date/Time: 9-17-97 9:37 A.M.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Denman MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/30/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DOWNTOWN H.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: Emmanuel / Firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
~~S - spiked~~
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	SAT	8/30/97	9:00	DF	CORRIDOR C91, 1ST Floor	I	N/A	14 Hrs
#2	"	8/30/97	9:10	DF	CORRIDOR C91, 2ND. Floor	I	N/A	14 Hrs
#3	"	8/30/97	9:20	DF	CORRIDOR C91 Third floor	I	N/A	14 Hrs
#4	"	8/30/97	10:00	SF	ROOM 310 Third floor small kitchen	I	N/A	15 Hrs
#5	"	8/30/97	10:20	DF	CORRIDOR C91 Fourth Floor	I	N/A	15 Hrs
#6	"	8/30/97	10:30	DF	CORRIDOR C90, 1ST floor	I	N/A	15 Hrs
#7	"	8/30/97	11:00	DF	CORRIDOR C90, 2ND floor	I	N/A	16 Hrs
#8	"	8/30/97	BLANK				N/A	

RELINQUISHED BY: [signature] Date/Time: 8/30/97

RECEIVED BY: Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Downtown HS

49320

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE: 1-510-653-0824 DATE: 10/4/97
TURNAROUND TIME: ☑ 3-5 Days

SITE: Downtown HS
☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling
☑ Lead

INSPECTOR: M. Bredshaw
WORK ORDER #:

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
01	1A	Sat	10/4/97	12:19	DF	1st Floor C-90	FC	N/A	20hr
02	1B		"	12:20	"	"			—
03	1C			4:28 pm	"	"			
04	31			—	—	—	B		

RELINQUISHED BY: 10/6/97 9:30
Date/Time:

RECEIVED BY:
Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1 of 1

Downtown HS - Ref.

51850

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 01 / 06 / 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

☐ Rush ☐

SITE: Downtown HS.

☑ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

INSPECTOR: Ducay / SIT.U.S.D.

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

	SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONUSE TIME	Fill Time	Arch Reigh
01	6A	T	01-06-97	08:30	DF	Corridor C90, 1ST Flo	R	30		27	—
02	6B	4			DF	Next To Office	R	30		27	
03	6C	4		14:33	DF	"	R	~~6~~		30	
	7A	S			DF**	NOTE *					
	7B	D				(Faucet Removed)					
	7C	D									

RELINQUISHED BY: [signature]
Date/Time: 01-06-97 15:

RECEIVED BY: [signature]
Date/Time: 1/6/98

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5600

Page 1 of 1

Downtown HS Returns

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/14/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Drew ES
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF; SF Sink Faucet; WF Water Faucet

SAMPLE TYPE: B — Blank; F — First Draw

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th.	8/14/97	0630	SF	Kitchen	F	10min.	12+hrs
2	"	"	0640	SF	Break Room	"	"	"
3	"	"	0650	SDF	Rm. CC03	"	"	"
4	"	"	0700	SDF	Rm. CC02	"	"	"
5	"	"	0710	SDF	Rm. CC01	"	"	"
6	"	"	0720	SDF	Rm. CC06	"	"	"
7	"	"	0730	SDF	Rm. CC05	"	"	"
8	"	"	0740	SDF	Rm. CC04	"	"	"
9	"	"	0750	MDF	Playground	"	"	"
10	"	"	0800	SDF	Room #108	"	"	"
11	"	"	0810	DF	Corridor outside Janitors office	"	"	"
12	"	"	0820	MDF	Cafeteria	"	"	"
13	"	"	0830	SF	Kitchen up-stairs	"	"	"
14	"	"	0840	DF	Corridor of Main office	"	"	"
15	"	"	0850	SF	Copy Room	"	"	"
16	"	"	0900	SF	Stationary Rm	"	"	"
17	"	"	0910	SF	Rm. 108, Counselors ofc.	"	"	"
18	"	"	0920	SDF	Rm. 203/205	"	"	"
19	"	"	0930	SF	office Rm. 205	"	"	"
20	"	"	0940	SF	Rm. 208/201 office	"	"	"
21	"	"	0950	MDF	Playground	"	"	"
22	"	"	1000	–	Blank	–	–	–
23	"	"	1010	MDF	Playground	"	"	"
24								
25								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [signature]
DATE: 8-14-97	DATE: 8/14/97
TIME: 1630	TIME: 1630

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

DREW ES

SAMPLES #2, 8 & 9 COLLECTED ERRONEOUSLY

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708D36

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA
PHONE: DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Edison Elementary
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Kenneth Pilgrim / RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 5 5 49

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1	W	8/20/97	0845	DF	Basement Entrance Lobby	F	0	+6hrs <36hrs
	[redacted]	W	8/20/97	0854	SF	Basement Comm Center Office	F	0	+6hrs <36hrs
3,4	3	W	8/20/97	0900	MDF	Basement Patio	F	10Min	36+hrs
5,6	4	W	8/20/97	0903	DF	Basement cafeteria	F	10Min	36+hrs
7	5	W	8/20/97	0910	SF	Basement Kitchen	F	10 Min	36+hrs
8	6	W	8/20/97	0912	SF	Basement Kitchen	F	10 Min	36+hrs
9	7	W	8/20/97	0918	MDF	Basement Patio	F	10 Min	36+hrs
	[redacted]	W	8/20/97	0927	SF	1st Floor Library	F	10 Min	36+ hrs
	[redacted]	W	8/20/97	0940	SF	1st Floor classroom 1K	F	10 Min	36+ hrs

RELINQUISHED BY: Karin Ahnoeter Date/Time: 8/25/97
RECEIVED BY: [signature] Date/Time: 8/25/97 4:25

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

Page 1 of 5

P012

Edison ES

SAMPLES #10-16 & #18 COLLECTED ER

SAME-DAY PICKUP

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708036

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:

PHONE: DATE: 8/20/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

25 5 49

SITE: Edison Elementary

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: Kenneth Pilch FILE R6A

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A/T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
	[redacted]	W	8/20/97	0944	SF	classroom - 1st Floor 2K	F	10 Min	36 hrs
X	[redacted]	W	8/20/97	0947	SF	classroom - 1st Floor 012	F	10 Min	36 hrs
X	[redacted]	W	8/20/97	0950	SF	classroom - 1st Floor 011	F	10 Min	36 hrs
X	[redacted]	W	8/20/97	0958	SF	classroom - 1st Floor 013	F	10 Min	36 hrs
X	[redacted]	W	8/20/97	1005	SF	classroom - 1st Floor 003	F	10 Min	36 hrs
X	[redacted]	W	8/20/97	1010	SF	009	F	10 Min	36 hrs
30th X	[redacted]	W	8/20/97	1011	SF	classroom - 1st Floor 004	F	10 Min	36 hrs
10	17	W	8/20/97	1014	DF	1st Floor Hall	F	10 Min	36 hrs
X	[redacted]	W	8/20/97	1017	SF	1st Floor - Classroom 008	F	10 Min	36 hrs

RELINQUISHED BY: Karen Ahrooter Date/Time: 8/20/97

RECEIVED BY: [signature] Date/Time: 8/20/97 4:25

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 - S Green

Page 2 of 5

P012

Edison ES

SAMPLES 20, & 22 COLLECTED ERRONEOUSLY

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708D36

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:

PHONE: DATE: 8/20/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Edison Elementary

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: Kenneth P. Lynn / RGA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	19	W	8/20/97	1023	SDF	1st Floor Classroom 005	F	10 Min	36+ hrs
X	[redacted]		8/20/97	1027	SF	1st Floor Classroom 006	F	10 Min	36+ hrs
12	21	W	8/20/97	1029	SDF	1st Floor Classroom 007	F	10 Min	36+ hrs
	[redacted]		8/20/97	1036	SF	1st Floor Nurses Office	F	N/A	6+ hrs < 36 hrs
13	23	W	8/20/97	1050	SDF	2nd Floor Classroom 020	F	N/A	6+ hrs < 36 hrs
14	24	W	8/20/97	1053	SDF	2nd Floor Classroom 019	F	10 Min	36+ hrs
15	25	W	8/20/97	1100	SDF	2nd Floor Classroom 021	F	10 Min	36+ hrs.
16	26	W	8/20/97	1103	SDF	2nd Floor Classroom 018	F	10 Min	36+ hrs
17	27	W	8/20/97	1107	DF	2nd Floor Hall	F	10 Min	36+ hrs

5 49

RELINQUISHED BY: Karin Schooler
Date/Time: 8/25/97

RECEIVED BY: [signature] 8/25/97 4:25

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 [illegible]

Page 3 of 5

P012

Edison ES

SAMPLE #30 COLLECTED ERRONEOUSLY

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708D36

Instruction to lab: Fax results **ONLY** to:
S. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:
PHONE: DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Edison Elementary
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: Kenneth Pilgrim R6A
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

25 5 49

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A/T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
18	# 28	W	8/20/97	1110	SDF	2nd Floor Classroom # 17	F	10 Min	36+ hrs
19	# 29	W	8/20/97	1117	SDF	2nd Floor Classroom # 22	F	10 Min	36+ hrs
8X	# [redacted]	[redacted]	[redacted]	1120	SF	2nd Floor Classroom # 16	F	10 Min	36+ hrs
20	# 31	W	8/20/97	1125	SDF	2nd Floor Classroom # 23	F	10 Min	36+ hrs
21	# 32	W	8/20/97	1130	SDF	2nd Floor Classroom # 24	F	10 Min	36+ hrs
22	# 33	W	8/20/97	1135	SDF	2nd Floor Classroom # 15	F	10 Min	36+ hrs
23	# 34	W	8/20/97	1144	SDF	2nd Floor Classroom # 19	F	10 Min	36+ hrs
24	# 35	W	8/20/97	1150	SDF	2nd Floor Classroom # 28	F	N/A	6+ hr <36hrs
25	# 36	W	8/20/97	1141	SDF	2nd Floor Classroom # 23	F	N/A	6+ hrs <36hrs

RELINQUISHED BY: Karen Schroeder Date/Time: 8/25/97
RECEIVED BY: [signature] Date/Time: 8/25/97 4:25

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

Relinquished by: [signature] 8/25/97 - C Green

Page 4 of 5

P012

Edison ES

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling at Au[illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708D36

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:
PHONE: DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Edison Elementary
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Kenneth Pilgrim CIFM R6A
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	DW	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
26	#37	W	8/20/97	1204	SDF	2nd Floor Classroom #26	F	10 Min	36+hrs
27	#38	W	8/20/97	1213	SF	Basement level Room 031	F	N/A	6+hrs <36hrs
28	B	W	8/20/97	1230	—	Blank	—	—	—
29	#39					SPIKE	S		

5 5 48
97-W00765
5

RELINQUISHED BY: Karen Ackroyd Date/Time: 8/25/97
RECEIVED BY: [signature] Date/Time: 8/25/97 4:25

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 ~ 8:25 PM

Page 5 of 5

P012

Edison ES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49288

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 3 / 1997
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: EDISON	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: R. Richard FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	3 ~~40~~A		10-3-97 ~~06~~	0640	MDF	BASEMENT PATIO	F	30 sec	11-12	1" 40 sec
02	3 ~~40~~B		↓	0643	↓	↓	2ND	↓	11-12	1" 40 sec
03	3 ~~40~~C		↓	1225	↓	↓	3RD	Ø	4-6	½" to 1" 40 secs
04	25 ~~41~~A		10-3-97	0649	SDF	2ND FL. CLASSROOM-021	F	30 sec	11-12	4" 35 sec
05	25 ~~41~~B		↓	0700	↓	↓	2ND	↓	11-12	4" 35 sec
06	25 ~~41~~C		↓	1230	↓	↓	3RD	Ø	4-6	
07	42B		10-3-97	0705	—	BLANK	B	—	—	

RELINQUISHED BY: K. Ahrens Date / Time: 10/7/97	RECEIVED BY: Julie Sullivan Date / Time: 10/7 C 3:47 pm
1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500	

Edison ES-Ret.

Form by: EnviroScience Inc.

9708F15

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL
	PHONE: 650-364-9600
	TURNAROUND TIME: R U S H
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SAMPLING DATE: 8/29/97	FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Cooled DF; SDF Sink DF
SITE NAME: El Dorado ES	SAMPLE TYPE: B: Blank; S: 2nd Draw; F: 1st Draw; T: 3rd Draw; SF Sink Faucet; WF Water Faucet
SITE FILE: Water Sampling ☒ Lead	
INSPECTOR: H. Sotoodeh, Ph.D., PE ESI	
WK ORDER: SFUSD Purchase Order	

	SAMPLE Nº	Old No.	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	2 - 1	1	F	8/29/97	1100	SDF	Nurse - 103A	S	30 sec.	12+hrs
02	2 - 2	1	"	"	1101	"	"	T	"	"
03	2 - 3	11	"	"	1110	SDF	Class - 203	S	"	"
04	2 - 4	11	"	"	1111	"	"	T	"	"
05	2 - 5	16	"	"	1120	MDF	Playground	S	"	"
06	2 - 6	16	"	"	1121	"	"	T	"	"
07	2 - 7	17	"	"	1130	DF	Class - 002	S	"	"
08	2 - 8	17	"	"	1131	"	"	T	"	"
09	2 - 9	18	"	"	1140	DF	Class - 001	S	"	"
11	2 - 10	18	"	"	1141	"	"	T	"	"
12	2 - 11	20	"	"	1150	DF	Class - 009	S	"	"
13	2 - 12	20	"	"	1151	"	"	T	"	"
14	2 - 13	21	"	"	1200	DF	Class - 010	S	"	"
15	2 - 14	21	"	"	1201	"	"	T	"	"
16	2 - 15	23	"	"	1210	DF	Class - 012	S	"	"
17	2 - 16	23	"	"	1211	"	"	T	"	"
18	2 - 17	22	"	"	1220	DF	Class - 011	S	"	"
19	2 - 18	22	"	"	1221	"	Class - 011	T	"	"
	2 - 19									
	2 - 20									
	2 - 21									
	2 - 22									
	2 - 23									
	2 - 24									
	2 - 25									

RELINQUISHED BY: [signature]	RECEIVED BY: [signature]
DATE: 8/29/97	DATE: 8/29/97
TIME: 1410	TIME: 1410

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-5500

Page 1 of 1

EL DORADO ES R1+R2

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JAMES LICK M.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: Emanuel / SFUSD (Firm)
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	SAT	8/23/97	8:00	MDf	OUTSIDE YARD NORTHSIDE	I	N/A	12 Hrs
#2	"	8/23/97	8:10	MDf	OUTSIDE YARD NORTHWEST	I	N/A	12 Hrs
#3	"	8/23/97	8:20	MDf	OUTSIDE WESTSIDE	I	N/A	12 Hrs
#4	"	8/23/97	8:30	Df	ROOM 001 Basement	I	N/A	12 Hrs
#5	"	8/23/97	8:40	Df	CORRIDOR C90- Basement	I	N/A	12 Hrs
#6	"	8/23/97	8:50	Df	CORRIDOR C90S, 1ST floor	I	N/A	12 Hrs
#7	"	8/23/97	9:00	Df	CORRIDOR C90N FIRST FLOOR	I	N/A	13 Hrs
#8	"	8/23/97	9:10	DF	CORRIDOR C91, 1ST floor	I	N/A	13 Hrs
#9	"	8/23/97	9:20	Df	CAFETERIA 130, 1ST floor	I	N/A	13 Hrs

RELINQUISHED BY: [signature] Date/Time: 8/23/97
RECEIVED BY: Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Lick MS

Form by: EnviroScience, Inc. 1 (888) 700-4ESI

9709819

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: EL Dorado ES

SITE FILE: WATER SAMPLING ☒ LEAD

INSPECTOR: H. Sotoodeh / EnviroScience, Inc.

WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:		SAMPLE TYPE:
DF	Drinking Fountain	B: Blank
MDF	Multiple DF	F: 1st Draw
WCDF	Water-Colled DF	S: Draw after 30 sec. flush
SDF	Sink DF	T: Draw after 30+30 sec. flush
SF	Sink Faucet	R: Draw after 5 hrs

	New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	3 - 1	1	T	9/16	1200	SDF	Nurse-103A	R	60 sec.	4-5 hrs
2	3 - 2	11	"	"	1205	SDF	Class 203	R	60 sec.	4-5 hrs
3	3 - 3	16	"	"	1210	MDF	Playground	R	60 sec.	4-5 hrs
4	3 - 4	17	"	"	1215	DF	Class-002	R	60 sec.	4-5 hrs
5	3 - 5	18	"	"	1220	DF	Class-001	R	60 sec.	4-5 hrs
6	3 - 6	20	"	"	1225	DF	Class-009	R	60 sec.	4-5 hrs
7	3 - 7	21	"	"	1230	DF	Class-010	R	60 sec.	4-5 hrs
8	3 - 8	23	"	"	1235	DF	Class-012	R	60 sec.	4-5 hrs
9	3 - 9	22	"	"	1240	DF	Class-011	R	60 sec.	4-5 hrs
	3 - 10							R	60 sec.	4-5 hrs
	3 - 11							R	60 sec.	4-5 hrs
	3 - 12							R	60 sec.	4-5 hrs
	3 - 13							R	60 sec.	4-5 hrs
	3 - 14							R	60 sec.	4-5 hrs
	3 - 15							R	60 sec.	4-5 hrs
	3 - 16							R	60 sec.	4-5 hrs
	3 - 17							R	60 sec.	4-5 hrs
	3 - 18							R	60 sec.	4-5 hrs
	3 - 19							R	60 sec.	4-5 hrs
	3 - 20							R	60 sec.	4-5 hrs
	3 - 21							R	60 sec.	4-5 hrs
	3 - 22							R	60 sec.	4-5 hrs
	3 - 23							R	60 sec.	4-5 hrs
	3 - 24							R	60 sec.	4-5 hrs
	3 - 25							R	60 sec.	4-5 hrs
	3 - 26							R	60 sec.	4-5 hrs

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: Mara Grisli
DATE: 9/16/97	DATE: 9/16/97
TIME: 1545	TIME: 1550

1551 Newcomb Avenue, Room 103 • San Francisco, CA 94124 • (415) 695-5500

lot 1

El Dorado ES-R3

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/13/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: El Dorada ES	FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF; SF Sink Faucet; WF Water Faucet
SITE FILE: WATER SAMPLING ☒ LEAD	SAMPLE TYPE: B — Blank; F — First Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	
WK ORDER: SFUSD Purchase Order	

SAMPLE №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W.	8/13/97	1530	SDF	Nurse - 103A	F	10 min.	12+ hrs.
2	"	"	1535	SF	Lounge - 102	"	"	"
3	"	"	1540	DF	Corridor - C91	"	"	"
4	"	"	1545	SDF	Class - 103	"	"	"
5	"	"	1550	SDF	Class - 104	"	"	"
6	"	"	1555	SDF	Class - 105	"	"	"
7	"	"	1600	MDF	Playground	"	"	"
8	"	"	1605	SDF	Class - 209	"	"	"
9	"	"	1610	SDF	Class - 207	"	"	"
10	"	"	1615	SDF	Class - 205	"	"	"
11	"	"	1620	SDF	Class - 203	"	"	"
12	"	"	1625	SDF	Class - 202	"	"	"
13	"	"	1630	SDF	Class - 204	"	"	"
14	"	"	1635	SDF	Class - 206	"	"	"
15	"	"	1640	SF	Kitchen - 109	"	"	"
16	"	"	1645	MDF	Playground.	"	"	"
17	"	"	1650	DF	Class - 002	"	"	"
18	"	"	1655	DF	Class - 001	"	"	"
19	"	"	1700	DF	Class - 007	"	"	"
20	"	"	1705	DF	Class - 009	"	"	"
21	"	"	1710	DF	Class - 010	"	"	"
22	"	"	1715	DF	Class - 011	"	"	"
23	"	"	1720	DF	Class - 012	"	"	"
24	"	"	1725	DF	Playground	"	"	"
25	"	"	—	—	Blank	B	—	—

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 8/13/97	DATE: 8/14/97
TIME: 16:30	TIME: 1630

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Page 1 of 1

EL DORADO ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS		LABORATORY:	SEQUOIA ANALYTICAL LAB
		PHONE:	650-364-9600
		TURNAROUND TIME:	PER CONTRACT WITH SFUSD
		ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2
SITE: El Dorado E.S.	FIXTURE TYPE:		SAMPLE TYPE:
SITE FILE: WATER SAMPLING ☒ LEAD	DF Drinking Fountain		B: Blank
	MDF Multiple DF		F: 1st Draw
INSPECTOR: EnviroScience, Inc. (HS/MF)	WCDF Water-Cooled DF		A: Draw after 30 sec. flush
WORK ORDER: SFUSD Purchase Order	SDF Sink DF		B: Draw after 30+30 sec. flush
	SF Sink Faucet		C: Draw after 4-6 hrs

Sample №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1-A	F	8-23-97	0940	SDF	Nurse 103A			
1-B	"	"	0942	"	"			
16-A	"	"	0947	MDF	Playground			
16-B	"	"	0949	"	"			
17-A	"	"	0954	DF	Class 002			
17-B	"	"	0956	"	"			
18-A	"	"	1001	"	Class 001			
18-B	"	"	1003	"	"			
20-A	"	"	1008	"	Class 009			
20-B	"	"	1010	"	"			
21-A	"	"	1015	"	Class 010			
21-B	"	"	1017	"	"			
22-A	"	"	1022	"	Class 011			
22-B	"	"	1024	"	"			
23-A	"	"	1029	"	Class 012			
23-B	"	"	1031	"	"			
1-C	"	"	1405	SDF	Nurse 103A			
16-C	"	"	1408	MDF	Playground			
17-C	"	"	1410	DF	Class 002			
18-C	"	"	1415	"	Class 001			
20-C	"	"	1420	"	Class 009			
21-C	"	"	1425	"	Class 010			
22-C	"	"	1430	"	Class 011			
23-C	"	"	1435	"	Class 012			

RELINQUISHED BY: [signature]	RECEIVED BY: [signature]
DATE: 10-24-97	DATE: 10/24/97
TIME: 1707	TIME: 1707

El Dorado ES- Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52162

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: EL DORADO ES
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / SCA (firm)
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH H HEIGHT
01	ELDORADO 9A	Sat	1/17/98	1154	SDF	207		30s	OVER NIGHT	1"
02	ELDORADO 9B	Sat	1-17-98	1155	SDF	207		30s	"	1"
03	ELDORADO 9C	Sat	1-17-98		SDF	207		0s		1"
04	POTRERO HILL BLANK		ELDORADO				B			

RELINQUISHED BY: MB
Date/Time: 1-17-98

RECEIVED BY: John Alpone
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

EL DORADO ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**. 48519

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Everett Middle School MS
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: Jason Garner / Film SES
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
529-1	MO	9/15/97	6:45am	DF	DF in corridor C95 adjacent to bathroom T52	F		
529-2			6:48am		DF in corridor C96 adjacent to bathroom T60	F		
529-3			6:52am		DF in corridor C96 adj to bathroom T60	F		
529-4			6:54am		DF in corridor adj to bathroom T60	F		
529-5			7:00am		DF in corridor C93A near locker room	F		
529-6			7:02am	X	spike# 97-W0077-5	S	X	X
529-7	↓	↓	X	X	Blank	B	X	X

RELINQUISHED BY:
Date/Time:

RECEIVED BY: Fidel Macaraig
Date/Time: 9-15-97 11:15am

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Everett MS

5H —

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (S/P)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: EXCELSIOR CC #925
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		8/18	700	WF	001			12+
2		8/18	707	WF	001			12+
3		8/18	715	WF	001			12+
4		8/18	722	WF	002			12+
5		8/18	730	WF	002			12+
6		8/18	740	WF	002			12+
7		8/18	750	WF	T60			12+
8		8/18	800	SDF	004			12+
9		8/18	810	SDF	004			12+

RELINQUISHED BY: Harry G. Lee
Date/Time: 8/20/97 130

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

Excelsior CC

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SAP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: EXCELSIOR CC #925
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: HG / FILE AAE
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DUP AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10		8/18		—	—	B	—	—
11		8/18	820	DF	C90			12+
12		8/18	835	MDF	PLAY YARD			12+
13		8/18	845	WF	T50			12+
14		8/18	900	WF	T50			12+
97-W00752-2						S		

RELINQUISHED BY: Harry L. Bell
Date/Time: 8/20/97 130

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

Excelsior CC

FAIRMOUNT E.S. Page 1 of 5

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: FAIRMOUNT ELEM

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: HG / firm AAE

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th	8/26	737	SF	Bldg. C next to stove			12
2	"	"	746	SF	Bldg. C sink nr. entr.			"
3	"	"	757	SDF	Bldg. C nr. Entr.			"
4	"	"	811	SF	RIGHT SIDE RR Bldg. C			"
5	"	"	818	SF	LEFT " " Bldg C			"
6	"	"	827	SF	Bldg C RR LEFT FAUCET			"
7	"	"	839	SF	Bldg. C RR RIGHT FAUCET			"
8	"	"	851	SF	Bldg D next to stove			"
9	"	"	901	SF	Bldg D sink nr. entr			"

UPPER LEVEL Bldg

RELINQUISHED BY: Harry G. Eli
Date/Time: 8/26/97 4:30

RECEIVED BY: John Alpan
Date/Time: 8/26/97 4:30

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Fairmount ES

Fairmount E.S. Page 2 of 5

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: FAIRMOUNT ELEM
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Th	8/26	912		BLANK	B		12
11	"	"	924	SDF	Bldg. D nr. entrance			"
97 WOD760-4	"	"				S		
12	"	"	938	DF	Bldg. D OUTSIDE DF LEFT			"
13	"	"	946	DF	Bldg. D OUTSIDE DF RIGHT			"
14	"	"	955	SF	Bldg. D RIGHT RM			"
15	"	"	1011	SF	Bldg. D LEFT RM			"
16	"	"	1026	DF	Bldg C Mid LEVEL LEFT DF			"
17	"	"	1035	DF	Bldg. C MID LEVEL RIGHT DF			"

LEFT SF Disconn

MID LEVEL

RELINQUISHED BY: Harry Gill
Date/Time: 8/26/97 430

RECEIVED BY: John Lefore
Date/Time: 8/26/97 420 Pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

Fairmount ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: FAIRMOUNT ELE. S
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
18	Tu	8/26	1044	DF	Bldg. C LEFT DF			12	UPPER FLOOR LEVEL
19	"	"	1051	DF	Bldg. C RIGHT DF			"	
20	"	"			BLANK	B		"	
21	"	"	1106	SF	office area sink Bldg. A			"	
22	"	"	1114	SF	Bldg. C nr. stove			"	Mid. LEVEL
23	"	"	1130	SF	Bldg. C sink nr. entr.			"	
24	"	"	1142	SDF	Bldg. C nr. e			"	
25	"	"	1154	SF	Bldg. C Teacher's Comput. R 17			"	
26	"	"	1209	SF	Bldg. C Teacher's RR sink			"	Mid. LEVEL

RELINQUISHED BY: Harry G. Giannini
Date/Time: 8/26/97 430
RECEIVED BY: John Lipon
Date/Time: 8/26/97 4:20 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Fairmount ES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49297

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUIOA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/6 / 1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: FILIPINO
SITE FILE: Water Sampling
Lead
INSPECTOR: DR FIRM: RGA
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2

FIXTURE TYPE:
DF--Drinking Fountain
MDF--Multiple DF
WCDF--Water Cooled DF
SDF--Sink DF
SF--Sink Faucet

SAMPLE TYPE:
B--Blank
S--Spiked
F--First Draw

Arch 1"

Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill TIME
01 1A		10/1	0710	SDF	RM 1	F	30 sec	10 HR	62 sec
02 B		↓	0711	↓			30 sec	30 sec	
03 C		↓	1500	↓			—	6 HR	
04 BLANK		→			→	B			

RELINQUISHED BY: Karin Stroot
Date / Time: 10/7/97

RECEIVED BY: Julie Sailor
Date / Time: 10/7/97

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Filipino Ed Ctr-Ret

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Flynn ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Flynn 1		8/17/97	1200	MDF	190 (hall)	F	in use	76hrs
Flynn 2			1215	WCDF	190 (hall)	F		
Flynn 3		↓	1225	SDF	108 B	F	↓	↓
Flynn 4			1230	SF	108 B	F		
Flynn 5			1235	SDF	202	F		
Flynn 6		↓	1245	SF	211	F	↓	↓
Flynn 7			1247	MDF	230 (hall)	F		
Flynn 8			1305	WCDF	230 (hall)	F		
Flynn 9		↓	1310	WCDF	350 (hall)	F	↓	↓

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Flynn ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Flynn ES

SITE FILE: Water Sampling - ☐ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Flynn 10			1315	MDF	350/hall	F	in use	76hrs
Flynn 11			1320	MDF	350 (hall)	F		
Flynn 12		↓	—	—	—	B	↓	↓

7-W00753-18

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Flynn ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710493

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Leonard Flynn ES
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	~~FLUSH TIME~~ Height	~~NONUSE TIME~~ Time to fill bottle
1	Flynn 10-A		9/26/97	10 AM	MDF	350 (Hall)	1st	1 in	45 sec
2	Flynn 10-B		↓	10:10 AM	MDF	350 (Hall)	2nd	↓	↓
3	Flynn 10-C		↓	4:15 PM	MDF	350 (Hall)	1st	↓	↓
4	Flynn 6-A		↓	10:15 AM	SF	rm. 211	1st	N/A	10 sec
5	Flynn 6-B		↓	10:20 AM	SF	rm. 211	2nd	↓	↓
6,7	Flynn 6-C		↓	4:20 PM	SF	rm. 211	1st	↓	↓
8	Flynn BL		BLANK						

9 4 23

RELINQUISHED BY: Michelle Kam Date/Time: 9/26/97 12pm
RECEIVED BY: [illegible] Date/Time: 10/9/97 2:15

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab by: J. Downs 10-9-97 1623

Page 1 of 1

Flynn ES - Ret.

66361

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 18 / 99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

PROJECT #: B-2243

SITE: ALICE FONG YU

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / tirm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - Spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARC HEI
ALICE 1A (01)	TH	3/18/99	600 A	MDF	EXT. COURTYARD	1ST	0	> 6 H	40	5
ALICE 1B (02)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 2A (03)	"	"	"	DF	HALLWAY (3RD FL)	1ST	0	"	30	1
ALICE 2B (04)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 3A (05)	"	"	"	"	" "	1ST	0	"	35	21
ALICE 3B (06)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 4A (07)	"	"	"	DF	HALLWAY (2ND FL)	1ST	0	"	35	3
ALICE 4B (08)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 5A (09)	"	"	"	"	" "	1ST	0	"	45	1

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 3/19/99 2 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

66361

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 3 / 18 / 99
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALICE FONG YU
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: SCA / firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARC NET
ALICE 5B (10)	TH	3/18	600 A	DF	HALLWAY (2ND FL)	2ND	30	> 6 H	45	1
ALICE 6A (11)	"	"	"	SF	FACULTY LOUNGE	1ST	0	"	15	N/
ALICE 6B (12)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 7A (13)	"	"	"	DF	HALLWAY (1ST FL)	1ST	0	"	55	2
ALICE 7B (14)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 8A (15)	"	"	"	"	" "	1ST	0	"	20	2
ALICE 8B (16)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 9A (17)	"	"	"	SDF	CLASS 101	1ST	0	"	35	3
ALICE 9B (18)	"	"	"	"	"	2ND	30	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 3/18/99 @ 4pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

66361

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-4109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 3 / 18 / 99
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ALICE FONG YU
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: SCA / firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
ALICE 10A (19)	TH	3/18	600 A	SDF	CLASS 102	1ST	0	> 6 H	35	4
ALICE 10B (20)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 11A (21)	"	"	"	"	CLASS 103	1ST	0	"	35	3
ALICE 11B (22)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 12A (23)	"	"	"	"	CLASS 104	1ST	0	"	"	"
ALICE 12B (24)	"	"	"	"	" "	2ND	30	"	"	"
ALICE 13A (25)	"	"	"	"	CLASS 105	1ST	0	"	"	"
ALICE 13B (26)	"	"	"	"	" "	2ND	30	"	"	"
ALICE BL 1 (27)	"	BLANK								

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 3/19/99 2 4pm.

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

66361

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 18 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

☐ PROJECT #: ☐ B-2243

SITE: ALICE FONG YU

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / Firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
ALICE BL 2 (X)	1N	3/18	608A	BLANK						

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible]
Date/Time: 3/19/99 @ 4pm.

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/12 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Francisco MS

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: R. Williams Firm SFUSD-HCP

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooling DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NO USE TIME
#10	Y	8/12/97	9:00	MDF	Lower Yard	F		12 Hrs+
#11	"	"	9:05	"	Upper Yard	F		"
#12	"	"	9:30	DF	Basement Gym Annex	F		"
#13	"	"	9:35	DF	Basement Gym Annex Rm 150	F		"
#14	"	"	9:45	DF	Gym Annex first floor	F		"
#15	"	"	—	—	—	B	—	—

RELINQUISHED BY: Ray Williams
Date/Time: 8/12/97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Francisco MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/22 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BENJAMIN FRANKLIN J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / firm QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	FR	8/22/97	0530	Blank	Blank	B		17.5hrs
2	FR	8/22/97	0530	DF	BASEMENT Floor Front of Rm-008	F	8/21/97 1200	17.5hrs
3	FR	8/22/97	0530	DF	BASEMENT Floor Front of Rm-014	F	8/21/97 1200	17.5hrs
4	FR	8/22/97	0530	DF	First Floor Front of Rm-102	F	8/21/97 1200	17.5hrs
5	FR	8/22/97	0530	DF	BASEMENT Floor Girls Gym- Rm-030	F	8/21/97 1200	17.5hrs
6	FR	8/22/97	0530	MDF	BASEMENT Floor CAFETERIA- 040	F	8/21/97 1200	17.5hrs
7	FR	8/22/97	0530	SF	BASEMENT level Kitchen - Room- 041	F	8/21/97 1200	17.5hrs
8	FR	8/22/97	0530	SF	BASEMENT level Kitchen Room-041	F	8/21/97 1200	17.5hrs
9	FR	8/22/97	0530	SF	BASEMENT level Kitchen Room-041	F	8/21/97 1200	17.5hrs

RELINQUISHED BY: [signature]
Date/Time: 8/22/97

RECEIVED BY: John Sanchez
Date/Time: 8/22/97 100 P.M.

1551 Newcomb Ave. Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

BEN FRANKLIN JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BENJAMIN FRANKLIN J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / FIRM QST
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	FR	8/22/97	0530	SF	BASEMENT LVL Kitchen - Room-DW	F	8/21/97 1200	17.5 hrs
11	FR	8/22/97	0530	DF	FIRST Floor Front of Rm-113	F	8/21/97 1200	17.5 hrs
12	FR	8/22/97	0530	SF	First Floor Room 119A Teacher's Lounge	F	8/21/97 1200	17.5 hrs
13	FR	8/22/97	0530	DF	SECOND Floor Front of Rm-206 Rm-206	F	8/21/97 1200	17.5 hrs
14	FR	8/22/97	0530	DF	SECOND Floor Front of Rm-214A	F	8/21/97 1200	17.5 hrs
15	FR	8/22/97	0530	DF	SECOND Floor Hallway outside Rm-240	F	8/21/97 1200	17.5 hrs
16	FR	8/22/97	0530	DF	FIRST Floor Annex - Boy's Gym - Rm-002	F	8/21/97 1200	17.5 hrs
17	FR	8/22/97	0530	MDF	BASEMENT LEVEL PLAYGROUND - OUTSIDE Rm-016	F	8/21/97 1200	17.5 hrs

RELINQUISHED BY: [signature]
Date/Time: 8/22/97

RECEIVED BY: Lour Sanchez
Date/Time: 8/22/97 1:00 p.m.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

P012

BEN FRANKLIN JH

219187

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BENJAMIN FRANKLIN. J. H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	17A	Th	10/2/97	07:25	MDF	OUTSIDE Rm-16 PLAYGROUND	F	07:30	30 Sec
02	17B	Th	10/2/97	07:25	MDF	OUTSIDE Rm-16 PLAYGROUND	F	07:32	30 Sec
03	17C	Th	10/2/97	11:50	MDF	OUTSIDE Rm-16 PLAYGROUND	F	11:55	4 hrs
04	Blank	Th	10/2/97	/	/	Blank	/	/	/

RELINQUISHED BY: [signature]
Date/Time: 10/2/97

RECEIVED BY: [signature]
Date/Time: 10-2-97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Franklin JH - Ref.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Galileo HS

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: MS / [illegible]

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Galileo 1		9/9/97	0530	WF	C96	F		
Galileo 2			0535	WF	C93	F		
Galileo 3			0540	WF	C93	F		
Galileo 1			0545	WF	C90	F		
Galileo 2			0550	WF	760	F		
Galileo 3			0555	WF	C93	F		
Galileo 1			0600	WF	C91	F		
Galileo 2			0605	WF	C92	F		
Galileo 3			0610	WF	C94	F		

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Galileo HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Galileo HS

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: MS / SCA

WORK ORDER #: SFUSD PO

☐ ☐

☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Galileo 10		↓	0620		222-1	F	7:00 AM	
Galileo 11		BLANK			0605	F		

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Galileo HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: D.E. / Firm R6A

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Sal	8/17/97	0950	DF	Room 402	F	N/A	6+ hrs < 30 hrs
2			0952		Room 403			
3			0954		Room 405			
4			0956		Room 408			
5			0958		Room 409			
6			1000		Room 411			
B					BLANK	B		
25					SPIKE	S		

FIXTURE BROKEN

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/22/97 4:15 pm

RECEIVED BY: [illegible]
Date/Time: 8/22/97 [illegible]

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Garfield ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: D.E. / firm R6A
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
7	Sat	8/17/97	1002	DF	Room 315	F	N/A	6+ hrs < 36 hrs
8			1003		Room 314			
9			1005		Room 316			
10			1008		Room 313			
11			1009		Room 305			
12			1012		Room 302			
13			1014		Room 303			
14			1016		Room 309			
15			1050		Room 220			

RELINQUISHED BY: Karen Ahrendt
Date/Time: 8/22/97 4:15
RECEIVED BY: Helen Ayon
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Garfield ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: 8/17/97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Garfield

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: D.E. / firm RGA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
16	Sat	8/17/97	1030	DF	Classroom 104	F	N/A	6+ hrs < 38 hr
17			1032		Classroom 105			
18			1034	SF	Kitchen Room 103			
19			1036	DF	201			
20			1038		202			
21			1040		206			
22			1042		205			
23			1044		203			
24			1046		222			

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/22/97 4:15

RECEIVED BY: Helen Agar
Date/Time: 8/22/97 4:15 PM

1351 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Garfield ES
P012

69207

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ruction to lab: Fax results ONLY to:
Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 5/25/99

TURNAROUND TIME: 6/1/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY SC

☐ PROJ. # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: GARFIELD ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
GARFIELD 2I	1	5/25/99	630 A	SF	ROOM 403	1ST	30	>6 H	15	N
GARFIELD 2II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 3I	"	"	"	DF	ROOM 405	1ST	"	"	45	3
GARFIELD 3II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 4I	"	"	"	"	ROOM 408	1ST	"	"	40	2
GARFIELD 4II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 5I	"	"	"	SF	ROOM 409	1ST	"	"	15	N
GARFIELD 5II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 6I	"	"	"	DF	ROOM 411	1ST	"	"	NF	N

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 5/25/99 @ 11:15am

551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69207

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 5/25/99

TURNAROUND TIME: 6/1/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY SC

☐ PROJECT # ☐ B-2243

SITE: GARFIELD ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
10	GARFIELD 6 II	T	5/25	630 A	DF	ROOM 411	2ND	30	> 6 H	NF	N
11 06	GARFIELD 7 I	"	"	"	"	ROOM 315	1ST	"	"	45	1
12	GARFIELD 7 II	"	"	"	"	"	2ND	"	"	"	"
13	GARFIELD 8 I	"	"	"	"	ROOM 314	1ST	"	"	NF	N
14	GARFIELD 8 II	"	"	"	"	"	2ND	"	"	"	"
15	GARFIELD 9 I	"	"	"	SF	ROOM 316	1ST	"	"	15	N
16	GARFIELD 9 II	"	"	"	"	"	2ND	"	"	"	"
17	GARFIELD 10 I	"	"	"	DF	ROOM 313	1ST	"	"	45	1
18	GARFIELD 10 II	"	"	"	"	"	2ND	"	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible]
Date/Time: 5/25/99 @ 11:15 am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69207

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 5/25/99

TURNAROUND TIME: 6/1/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: GARFIELD ES

SITE FILE: Water Sampling

☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
GARFIELD 11 I	T	5/25	630 A	SF	ROOM 306	1ST	30	> 6H	15	N/
GARFIELD 11 II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 12 I	"	"	"	DF	ROOM 302	1ST	"	"	45	2
GARFIELD 12 II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 13 I	"	"	"	"	ROOM 303	1ST	"	"	65	21
GARFIELD 13 II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 15 I	"	"	"	SF	ROOM 220	1ST	"	"	15	N
GARFIELD 15 II	"	"	"	"	"	2ND	"	"	"	
GARFIELD 16 I	"	"	"	DF	ROOM 104	1ST	"	"	60	1

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 5/25/99 @ 11:15 am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69207

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 5/25/99

TURNAROUND TIME: 6/1/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2213

SITE: GARFIELD ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
28	GARFIELD 16 II	1	5/25	630 A	DF	ROOM 104	2ND	30	> 6 H	60	1
29	GARFIELD 17 I	"	"	"	"	ROOM 105	1ST	"	"	40	3
30	GARFIELD 17 II	"	"	"	"	"	2ND	"	"	"	"
31	GARFIELD 19 I	"	"	"	"	ROOM 201	1ST	"	"	35	5
32	GARFIELD 19 II	"	"	"	"	"	2ND	"	"	"	"
33	GARFIELD 20 I	"	"	"	"	ROOM 202	1ST	"	"	35	7
34	GARFIELD 20 II	"	"	"	"	"	2ND	"	"	"	"
35	GARFIELD 21 I	"	"	"	"	ROOM 206	1ST	"	"	35	2
36	GARFIELD 21 II	"	"	"	"	"	2ND	"	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible]
Date/Time: 5/25/99 @ 11:15 am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69207

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

nstruction to lab: Fax results ONLY to:
. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 5/25/99

TURNAROUND TIME: 6/1/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: GARFIELD ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

INSPECTOR: GCA / firm

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
GARFIELD 22 I	1	5/25	630 A	DF	ROOM 205	1ST	30	>6H	30	>6
GARFIELD 22 II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 23 I	"	"	"	"	ROOM 203	1ST	"	"	40	2
GARFIELD 23 II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD 24 I	"	"	"	SF	ROOM 222	1ST	"	"	15	N/
GARFIELD 24 II	"	"	"	"	"	2ND	"	"	"	"
GARFIELD BL 1	"	"	"	—	BLANK —					
GARFIELD BL 2	"	"	"	—	BLANK —					

RELINQUISHED BY:
Date/Time:

RECEIVED BY
Date/Time: 5/25/99 @ 11:15 am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/21/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: A.P. GIANNINI J.H.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm QST

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th	8/21/97	0800	B	BLANK	B	8/20/97 1400	18hrs
2	Th	8/21/97	0800	DF	FIRST Floor OUTSIDE Rm 116	F	8/20/97 1400	18hrs
3	Th	8/21/97	0800	HF	FIRST Floor COOKING AREA Room-108	F	8/20/97 1400	18hrs
4	Th	8/21/97	0800	DF	FIRST FLOOR OUTSIDE Rm-101	F	8/20/97 1400	18 hrs
5	Th	8/21/97	0800	DF	BASEMENT Floor - Room-040	F	8/20/97 1400	18hrs
6	Th	8/21/97	0800	DF	BASEMENT Floor Room-040	F	8/20/97 1400	18hrs
7	Th	8/21/97	0800	DF	BASEMENT Floor Room-041	F	8/20/97 1400	18hrs
8	Th	8/21/97	0800	DF	FIRST Floor Gym-Rm-140	F	8/20/97 1400	18hrs
9	Th	8/21/97	0800	DF	FIRST Floor Gym-Room-141	F	8/20/97 1400	18hrs

NON-OPERATION DO NOT ANALYZE

RELINQUISHED BY: [signature] Date/Time: 8/21/97

RECEIVED BY: [signature] Date/Time: 8/21/97 3:20

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Giannini JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: A.P. GIANNINI J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	TH	8/21/97	0800	DF	Second Floor outside Rm-201	F	8/20/97 1400	18hrs
11	TH	8/21/97	0800	DF	Second Floor outside Room-220	F	8/20/97 1400	18hrs
12	TH	8/21/97	0800	DF	Second Floor outside Rm-216	F	8/20/97 1400	18hrs
13	TH	8/21/97	0800	DF	Second Floor Cafeteria wall Room-227	F	8/20/97 1400	18hrs
14	TH	8/21/97	0800	DF	Second Floor Cafeteria wall Room-227	F	8/20/97 1400	18hrs
15	TH	8/21/97	0800	SF	Second Floor Cafeteria Kitchen Back of Rm-227	F	8/20/97 1400	18hrs
16	TH	8/21/97	0800	SF	Second Floor Cafeteria Kit. Back of Rm-227	F	8/20/97 1400	18hrs
17	TH	8/21/97	0800	SF	Second Floor Cafeteria-Kit Back of Rm-227	F	8/20/97 1400	18hrs
18	TH	8/21/97	0800	SF	Second Floor Cafeteria-Kit Back of Rm-227	F	8/20/97 1400	18hrs

RELINQUISHED BY: Manuel Luna
Date/Time: 8/21/97

RECEIVED BY: [illegible]
Date/Time: 8/21/97 3:20pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

A.P. Giannini JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/21/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: A.P. GIANNINI

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	TH	8/21/97	0800	DF	SECOND FLOOR HALLWAY outside AUDITORIUM	F	8/20/97 1400	18hrs
20	TH	8/21/97	0800	DF	SECOND FLOOR HALLWAY outside AUDITORIUM-	F	8/20/97 1400	18hrs
21	TH	8/21/97	0800	SF	SECOND FLOOR Room 230 - COOKING AREA	F	8/20/97 1400	18hrs
22	TH	8/21/97	0800	SF	SECOND FLOOR Room 230 COOKING AREA	F	8/20/97 1400	18hrs
23	TH	8/21/97	0800	SF	SECOND FLOOR Room 230 COOKING AREA	F	8/20/97 1400	18hrs
24	TH	8/21/97	0800	SF	SECOND FLOOR Room 230 COOKING AREA	F	8/20/97 1400	18hrs
25	TH	8/21/97	0800	SF	SECOND FLOOR Room - 230 COOKING AREA	F	8/20/97 1400	18hrs
26	TH	8/21/97	0800	SF	SECOND FLOOR Room - 230 COOKING AREA	F	8/20/97 1400	18hrs
27	TH	8/21/97	0800	DF	Third FLOOR outside Room - 303	F	8/20/97 1400	18hrs

RELINQUISHED BY: [signature]
Date/Time: 8/21/97

RECEIVED BY: [signature]
Date/Time: 8/21/97 3:20 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

A.P. Giannini JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/21/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: A.P. GIANNINI J.H.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm QST

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	TH	8/21/97	0800	DF	Third Floor Plan Hallway outside Room - 301	F	8/20/97 1400	18hrs
29	TH	8/21/97	0800	MDF	Third Floor ~~Hallway~~ Playground OUTSIDE-WEST	F	8/20/97 1400	18hrs
30	TH	8/21/97	0800	SF	First Floor Room - 119 WORK Room -	F	8/20/97 1400	18hrs

RELINQUISHED BY: [signature] Date/Time: 8/21/97

RECEIVED BY: [signature] Date/Time: 8/21/97 3:20pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

A.P. Giannini JH

48317

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: A.P. GIANNINI J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01 31	T	9/9/97	09:00	SF	Second Floor Cooking Area Rm-230	F	09:10 30 sec	30 min
02 32	T	9/9/97	09:00	SF	Second Floor Cooking Area Rm-230	F	09:11 30 sec	1 min
03 33	T	9/9/97	13:00 ~~Floor~~	SF	Second Floor Cooking Area Rm-230	F	13:10	4 hrs

RELINQUISHED BY: [signature] Date/Time: 9/9/97
RECEIVED BY: [signature] Date/Time: 9/9/97 @ 1:50 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

P012

GianniniJH

50807

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling And Analysis Plan 5/97

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: A.P. GIANNINI
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: Ken Tobler / QST Envi. Firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	16A	W E D	11/19/97	842	SF	CAfeteria Kitchen Back of 227	F	30 Secs.	6 Hr
02	16B	W E D	11/19/97	843	SF	CAfeteria Kitchen Back of 227	F	30 SEC.	30 SEC
03	16C	W E D	11/19/97	1250	SF	CAfeteria Kitchen Back of 227	F	>4 Hr	4 Hr
04	23A	W E D	11/19/97	846	SF	Room 230-Cooking Area	F	30 Sec	6 Hr
05	23B	W E D	11/19/97	847	SF	Room 230-Cooking Area	F	30 Sec	30 SEC
06	23C	W E D	11/19/97	1255	SF	Room 230-Cooking Area	F	>4 Hr	4 hr

RELINQUISHED BY: K.B. Tobler
Date/Time: 11/19/97

RECEIVED BY: [signature]
Date/Time: 11/19/97 @ 3:05pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

GianninJH

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

47413

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/12/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GLEN PARK E.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: E. MANNCHE SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A.M. P.M.	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	AM	8/12/97	6:30	DF	OUTSIDE YARD EAST SIDE	I	N/A	13 HRS
2	"	8/12/97	6:40	DF	OUTSIDE YARD WESTSIDE	I	"	"
3	"	8/12/97	7:00	DF	CORRIDOR C-90 FIRST FLOOR	I	"	"
4	"	8/12/97	7:20	DF	CORRIDOR 690 SECOND FLOOR	I	"	"
5	"	8/12/97	7:26	SF	STAFF LUNCH ROOM-KITCHEN	I	"	"
6	"	8/12/97		BLANK				

RELINQUISHED BY: [signature] Date/Time: 8/12/97
RECEIVED BY: Julie Sufong Date/Time: 8/15 9:27 pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

P012

Glen Park ES

#52536

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: ~~(S) 650-364-9600~~ (M) 510-653-0824 DATE: 1/31/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GLEN PARK
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / ZA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SOF-Sink OF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank ON OVER NIGHT
I - Initial
R - Resample

SAMPLE #	D λ V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch. Heigh.
GLEN PARK 1A	Sat	1/31/98	1158	MDF	YARD NE	R	30	ON	46	3"
GLEN PARK 1B		1/31/98	1200	MDF	Yard NE	R	30		47	3"
GLEN PARK 1C		1/31/98	1626	MDF	Yard NE	R	0		[illegible]	3"

RELINQUISHED BY: [signature] Date/Time: 2-2-98 10:35
RECEIVED BY: [signature] Date/Time: 2/2/98 10:35 AM

Page 1 of 1

GLEN PARK ES

9708B64

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Golden Gate Annex
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / CIH QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	1	T	8/19/97	6 AM	–	BLANK	B		
2, 3	2				SF	2nd FLOOR Room-014A COOKING AREA	F	7:00 PM	11 hr
4	3				SF	2nd FLOOR Room-008A COOKING AREA			
5	4				SF	2nd FLOOR Room-007A COOKING AREA			
6	5				SF	1st FLOOR Room 005A COOKING AREA			
7	6				SF	1st FLOOR Room-023 COOKING AREA			
8	7				SF	Basement Level Kitchen			
9	8				DF	BASEMENT Level Room-020			
Spike—10	9				SF	Basement Level Room-021			

RELINQUISHED BY: K.B. Tobler
Date/Time: 8/21/97
RECEIVED BY: [illegible] 8/22
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22 M.S. 8-22-97 1130

Page 1 of 1

P012

Golden Gate Ann

9708862

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Golden Gate ELEM
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: M. LUNA / CIRB QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A/M	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONITOR TIME
1	1	M	8/18/97	530/AM	BLANK	BLANK			
2,3	2				DF	Basement Floor Rm-002	F	1230/PM	17 Hrs
did not submit this	3				DF	Basement Floor Hallway-outside Rm 002	F	Dr. Dale Non-Operational	
4,5	4				DF	Basement Floor Room-001		12:00/PM	17 Hrs
6,7	5				DF	2nd Floor Room-202			
8	6				DF	2nd Floor Room-201			
9	7				DF	2nd Floor Room-203			
10	8				DF	2nd Floor Room-205			
11	9				DF	2nd Floor Hall-outside Rm 302			

RELINQUISHED BY: R.B. Tobler
Date/Time: 8/21/97
RECEIVED BY:
Date/Time: 8/22

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5600

8/22
8-22-97
1230

Page 1 of 4

P012

Golden Gate ES

9708B602

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling at [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-3824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Golden Gate Elem
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. LUNA / Eline QST
WORK ORDER #: SFUSD PO

[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
12	10	M	8/18/97	5:30 AM	DF	2nd Floor Room - 207	F	12:30 PM	17 Hrs
13	11				DF	2nd Floor Room - 209			
14	12				DF	2nd Floor Room - 211			
15	13				DF	2nd Floor Room - 208			
16	14				DF	1st Floor Room - 102			
17	15				DF	1st Floor Room - 103			
18	16				DF	1st Floor Room - 105			
19	17				DF	1st Floor Room - 104			
20	18				DF	1st Floor Room - 107			

RELINQUISHED BY: K.B. Toller
Date/Time: 8/21/97
RECEIVED BY: [illegible] 8/22
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22 n.f. 6-22-98 1230

P012

Golden Gate E

9708B62

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling at: [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Golden Gate ELEM.
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: M. LUNA / RST
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A/T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21	19	M	8/18/97	5:39/A	DF	1st Floor Room -108	F	12:34/pm	17/HS
22	20				DF	2nd Floor HALL-outside Rm 206			
23	21				DF	1st Floor Rm -109			
24	22				DF	1st Floor Room 111			
25	23				DF	1st Floor Room -110			
26	24				DF	1st Floor HALL-Outside Rm 104			
27	25				DF	2nd Floor Room -206			
28	26				DF	Basement Level outside-PLAYGROUND EAST SIDE			
29	27				MDF	1st Floor Level PLAYGROUND-South Side			

RELINQUISHED BY: K. B. Tobler
Date/Time: 8/21/97

RECEIVED BY: [illegible]
Date/Time: [illegible]

1551 Newcomb Ave., Rm. 306, San Francisco, CA 94124 Phone: (415) 695-5500

5/22

L 8-22-97 1230

Page 3 of 4

P012

Golden Gate ES

9708B62

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Golden Gate - ELEM
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. Luna / BST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	M	8/18/97	5:30/A	DF	First Floor outside Rm 108	F	12:30/pm	12 hrs

Spike — 30

RELINQUISHED BY: K.B. Tobler
Date/Time: 8/21/97
RECEIVED BY: [illegible] 8/22
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22 n.f. [illegible] 1230

Page 4 of 4

P012

Golden Gate ES

48029

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - 5/96

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/30/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Golden Gate Elem.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: O. Martinez / Ken Tobler / QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st - 1st Draw
2nd - 2nd Draw
3rd - 3rd Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	~~29~~ 29	SA	8/30/97	~~9:50~~	~~MDF~~	Blank	B		
02	~~30~~ 27A	SA	8/30/97	9:50	MDF	Main Level (1st Flr) Playground south side	1st	30 sec	
03	~~31~~ 27B	SA	8/30/97	9:51	MDF	Main Level (1st Flr) Playground south side	2nd	30 sec	
04	~~32~~ ~~33~~ 27C	SA	8/30/97	1:45	MDF	Main Level (1st Flr) Playground south side	3rd	N/A	3hrs 54 min.

RELINQUISHED BY:
Date/Time:

RECEIVED BY: Barbara Ke
Date/Time: 8/30/97 2:30 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

R1-R3
Golden Gate ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN Elem./C.C.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm QST

WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th	8/14/97	6:30		BLANK	B		
2				SF	First Floor Rm-105A	F	6:00 Am	12 Hrs
3				SF	First Floor Kitchen Rm 105F	F		
4				SF	First Floor Rm 105	F		
5				SDF	First Floor Rm 105	F		
6				SF	First Floor Rm 106	F		
7				SDF	First Floor Rm 106	F		
8				SF	First Floor Rm 107	F		
9				SDF	Rm 107	F		

RELINQUISHED BY: Manuel T Luna
Date/Time: 8/14/97

RECEIVED BY: Julie Sagong
Date/Time: 8/14 @ 1:45 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

GRATTAN E.S.
P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN Elem./c.c.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Elm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Th	8/14/97	6:45	SF	First Floor Kitchen Rm-112	F	6:00 1m	12 hr
11				SF	First Floor Cafeteria Rm 113	F		
12				SF	First Floor Cafeteria Rm 113	F		
13				SF	First Floor Dish Washing - Rm 113	F		
14				DF	First Floor Court Yard	F		
15			7:00	SF	First Floor Room 104	F		
16				SDF	First Floor Room 104	F		
17				SF	First Floor Room 103	F		
18				SDF	Room 103	F		

RELINQUISHED BY: Manuel Luna
Date/Time: 8/14/97

RECEIVED BY: Julie Sadjong
Date/Time: 8/14 @ 1:45 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN/CL
SITE FILE: Water Sampling - [X] Lead
INSPECTOR: M. LUNA / Flem Cost
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	Th	8/14/97	7:15	SF	First Floor Rm 102	F	6:00 pm	12 Hrs
20				SDF	First Floor Room 102	F		
21				DF	HALLWAY - Outside Room 103	RS		
22				SF	First Floor Room 101	F		
23				SDF	First Floor Room 101	F		
24				DF	First Floor Courtyard - Outside Rm 105	F		
25			7:30	DF	Second Floor Outside Rm 212	F		
26				MDF	Second Floor Playground Area	F		
~~27~~		void		~~DF~~	~~Second Floor Outside Rm 206~~			

RELINQUISHED BY: [signature]
Date/Time: 8/14/97

RECEIVED BY: [signature]
Date/Time: 8/14 @ 1:45pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

GRATTANE.S
P012

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, & ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN Elem / C.C.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	Th	8/14/97	7:35	SF	SECOND Floor Rm 210	F	6:00 Am	12 Hrs
29				SDF	SECOND Floor Rm 210	F		
30				SF	SECOND Floor Rm 209	F		
31				SDF	SECOND Floor Rm 209	F		
32				SF	SECOND Floor Rm 208	F		
33			8:00	SDF	SECOND Floor Rm 208	F		
34				SF	SECOND Floor Rm 207	F		
35				SDF	SECOND Floor Rm 207	F		
36				SF	SECOND Floor Rm 205	F		

RELINQUISHED BY: [signature]
Date/Time: 8/14/97

RECEIVED BY: Julie Saelong
Date/Time: 8/14 @ 1:45 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

GRATTAN E.S.
P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN E/EM./C.C.

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: / Firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
37	Th	8/14/97	8:15	SDF	SECOND Floor Rm - 205	F	6:00pm	12 hrs
38				SF	SECOND Floor Rm 204	F		
39				SDF	SECOND Floor Rm - 204	F		
40				DF	SECOND Floor HALLWAY -	~~F~~ S		
41				SF	SECOND Floor Rm - 203	F		
42				SDF	SECOND Floor Rm - 203	F		
43				SF	SECOND Floor Rm ~~201~~ 202	F		
44				SDF	SECOND Floor Room 202	F		
45				SF	SECOND Floor Room 201	F		

RELINQUISHED BY: [signature]
Date/Time: 8/14/97

RECEIVED BY: [signature]
Date/Time: 8/14 @ 1:45pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

GRATTAN E.S.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN Elem./PC

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
46	Th	8/14/97	8:20	SDF	Second Floor Rm 201	F	6:00pm	12 hrs
47				SF	Second Floor Rm - 215	F		
48				SDF	Second Floor Rm - 215	F		
49				SF	Second Floor Rm - 214	F		
50				SDF	Second Floor Room - 214	F		
51				SF	Second Floor Room 213	F		
52				SDF	Second Floor Room 213	F		
53				SF	Second Floor Room 212	F		
54				SDF	Second Floor Room 212	F		

RELINQUISHED BY: Manuel Ho
Date/Time: 8/14/97

RECEIVED BY: Julie Saelong
Date/Time: 8/14 @ 1:45pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415)695-5500

GRATTAN E.S.

P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN Elem./C.C.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
55	Th	8/14/97	8:30	DF	South West ~~Court~~ Yard-Lower	F	6:00pm	12 hrs
56	↓	↓	↓	DF	South West ~~Court~~ Yard	F	↓	↓
57	↓	↓	↓	DF	Southwest yard-Upper	F	↓	↓

RELINQUISHED BY: [signature] Date/Time: 8/14/97

RECEIVED BY: Julie Saufong Date/Time: 8/14 @ 1:45pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5000

GRATTAN E.S.
P012

48008

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 5/1

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/29/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Grattan Elem
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. Luna / O. Martinez / Elim / QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st - 1st Draw
2nd - 2nd Draw
3rd - 3rd Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
2A 01	58	F	8/29/97	11:45	SF	First Floor Rm 105A	1st	30sec	
2B 02	59	F	8/29/97	11:45	SF	First Floor Rm 105A	2nd	30sec	
2C 03	60	F	8/29/97	3:45	SF	First Floor Rm 105A	3rd	N/A	4 Hrs
6A 04	61	F	8/29/97	11:49	SF	First Floor Rm 106	1st	30sec	
6B 05	62	F	8/29/97	11:49	SF	First Floor Rm 106	2nd	30sec	
6C 06	63	F	8/29/97	3:52	SF	First Floor Rm 106	3rd	N/A	4 Hrs
9A 07	64	F	8/29/97	11:53	SDF	First Floor Rm 107	1st	30sec	
9B 08	65	F	8/29/97	11:54	SDF	First Floor Rm 107	2nd	30sec	
9C 09	66	F	8/29/97	~~4:00~~	SDF	First Floor Rm 107	3rd	N/A	

RELINQUISHED BY: [signature]
Date/Time: 8/29/97

RECEIVED BY: [signature]
Date/Time: 8-29-97 6:30 pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 6

GRATTAN ES

48008

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/29/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Grattan Elem
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. Luna / O. Martinez / IIIM / QST
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st- 1st Draw
2nd- 2nd Draw
3rd- 3rd Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10A 10	67	F	8/29/97	12:08 ~~4:07~~	SF	1st Floor Rm 112 (Kitchen)	1st	30 sec	
10B 11	68	F	8/29/97	12:08 ~~4:07~~	SF	First Floor Rm 112 (Kitchen)	2nd	30 sec	
10C 12	69	F	8/29/97	4:15	SF	First Floor Rm 112 (Kitchen)	3rd	N/A	4 Hrs
11A 13	70	F	8/29/97	12:04	SF	First Floor Rm 113 (Cafeteria)	1st	30 sec	
11B 14	71	F	8/29/97	12:04	SF	First Floor Rm 113 (Cafeteria)	2nd	30 sec	
11C 15	72	F	8/29/97	4:09	SF	First Floor Rm 113 (Cafeteria)	3rd	N/A	4 Hrs
16A ~~17A~~ 16	73	F	8/29/97	12:14	SF	First Floor Rm 103	1st	30 sec	
16B ~~17B~~ 17	74	F	8/29/97	12:14	SF	First Floor Rm 103	2nd	30 sec	
16C ~~17C~~ 18	75	F	8/29/97	4:20	SF	First Floor Rm 103	3rd	N/A	4 Hrs

RELINQUISHED BY: [signature]
Date/Time: 8/29/97

RECEIVED BY: [signature]
Date/Time: 8-29-97 6:30pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 6

Grattan ES

48608

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LIP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/29/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Grattan Elem
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. Luna / O. Martinez / QST Firm
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st - 1st Draw
2nd - 2nd Draw
3rd - 3rd Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
17A — 19	76	F	8/29/97	12:21	SF	First Floor Rm 103	1st	30sec	
17B — 20	77	F	8/29/97	12:21	SF	First Floor Rm 103	2nd	30sec	
17C — 21	78	F	8/29/97	4:25	SF	First Floor Rm 103	3rd	N/A	4 Hrs
19A 22	79	F	8/29/97	12:23	SF	First Floor Rm 102	1st	30sec	
19B 23	80	F	8/29/97	12:23	SF	First Floor Rm 102	2nd	30sec	
19C 24	81	F	8/29/97	4:20	SF	First Floor Rm 102	3rd	N/A	4 Hrs
22A 25	82	F	8/29/97	12:28	SF	First Floor Rm 101	1st	30sec	
22B 26	83	F	8/29/97	12:29	SF	First Floor Rm 101	2nd	30sec	
22C 27	84	F	8/29/97	4:21 12	SF	First Floor Rm 101	3rd	N/A	4 Hrs

RELINQUISHED BY: [signature] Date/Time: 8/29/97
RECEIVED BY: [signature] Date/Time: 8-29-97

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Grattan ES

48008

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/29/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Grattan Elem
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. Luna / O. Martinez / Elm RST
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st - 1st Draw
2nd - 2nd Draw
3rd - 3rd Draw

	SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
30A 28	85	8/29/97	12:32	SF	2nd Floor Rm 209	1st	30 sec	
30B 29	86	8/29/97	12:33	SF	2nd Floor Rm 209	2nd	30 sec	
30C 30	87	8/29/97	4:36	SF	2nd Floor Rm 209	3rd	N/A	4 Hrs
31A 31	88	8/29/97	12:32	SDF	2nd Floor Rm 209	1st	30 sec	
31B 32	89	8/29/97	12:34	SDF	2nd Floor Rm 209	2nd	30 sec	
31C 33	90	8/29/97	4:37	SDF	2nd Floor Rm 209	3rd	N/A	4 Hrs
~~34a~~ 35A 34	91	8/29/97	12:45	SDF	2nd Floor Rm 207	1st	30 sec	
~~34a~~ 35B 35	92	8/29/97	12:46	SDF	2nd Floor Rm 207	2nd	30 sec	
~~34a~~ 35C 36	93	8/29/97	4:55	SDF	2nd Floor Rm 207	3rd	N/A	4 Hrs

RELINQUISHED BY: [signature] Date/Time: 8/29/97
RECEIVED BY: [signature] Date/Time: 8-29-97 6:30pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 4 of 6

Grattan ES

48008

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/29/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Gratton Elem
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. Luna / O. Martinez / QST FIRM
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st- 1st Draw
2nd- 2nd Draw
3rd- 3rd Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
38A 37	94	F	8/29/97	1:00	SDF	2nd Floor Rm 205	1st	30 sec	
37B 38	95	F	8/29/97	1:00	SDF	2nd Floor Rm 205	2nd	30 sec	
37C 39	96	F	8/29/97	5:10	SDF	2nd Floor Rm 205	3rd	N/A	4 Hrs
11A 40	97	F	8/29/97	1:05	SF	2nd Floor Rm 203	1st	30 sec	
11B 41	98	F	8/29/97	1:05	SF	2nd Floor Rm 203	2nd	30 sec	
11C 42	99	F	8/29/97	5:05	SF	2nd Floor Rm 203	3rd	N/A	4 Hrs
53A 43	~~99~~ 100	F	8/29/97	1:15	SF	2nd Floor Rm 212	1st	30 sec	
53 B 44	101	F	8/29/97	1:15	SF	2nd Floor Rm 212	2nd	30 sec	
53 C 45	102	F	8/29/97	5:15	SF	2nd Floor Rm 212	3rd	N/A	4 Hrs

RELINQUISHED BY: [signature]
Date/Time: 8/29/97

RECEIVED BY: [signature]
Date/Time: 8-29-97 6:30pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 5 of 6

Grattan ES

48008

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SFP...

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/29/97

TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Grattan Elem

SITE FILE: Water Sampling

☐ Lead

☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

INSPECTOR: M. Luna / O. Martinez / IIIM / QST

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st-1st Draw
2nd-2nd Draw
3rd-3rd Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
BL 46 103	F	8/29/97	5:30	N/A	Blank	B	N/A	N/A

RELINQUISHED BY: [signature]
Date/Time:

RECEIVED BY: [signature]
Date/Time: 8-29-97 6:30pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 6 of 6

Grattan ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52170

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/18/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN ES
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / SCA (Firm)
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	GRATTAN 47A	Sun	1-18-98	1018	SDF	115		30s	over night	1.5"
02	GRATTAN 47B	Sun	1-18-98	1038	SDF	115		30s		1.5"
03	GRATTAN 47C	Su	1-18-98	1527	SDF	115		0s		1.5"
04	GRATTAN 51A	Su	1-18-98		SDF	113		30s	over night	.5"
05	GRATTAN 51B	Su	1-18-98		SDF	113		30s		.5"
06	GRATTAN 51C	Su	1-18-98	1530	SDF	113		0s		.5"
07	GRATTAN 32A	Su	1-18-98		SDF	208		30s	over night	.75"
08	GRATTAN 32B	Su	1-18-98		SDF	208		30s		.75"
09	GRATTAN 32C	Su	1-18-98		SDF	208		0s		.75"

RELINQUISHED BY: MB
Date/Time: 1-19-98

RECEIVED BY: Ben Giannini
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 3

GRATTAN ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52170

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/18/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
10	GRATTAN 34A	Su	1/18/98	1057	SF	207		30s	overnight	1.5"
11	GRATTAN 34B	Su	1.18.98	1058	SF	207		30s	"	1.5"
12	GRATTAN 34C	Su	1.18.98	1545	SF	207		0s		1.5"
13	GRATTAN 38A	Su	1.18.98		SDF	204		30s	overnight	1.5"
14	GRATTAN 38B	Su	1.18.98		SDF	204		30s		1.5"
15	GRATTAN 38C	Su	1.18.98	1548	SDF	204		0s		1.5"
	GRATTAN 12		NOT	ACCESSABLE						
	↓		KEYS	WOULD	NOT	OPEN	DOOR			

RELINQUISHED BY: MB
Date/Time: 1.19.98
RECEIVED BY: [signature]
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 3

GRATTAN ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 52170

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/18/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GRATTAN ES
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	AROM HEIGHT
16	GRATTAN 14A	SU	1.18.98	1117	DF	COURTYARD		30s	over night	2"
17	GRATTAN 14B	SU	1.18.98	1118	DF	"		30s		2"
18	GRATTAN 14C	SU	1.18.98	1551	DF	"		0s		2"
19	GRATTAN 57A	SU	1.18.98			OUTSIDE EAST		30s	over night	2"
20	GRATTAN 57B	SU	1.18.98			"		30s		2"
21	GRATTAN 57C	SU	1.18.98	1555		"		0s		2"
22	GRATTAN BLANK 1						B			
23	GRATTAN BLANK 2						B			

RELINQUISHED BY: MB
Date/Time: 1/19/98 10:25

RECEIVED BY: [signature]
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 3

GRATTAN ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE:
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Guadalupe Elementary
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Kenneth Pilgrim / Firm R6A
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
* 1	Th	8/21/97	0825	SF	1st level Kitchen	F	N/A	+6 hrs <36hrs
# 2	Th	8/21/97	0830	DF	1st level Hall	F	10Min	+36 hrs
# 3	Th	8/21/97	0842	SF	1st level classroom 100	F	10Min	+36 hrs
# 4	Th	8/21/97	0844	SF	1st level classroom 101	F	10 Min	+36 hrs
# 5	Th	8/21/97	0846	SF	1st level classroom 102	F	10 Min	+36hrs
# 6	Th	8/21/97	0848	SF	1st level classroom 103	F	10 Min	+36 hrs
# 7	Th	8/21/97	0850	DF	1st level hall	F	10Min	+36 hrs
# 8	Th	8/21/97	0900	SF	1st level office	F	10Min	36+ hrs
# 9	Th	8/21/97	0913	DF	2nd level hall	F	10 Min	36+ hrs

RELINQUISHED BY: Karin Schroeder
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ayoe
Date/Time: 8/22/97 4:15 PM

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Guadalupe ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL
PHONE: DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: Kenneth Pilgrim / Firm R6A
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Th	8/21/97	0917	SF	2nd Floor Teacher's Lounge	F	N/A	6+ hrs <36hrs
11	Th	8/21/97	0930	SF	2nd Floor classroom 9	F	10 Min	36+ hrs
12	Th	8/21/97	0932	SF	2nd Floor classroom 8	F	10 Min	36+ hrs
13	Th	8/21/97	0933	SF	2nd Floor classroom 6	F	10 Min	36+ hrs
B	Th	8/21/97	0934	—	Blank	F	—	—
14	Th	8/21/97	0946	MDF	Ground Floor NW fountain	F	N/A	6+ hrs <36hrs
15	Th	8/21/97	0951	MDF	SW Fountain	F	N/A	6+ hrs <36hrs
16	Th	8/21/97	0959	SF	Bungalow #2	F	N/A	6+ hrs <36hrs
17	Th	8/21/97	1008	SF	Bungalow #1	F	N/A	6+ hrs <36hrs

#18

RELINQUISHED BY: Karen Ahrent
Date/Time: 8/22/97 4:15 pm
RECEIVED BY: Blue Alpine
Date/Time: 8/22/97 4:15

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Guadalupe ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Harte ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: CQ / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Bret Harte 1		8.26.97	5:25	SF	Room 015	F	10 Min	>6 Hrs.
Bret Harte 2		8	5:28	SF	Room 017A	F		
Bret Harte 3			5:31	SF	Room 107	F		
Bret Harte 4			5:34	SF	Room 109	F		
Bret Harte 5			5:37	SF	Room 111	F		
Bret Harte 6			5:40	SF	Room 113	F		
Bret Harte 7			5:43	SF	Room 115	F		
Bret Harte 8			5:46	SF	Room 114	F		
Bret Harte 9			5:49	SF	Room 112	F		

RELINQUISHED BY: CQ
Date/Time: 8.26.97

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012 Harte ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: CQ / Firm SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Bret Harte 10		8.26.97	5:52	DF	Hall "C90"	F	10 Min	>6 Hrs.
Bret Harte 11		8	5:55	DF	Hall "C91"	F		
Bret Harte 12			5:58	SF	Room 101	F		
Bret Harte 13			6:01	DF	Room 204	F		
Bret Harte 14			6:04	SF	Room 205	F		
Bret Harte 15			6:07	DF	Room 207	F		
Bret Harte 16			6:10	SF	Room 206	F		
Bret Harte 17			6:13	DF	Room 209	F		
Bret Harte 18			6:16	SF	Room 208	F		

RELINQUISHED BY: CQ
Date/Time: 8-26-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012 Harte ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: CQ / Firm SCA

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Bret Harte 19		8.26.97	6:19	SF	Room 210	F	10 Min	>6 Hrs.
Bret Harte 20		8	6:22	SF	Room 211	F		
Bret Harte 21			6:25	MDF	Room 210 Exterior	F		
Bret Harte 22			6:28	SDF	Room 001 A	F		
Bret Harte 23			6:31	SDF	Room 002 A	F		
Bret Harte 24			6:34	SF	Room 004 A	F		
Bret Harte 25			6:37	SDF	Room 003 A	F		
Bret Harte 26			6:40	DF	Hall "C94"	F		
Bret Harte 27			6:43	SF	Room 005A	F		

RELINQUISHED BY: CQ
Date/Time: 8-26-97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012 Harte ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: CQ / Firm SCA

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
BRET HARTE 28		8.26.97	6:48	SDF	Room 006 A	F	10 MIN	>6 HRS.
E								
BRET HARTE 30			6:52	SDF	Room 008 A	F		
BRET HARTE 31			6:55	MDF	PLAY AREA "C96"	F		
BRET HARTE 32			6:58	SF	Room 001 B	F		
BRET HARTE 33			7:01	SF	Room 005 B	F		
BRET HARTE 34			7:04	SF	Room 002 B	F		
BRET HARTE 35			7:07	SF	Room 003 B	F		
BRET HARTE 36			7:10	SF	Room 004 B	F		

RELINQUISHED BY: CQ
Date/Time: 8.26.97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012 Harte ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600
(M) 510-653-0824

DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: CQ / Firm SCA

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Bret Harte BL		8.26.97	7:15	—	—	B		

RELINQUISHED BY: CQ
Date/Time: 8.26.97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012 Harte ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710472

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA ~~@ 510-848-3328.~~

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Harte ES
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: MZ / SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
height fill time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Harte 2-A		10/4/97	12 pm	SF	Room 017A	1st	NA	15 sec
2	Harte 2-B			12:05 pm			2nd		
3	Harte 2-C			4pm			1st		
4	Harte 7-A			12:10 pm	SF	Room 113	1st		
5	Harte 7-B			12:15 pm			2nd		
6	Harte 7-C			4:05 pm			1st		
7	Harte 7-D			4:10 PM			2nd		

RELINQUISHED BY: Michelle Lam Date/Time: 10/8/97 12pm
RECEIVED BY: Date/Time: 10/9/97 2:55

9 4 23

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 4

Harte ES - Ret.

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

97/0472

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 4 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Harte ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
height full time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
8 •	Harte 26-A		10/4/97	12:26 PM	SF	Hall C94	1st	N/A	20 sec
9,10 •	Harte 26-B			12:25 PM			2nd		
11 •	Harte 26-C			4:15 PM			1st		
12 •	Harte 27-A			12:30 PM	SF	Rm. 5A	1st		10 sec.
13 •	Harte 27-B			12:35 PM			2nd		
14 •	Harte 27-C			4:20 PM			1st		
15 •	Harte 31-A			12:40 PM	MDF	Play area C96	1st	2 in.	33 sec.
16 •	Harte 31-B			12:45 PM			2nd		
17 •	Harte 31-C			4:25 PM			1st		

RELINQUISHED BY: Michelle Jan
Date/Time: 10/8/97 2 pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 7:55

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 4

Harte ES-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

97104772

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Harte ES
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw height fill time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	WORKER TIME
18	Harte 32-A		10/4/97	12:50 pm	SF	Rm. 1B	1st	NA	10 sec.
19,20	Harte 32-B		↓	12:35 pm	↓	↓	2nd	↓	↓
21	Harte 32C		↓	4:30 PM	↓	↓	1st	↓	↓
22	Harte 34-A		↓	1 pm	SF	Rm 2B	1st	↓	10 sec.
23	Harte 34-B		↓	1:05 pm	↓	↓	2nd	↓	↓
24	Harte 34-C		↓	4:35 PM	↓	↓	1st	↓	↓
25	Harte 35-A		↓	1:10 pm	SF	Rm 3B	1st	↓	15 sec.
26	Harte 35-B		↓	1:15 pm	↓	↓	2nd	↓	↓
27	Harte 35-C		↓	4:40 PM	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Jan Date/Time: 10/8/97 2pm
RECEIVED BY: [signature] Date/Time: 10/9/97 2:55

1551 Newcomb Ave., Rm. 206 San Francisco, CA 94124 Phone: (415) 695-5300

9 4 23

Page 3 of 4

Harte ES - Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710472

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 / 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Harte ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
height fill time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOZZLE FILL
28	Harte 36-A		10/4/97	1:20 pm	SF	Rm 48	1st	N/A	10 sec
29,30	Harte 36-B		↓	1:20 pm	↓	↓	2nd	↓	↓
31	Harte 36-C		↓	4:45 pm	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Date/Time: 10/8/97 12pm
RECEIVED BY: Date/Time: 10/9/97 8:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab by: J. Downs 10/9/97 1623

Page 4 of 4

Harte ES-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52165

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: BRET HARTE ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	~~BRET~~ HARTE 21A	Sat	1-17-98	1043	MDF	HALLWAY OUTSIDE 210		3 ds	OVER NIGHT	3" ☆
02	~~BRET~~ HARTE 21B	Sat	1-17-98	1044	MDF	"		3 ds	"	3"
03	BRET HARTE 21C	Sat	1-17-98		MDF	"		0s		3"
04	BURNETTE BLANK						B			

☆ 2 NOZZLES HAD 3" ARCH 2 HAD 4 FOOT ARCH.

RELINQUISHED BY: MB
Date/Time: 1-19-98

RECEIVED BY: John Clifford
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

HARTE ES

68290

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 4/29/99

TURNAROUND TIME: 4/30/99 BY 12NOON

* DO NOT ANALYZE 2ND SAMPLE UNTIL INSTRUCTED BY S

☐ PROJ. # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: BRET HARTE ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
HARTE 21 I	TH	4/29/99	0630 A	MDF	RM. 210 EXT.	1ST	0	> 6 H	60	< 1
HARTE 21 II	"	"	"	"	" "	2ND	30	"	"	"
HARTE 31 I	"	"	"	"	PLAY AREA C96	1ST	0	"	45	1
HARTE 31 II	"	"	"	"	" "	2ND	30	"	45	1
HARTE 37 I	"	"	"	WF	EXT. VEG. GARDEN (RM. 210)	1ST	0	"	10	N/A
HARTE 37 II	"	"	"	"	" "	2ND	30	"	"	"
HARTE BL 1				BLANK						

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 4-29-99 @ 3:15p

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69564

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / (MICROANALYTICAL)

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 4 /99

TURNAROUND TIME: 6/9 /99 10 AM

DO NOT ANALYZE BLANKS & 2ND SAMPLES UNTIL INSTRUCTED BY S

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: BRET HARTE ES

SITE FILE: Water Sampling

☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
BRET 2 I	F	6/4	645 A	SF	ROOM 017A	1ST	30	>6 H	15	N/
BRET 2 II	"	"	"	"	" "	2ND	"	"	"	"
BRET 7 I	"	"	"	"	ROOM 115	1ST	"	"	15	N/
BRET 7 II	"	"	"	"	" "	2ND	"	"	"	"
BRET 27 I	"	"	"	SDF	ROOM 5A	1ST	"	"	30	4
BRET 27 II	"	"	"	"	" "	2ND	"	"	"	"
BRET 32 I	"	"	"	SDF	ROOM 1B	1ST	"	"	30	3
BRET 32 II	"	"	"	"	" "	2ND	"	"	"	"
BRET 34 I	"	"	"	"	ROOM 2B	1ST	"	"	30	3

RELINQUISHED BY:
Date/Time:

RECEIVED BY: Helen Dalton
Date/Time: 6/4/99 1:22pm

351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

69564

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-** 465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / (MICROANALYTICAL)

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 4 /99

TURNAROUND TIME: 6/9/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: BRET HARTE ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
BRET 34 II	F	6/4	645 A	SDF	ROOM 2B	2ND	30	> 6H	30	3
06 BRET 36 I	"	"	"	"	ROOM 4B	1ST	"	"	25	3
BRET 36 II	"	"	"	"	" "	2ND	"	"	"	"
~~BRET 49 I~~	~~"~~	~~"~~	~~"~~	~~DF~~	~~1ST FL HALL BY RM. 101~~	~~1ST~~	~~"~~	~~"~~	~~NO~~	~~NO~~
~~BRET 49 II~~	~~"~~	~~"~~	~~"~~	~~"~~	~~" "~~	~~2ND~~	~~"~~	~~"~~	~~"~~	~~"~~
07 BRET 38 I	"	"	"	SDF	ROOM 205	1ST	"	"	35	3
BRET 38 II	"	"	"	"	" "	2ND	"	"	"	"
~~BRET 39 I~~	~~"~~	~~"~~	~~"~~	~~MDF~~	~~EXT. COURTYARD~~	~~1ST~~	~~"~~	~~"~~	~~NO~~	~~NO~~
~~BRET 39 II~~	~~"~~	~~"~~	~~"~~	~~"~~	~~" "~~	~~2ND~~	~~"~~	~~"~~	~~"~~	~~"~~

RELINQUISHED BY:
Date/Time:

RECEIVED BY: Helen Dalton
Date/Time: 6/4/99 1:22 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69564

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 4 /99

TURNAROUND TIME: 6/9/99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: BRET HARTE ES

SITE FILE: Water Sampling

☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
BRET 40 1	F	6/4	645 A	DF	ROOM 202	1ST	30	> 6 H	35	4
BRET 40 11	"	"	"	"	" "	2ND	"	"	"	"
BRET 41 1	"	"	"	DF	FL HALL BY RM. 209	1ST	"	"	ND	ND
BRET 41 11	"	"	"	"	" "	2ND	"	"	"	"
BRET 42 1	"	"	"	DF	EXT. COURTYARD	1ST	"	"	ND	ND
BRET 42 11	"	"	"	"	" "	2ND	"	"	"	"
BRET 43 1	"	"	"	DF	EXT. COURTYARD BY RM. T66	1ST	"	"	ND	ND
BRET 43 11	"	"	"	"	" "	2ND	"	"	"	"
BRET 44 1	"	"	"	DF	HALL BY RM. 002	1ST	"	"	ND	ND

RELINQUISHED BY:
Date/Time:

RECEIVED BY: HD
Date/Time: 6/4/99 1:22

351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

69564

Insruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 4 /99

TURNAROUND TIME: 6/9 /99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY

☐ PROJECT # ☐ B-2243

SITE: BRET HARTE ES

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
~~BRET 44 II~~	~~F~~	~~6/4~~	~~645A~~	~~DF~~	~~HALL BY RM. 002~~	~~2ND~~	~~30~~	~~> 6H~~	~~NO~~	~~NO~~
09 BRET 45 I	"	"	"	DF	HALL BY RM. 014	1ST	"	"	45	2
BRET 45 II	"	"	"	"	" "	2ND	"	"	"	"
10 BRET 46 I	"	"	"	SF	ROOM 010	1ST	"	"	15	N/A
BRET 46 II	"	"	"	"	" "	2ND	"	"	"	"
11 BRET 47 I	"	"	"	DF	HALL BY RM. 160	1ST	"	"	35	3
BRET 47 II	"	"	"	"	" "	2ND	"	"	"	"
12 BRET 48 I	"	"	"	DF	HALL BY RM. 162	1ST	"	"	35	3
BRET 48 II	"	"	"	"	" "	2ND	"	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY: HD
Date/Time: 6/4/99 1.22pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

69564

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ruction to lab: Fax results **ONLY** to:
Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-** 465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 6 / 4 /99

TURNAROUND TIME: 6/9 /99 10 AM

DO NOT ANALYZE 2ND SAMPLES & BLANKS UNTIL INSTRUCTED BY C

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: BRET HARTE ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH WEIGH
BRET 35 I	F	6/4	645 A	SDF	ROOM 3B	1ST	30	> 6H	30	3
BRET 35 II	"	"	"	"	" "	2ND	"	"	"	"
BRET BL 1					BLANK					
BRET BL2					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

51 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

47783

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SAP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: HILLCREST

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: ST / SCA Film

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	HILLCREST #1		8/23/97	1430	DF	HALLWAY C90	F		
02	HILL CREST #2		8/23/97	1432	SF	TEACHERS LOUNGE	F		
03	HILL CREST #3		8/23/97	1433	DF	HALLWAY C94	F		
04	HILL CREST #4		8/23/97	1445	MDF	EXT. YARD	F		
05	HILL CREST #5		8/23/97	1447	DF	HALLWAY C92	F		
06	HILL CREST #6		8/23/97	1450	MDF	EXT. YARD	F		
07	HILL CREST #7		8/23/97	1453	DF	2ND FL HALLWAY	F		
08	HILL CREST #8		8/23/97	1455	DF	2ND FL HALLWAY	F		
09	HILLCREST #9		8/23/97	1500	MDF	Ext. Yard	F		
10	HILLCREST #10 BLANK								

RELINQUISHED BY: SOZBOR TWELLS
Date/Time: 8/23/97

RECEIVED BY: [illegible]
Date/Time: 8-25-97 4:15pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Hillcrest ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710494

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 3 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Hillcrest E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
Height

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Hillcrest 6-A		10/3/97	10:00 AM	MDF	Ext. yard	1st	2in.	1min.
2	Hillcrest 6-B		↓	10:05 AM	↓	↓	2nd	↓	↓
3	Hillcrest 6-C		↓	3pm	↓	↓	1st	↓	↓
4	Hillcrest 7-A		↓	10:10 AM	DF	2nd. Flr. Hallway	1st	1.5 in.	20 sec.
5	Hillcrest 7-B		↓	10:15 AM	↓	↓	2nd	↓	↓
6,7	Hillcrest 7-C		↓	3:05 pm	↓	↓	1st	↓	↓
8	Hillcrest BL		BLANK						

9 4 23

RELINQUISHED BY: Michelle Yan
Date/Time: 10/8/97 12pm

RECEIVED BY: [signature]
Date/Time: 10/9/97 2:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab by: J. Downs
Page 1 of 1
10-9-97
1623

Hill crest ES- Ret.

9708D10

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:

PHONE: DATE: 8/25 /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

#6 No show

SITE: Hilltop Pregnant Minors Serv

SITE FILE: Water Sampling Cntr.

☑ Lead

☐ ☐ Graphite Furnace AA EPA

INSPECTOR: Kenneth P. Lin LIFE R6A

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAM
B - Bottle
S -
F- First Draw

Locks as #6 per SC w. Su 8-25-97

	SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1	M	8/25/97	0750	SF	Room 19 Kitchen	F	10 Min	36+ hrs
3	2	M	8/25/97	0758	SF	Office - Room 23 Break room	F	10 Min	36+ hrs
4	3	M	8/25/97	0800	—	"Blank"	B	—	—
5	4	M	8/25/97	0810	SF	Kitchen 1st level	F	10 Min	36+ hrs
6	5	M	8/25/97	0820	SF	1st level Break room	F	10 Min	36+ hrs
7	6	M	8/25/97	0828	WCDF	E Hall 1st level	F	10 Min	36+ hrs
8	7	M	8/25/97	0838	WCDF	N Hall 2nd level	F	10 Min	36+ hrs
9	8	M	8/25/97	0847	DF	S Hall 2nd level	F	10 Min	36+ hrs
10	9	M	8/25/97	0900	SF	2nd level Kitchen	F	10 Min	36+ hrs

RELINQUISHED BY: Karin Schroeder
Date/Time: 8/25/97

RECEIVED BY: [signature]
Date/Time: 8/25/97 4:30

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

AS 8-25-97

P012

Hilltop

SAME DAY PICKUP

9706D10

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:
PHONE: DATE: 8/25/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Hilltop
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: Kenneth Pickel FIRM RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	10	M	8/25/97	0902	SF	2nd level Kitchen	F	10 Min	36+ hrs
12	11	—	—	—	—	SPIKE	S	—	—

97-W00765-12

RELINQUISHED BY: Karen Ahnoti Date/Time: 8/25/97
RECEIVED BY: Date/Time: 8/25/97 4:30

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: 8/26/97 8-26-97

Page 2 of 2

P012

Hilltop

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Herbert Hoover MS

SITE FILE: Water Sampling

☐ Lead

INSPECTOR: MS / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
H. Hoover 1		8/07/97	0545	DF	[illegible]	F	5 mins	7 mins
H. Hoover 2		8/07/97	0550	DF	[illegible]	F		
H. Hoover 3		8/07/97	0551	DF	[illegible]	F	✓	✓
H. Hoover 4			0555	DF	[illegible]	F	5 mins	
H. Hoover 5			0600	DF	[illegible]	F		
H. Hoover 6		✓	0605	DF	[illegible]	F	✓	✓
H. Hoover 7			0610	DF	[illegible]	F	5 mins	
H. Hoover 8			0615	DF	[illegible]	F		
H. Hoover 9		✓	0620	DF	[illegible]	F	✓	✓

RELINQUISHED BY: [signature]
Date/Time: 8/7/97 11AM

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Hoover MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Herbert Hoover MS

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: MS / Kim Sur

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
H. Hoover 10		8/07/97	0625	DF	213	F	5 mins	7 hrs
H. Hoover 12			0630	DF	213	F		
H. Hoover 13			0635	DF	213	F		
H. Hoover 14		8/07/97	0640	DF	B16	F	5 mins	7 hrs
H. Hoover 15			0645	SF	316	F		
H. Hoover 16			0650	SF	316	F		
H. Hoover 7		8/07/97	0655	SF	316	F	5 mins	7 hrs
H. Hoover 18			0700	SF	316	F		
H. Hoover 19			0705	SF	316	F		

RELINQUISHED BY: Michelle Yee
Date/Time: 8/13/97 11AM

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Hoover MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Hutch Community Center
SITE FILE: WATER SAMPLING
☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Colled DF
SDF Sink DF

SAMPLE TYPE:
B — Blank
F — First Draw
SF Sink Faucet
WF Water Faucet

SAMPLE №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	TH	10-30-97	0730	DF	Main Ent. Hallway	F		
2	"	"	0732	DF	Main Ent. Hallway	"		
3	"	"	0736	SF	Mens Bath	"		
4	"	"	0740	SF	Womens Bath	"		
5	"	"	0750	DF	Hall nr. Kitchen	"		
6	"	"	0800	SF	Kitchen	"		
7	"	"	0810	DF	S. Side Preschool	"		
8	"	"	0815	SF	S. Side Sink	"		
9	"	"	0820	DF	N. Side Preschool	"		
10	"	"	0825	SF	N. Side Sink	"		
11	"	"	0830	—	BLANK	"		
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh DATE: 10/30/97 TIME: 1110	RECEIVED BY: WS DATE: 10/30/97 TIME: 1140

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Hutch Community Ctr. C

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD	LABORATORY: SEQUOIA ANALYTICAL LAB
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: Hutch Community Ctr.

SITE FILE: WATER SAMPLING ☒ LEAD

INSPECTOR: H. Sotoodeh / EnviroScience, Inc.

WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
- DF Drinking Fountain
- MDF Multiple DF
- WCDF Water-Colled DF
- SDF Sink DF
- SF Sink Faucet

SAMPLE TYPE:
- B: Blank
- F: 1st Draw
- S: Draw after 30 sec. flush
- T: Draw after 30+30 sec. flush
- R: Draw after 5 hrs

New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
3 - 1	5	TR	12-11	0830	DF	Hall nr. Kitchen	S	30	
3 - 2	"	"	"	0835	"	" "	T	30+30	
3 - 3	"	"	"	1332	"	" "	R		5 HRS
3 - 4									
3 - 5									
3 - 6									
3 - 7									
3 - 8									
3 - 9									
3 - 10									
3 - 11									
3 - 12									
3 - 13									
3 - 14									
3 - 15									
3 - 16									
3 - 17									
3 - 18									
3 - 19									
3 - 20									
3 - 21									
3 - 22									
3 - 23									
3 - 24									
3 - 25									
3 - 26									

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 12-12-97	DATE: 12-12-97
TIME: 1035	TIME: 10:35

p. 1 of 1

Hutch Community Center

QC'd

Originals

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8 /23 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: James Lick M.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: Emanuel N / SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#10	Sa	8/23/97	10:00	Df	Boys' Locker Room 143, 1st floor	I	N/A	14 Hrs
#11	"	"	10:20	DF	CORRIDOR, C90 2nd floor	I	N/A	14 HRS
#12	"	"	10:30	Df	CORRIDOR C90, EASTSIDE 2nd. floor	I	N/A	14 Hrs
#13	"	"	11:00	Sf	Teachers Lunch Room 223 2nd floor	I	N/A	14 Hrs
#14	"	"	11:30	Df	CORRIDOR C90, THIRD floor	I	N/A	14 Hrs
#15	"	"	12:00	Df	CORRIDOR C90, 3rd. floor	I	N/A	14 HRS
#16	"	"	12:05	Df	Room 152 FIRST floor	I	N/A	14 Hrs
#17		BLANK						

RELINQUISHED BY: [signature] Date/Time: 8/23/97
RECEIVED BY: Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Lick MS

49319

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical

PHONE: DATE: 10/4/97

TURNAROUND TIME: ☑ 3-5 Days

SITE: J. Lick MS

☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling ☑ Lead

INSPECTOR: M. Brudsh

WORK ORDER #:

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
01	1A	Sat	10/4/97	1247 pm	MDF	Ext. Yard	FU		20h
02	1B		"	1248	"	~~Girls Locker Rm~~ "	"		
03	10 A		"	1 12 pm	DF	R-130 Girls Locker Rm	FU		
04	10B		"	1 13 pm	DF	"	"		
05	13A		"	120	SF	R-223 Teach Lunch Rm	FU		
06	13B		"	1 21 pm	SF	"	"		
07	1C	"	"	4 48 pm	MDF	Ext. Yard	FU		24hrs
08	10C	"	"	5 14 pm	DF	R-130 Girls Locker Room	FU		24hrs
09	30		"		—	—	B	—	—

RELINQUISHED BY: [signature]
Date/Time: 10/6/97 9 30 am

RECEIVED BY: [signature] 10/7/97
Date/Time: 5:30 PM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1 of 1

Lick MS - Ret

R=96%
08-04-97 09:34AM P011 #08

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708A93

Instruction to mh: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3128.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lilienthal | 3630 Visadero
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: CMH+DO / NTE
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - Spiked
F- First Draw

	SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1		8-20-97	640	SF	First Floor Kitchen	F	7 min.	19 hrs
3,4	2		"	643	WCDF	Hallway, North First Flr.	F	5 min.	19 hrs
5	3		"	646	SDF	Room 17	F	5 min.	19 hrs
6	4		"	649		Room 19	F	5 min.	19 hrs
7	5		"	652		Room 20	F	5 min.	19 hrs
8	6		"	655		Room 21	F	5 min.	19 hrs
9	7		"	658		Room 22	F	5 min.	19 hrs
10	8		"	701		Room 23	F	5 min.	19 hrs
11	9		"	704		Room 24	F	5 min.	19 hrs

RELINQUISHED BY: Carolyn M Hurley
Date/Time:

RECEIVED BY: [signature] 8/21/97
Date/Time:

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-6500

[signature] 8/21/97 REC'D BY Tara Parsley 8/21/97 1529 Page 1 of 3

P012

Lilienthal ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708A93

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3128.

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8-20 /97 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: Lilienthal ES 3630 Divisadero	☐ Graphite Furnace AA EPA 239.2 LEAD
SITE FILE: Water Sampling - ☐ Lead	FIXTURE TYPE: DF-Drinking Fountain, MDF-Multiple DF, WCDF-Water-Cooled DF, SDF-Sink DF, SF-Sink Faucet, WF-Water Faucet SAMPLE TYPE: B - Blank, S - Spiked, F- First Draw
INSPECTOR: CMH+DU / NTE	
WORK ORDER #: SFUSD PO	

	SAMPLE #	AT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MOTUNK TIME
12	10		8-20-97	707	SDF	Room 15	F	5 min.	19 hrs
13	11		"	715	SDF	Room 06	F	"	"
14	12		"	718	SDF	Room 05	F	"	"
15	13		"	721	SDF	Room 04	F	"	"
16	14		"	724	SDF	Room 03	F	"	"
17	15		"	728	SDF	Room 02	F	"	"
18	16		"	731	SDF	Room 11	F	"	"
19	17		"	734	SDF	Room 10	F	"	"
20	18		"	737	DF	Hallway, 2nd Flr Bathroom Center	F	"	"

RELINQUISHED BY: Carolyn M Kley Date/Time:
RECEIVED BY: [signature] 8/21/97 Date/Time:

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/21/97 RECD BY Tara Parsley 8/21/97 1529 Page 2 of 3

P012

Lilienthal ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708AB3

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8-20 /97
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: Lilienthal ES	☐ Graphite Furnace AA EPA 239.2 LEAD
SITE FILE: Water Sampling - ☐ Lead	FIXTURE TYPE: DF-Drinking Fountain, MDF-Multiple DF, WCDF-Water-Cooled DF, SDF-Sink DF, SF-Sink Faucet, WF-Water-Faucet
INSPECTOR: / TITLE	SAMPLE TYPE: B - Blank, S - spiked, F- First Draw
WORK ORDER #: SFUSD PO	

	SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21	19		8-20-97	741	SF	2nd Floor Kitchen Room 09C	F	5 min	19 hrs
22	20		"	744	SDF	Room 08	F	"	"
23	21		"	747	SDF	Room 07	F	"	"
24	22		"	750	MDF	Outside (South) South Bubbler	F	"	"
25	23		"	753	MDF	Outside (North) South Bubbler	F	"	"
26	24		"	755	—	—	B	—	—
27	25		"	800	SDF	Room 16	F	"	"
28	—		"	n/a	DF	First Floor Hallway (South)	NON OPERATIONAL		

RELINQUISHED BY: Carolyn McKay Date/Time:	RECEIVED BY: Date/Time: 8/21/97

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5000

8/21/97 REC'D BY Tara Parsley 8/21/97 1529 Page 3 of 3

P012

Lilienthal ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/2/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: CLAIRE LILIENTHAL E.S.

SITE FILE: Water Sampling ANNEX
3950
SACRAMENTO ST. ☐ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	FILL TIME	ARCH HEIG
LILIENTHAL E.S.A. 6	W	9/2/98	633	SF	KITCHEN		0	OVER NIGHT	18s	NI
LILIENTHAL E.S.A. 6A	W	9/2/98	633	SF	KITCHEN		18 + 12* 30		17.	NI
LILIENTHAL E.S.A. 6B	W	9/2/98	634	SF	KITCHEN		30		18s	NA
LILIENTHAL E.S.A. 4	W	9/2/98	640	SDF	~~CLAS~~ CLASSROOM 13		0	OVER NIGHT	40s	2.5
LILIENTHAL E.S.A. 4A	W	9/2/98	641	SDF	RM 13		40*		37s	2.5'
LILIENTHAL E.S.A. 4B	W	9/2/98	643	SDF	RM 13		30		35s	2.5'
LILIENTHAL E.S.A. 5	W	9/2/98	653	SDF	~~LOST~~ CLASSROOM 12		0	OVER NIGHT	30s	1.5
LILIENTHAL E.S.A. 5A	W	9/2/98	654	SDF	RM 12		30*		31	1.5
LILIENTHAL E.S.A. 5B	W	9/2/98	656	SDF	RM 12		30		30	1.5
BLANK	W	9/2/98	700			B				

RELINQUISHED BY: MB
Date/Time: 9/2/98 8:15am

RECEIVED BY: [illegible]
Date/Time: 9/2/98 0815 Am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

* FLUSH TIME INCLUDES SAMPLE TIME FROM FIRST SAMPLE.

(1) BLDG HAS BEEN IN USE SINCE 8/24.. also SCA went around & ran the water sources for ~30 min on 9/1/98 pm (≥24 hr before sampling)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/18/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	FIX AI TIME HE
1	F	9/18/98	536	SF	KITCHEN		0	0/N	8 Ni
1A	F	9/18/98	1100	~~SF~~ "	"		30+?		8
1B	F	9/18/98	1100	"	"		30		7
2	F	9/18/98	537	SF	KITCHEN		0	0/N	8 Ni
2A	F	9/18/98	1103 ~~1115~~	"	"		30+?		6
2B	F	9/18/98	~~1114~~ 1104	"	"		30		9
3	F	9/18/98	544	DF	TOP FLOOR NORTH		0	0/N	41 2
3A	F	9/18/98	853	DF	"		~~30~~ 41+	?	37
3B	F	9/18/98	855	DF	"		30+	?	38

RELINQUISHED BY: M. A. B. [illegible]
Date/Time: 9/18/98 3p
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/18/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN H.S.

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	FILE NR TIME HR.
LINCOLN 4	F	9/18/98	546	DF	TOP FLOOR HALL SOUTH		0	O/N	31
LINCOLN 4A	F	9/18/98	853	"	"		31+?	?	38
LINCOLN 4B	F	"	855	"	"		30		39
LINCOLN 5	F	9/18/98	551	DF	2ND FL HALL SOUTH		0	O/N	41 2
LINCOLN ~~5A~~ 5A	F	"	858	"	"		41+?		35
LINCOLN 5B	F	"	859	"	"		30		35
LINCOLN 6	F	9/18/98	555	DF	2ND FL HALL NORTH		0	O/N	38 2.
LINCOLN 6A	F	"	902	"	"		38+?		37
LINCOLN 6B	F	"	903	"	"		30		39

RELINQUISHED BY: [signature]
Date/Time: 9/18/98 3p

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/18/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN H.S.

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: NB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
LINCOLN 7	F	9/18/98	604	DF	NE 1st Floor		0	0/N	37 2
LINCOLN 7A	"	"	912	"	"		37+?		38 2
LINCOLN 7B	"	"	914	"	"		30		38
LINCOLN 8	F	9/18/98	608	DF	NNE 1st Floor		0	0/N	38 2.
LINCOLN 8A	F	"	916	"	"		38+?		41 2
LINCOLN 8B	F	"	917	"	"		30		40
LINCOLN 9	F	9/18/98	611	DF	North 1st Floor		0	0/N	37 2
LINCOLN 9A	F	"	832	"	"		39+?		40
LINCOLN 9B	F	"	953	"	"		30		40

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/18/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
10		9/18/98	616	DF	1ST FL MAIN HALL N		0	O/N	37 2
10A			956	"	"		37+?		40
10B			957	"	"		30		41
11			618	DF	1ST FL SOUTH		0	O/N	45 25
11A			1001	"	"		45+?		46
11B			1003	"	"		30		45
LINCOLN BLANK			620			B			

RELINQUISHED BY: M. D. B. [illegible]
Date/Time: 9/18/98 3P

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/18/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN H.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: NAB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
12	F	9/18	634	DF	2ND NN		0	O/N	55 1/2
12A		"	1025	"	"		55+?		55
12B			1026	"	"		30		54
13	F		645	DF	2ND NNE		0	O/N	42 2
13A			1027	"	"		42+?		45
13B			1029	"			30		46
14			712	SF	RM 102		0 (FAST DRIP)	O/N	10 2
14A			1040	"	"				8
14B			1041	"	"				10

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water=Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
15		9/18/96	715	SF	104		0	O/N	15
15A			1043	"	"		30+?		1:05
15B			1045	"			30		1:07
16			717	SF	106		0	O/N	13
16A			1047	"	"		30+?		12
16B			1048	"	"		30		14
17			721	SF	RM 126		0	O/N	10
17A			943	"	"		30+?		
				"	"		30		

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

SITE FILE: Water Sampling ☐ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
18		9/18/98	722	SF	126		0	0/N	10 N1
18A			943	"	"		30+?		10
~~[illegible]~~			~~[illegible]~~				~~30~~		~~10~~
19			723	SF	126		0	0/N	10
19A			943	"	"		30+?		10
~~[illegible]~~				"	~~[illegible]~~		~~30~~		~~10~~
20			724	SF	126		0	0/N	10
20A		↓	944	"	"		30+?		10
~~[illegible]~~		↓		"	"		~~30~~		~~10~~

RELINQUISHED BY: N.L.B. [illegible]
Date/Time: 9/18/98 3p

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 9/18/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN H.S.

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

INSPECTOR: NB / firm SCA

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21		9/18/98	725	SF	126		0	~~120~~ O/N
21A			944	SF	"		30+?	
22			726	SF	126		0	O/N
22A			945	SF	"		30+?	
23			730	SF	126 NORTH SINK/DF		0	O/N
23A			946	SF	"		30+?	

RELINQUISHED BY: N.L.B. for
Date/Time: 9/18/98 3p

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/18/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LINCOLN H.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: NB / firm SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
24	F	~~738~~ 9/18/98	738	DF	BASEMENT HALL		?	?	40s 2"
24A	F	~~1051~~ 9/18/98	1051	"	"		40+ ?		40
24B	F	~~1052~~	1052	"	"		30		41
25	F	~~745~~ 9/18/98	745	DF	BLDG B Basement E		?	?	39 2"
25A	F	9/18/98	1110	"	"		39+ ?		40
25B	F		1111	"	"		30		40
26	F	~~745~~	747	DF	BLDG B BASEMENT		0	0/N	35 2"
26A	F		1114	"	"		35+ ?		37
26B	F		1115	"	"		20		38

RELINQUISHED BY: N.L.B. Date/Time: 9/18/98 3p
RECEIVED BY: Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:
Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

9711282

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: Log Cabin Ranch	FIXTURE TYPE: / SAMPLE TYPE:
SITE FILE: WATER SAMPLING ☒ LEAD	DF Drinking Fountain / B — Blank
	MDF Multiple DF / F — First Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	WCDF Water-Colled DF / SF Sink Faucet
WK ORDER: SFUSD Purchase Order	SDF Sink DF / WF Water Faucet

	SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	1	F	11-7-97	1000	DF	Dormitory	F		
02	2	"	"	1003	DF	Dormitory	"		
03	3	"	"	1010	DF	Auto Shop	"		
04	4	"	"	1017	MDF	Rec. Area	"		
05	5	"	"	1025	WCDF	Mess Hall	"		
06	6	"	"	1028	SF	Kitchen	"		
07	7	"	"	1035	MDF	outside Administration	"		
08	8	"	"	1040	MDF	Garage	"		
09	9	"	"	1045	BLANK →				
	10								
	11								
	12								
	13								
	14								
	15								
	16								
	17								
	18								
	19								
	20								
	21								
	22								
	23								
	24								
	25								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: T. Parsley
DATE: Nov. 7, 1997	DATE: 11/7/97
TIME: 1315 HRS.	TIME: 1315

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Page 1 of 1

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MicroAnalytical
PHONE: DATE: 8/22 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Longfellow Elementary
SITE FILE: Water Sampling
- ☑ Lead.
INSPECTOR: Kenneth Pilgrim / Firm R6A
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	8/22/97	0938	SF	1st level Kitchen	F	N/A	6+ hrs <36 hrs
2	F	8/22/97	0948	DF	1st level Hall	F	10 Min	36+ hrs
3	F	8/22/97	0951	DF	1st level Hall	F	10 Min	36+ hrs
4	F	8/22/97	1000	DF	2nd level Hall	F	10 Min	36+ hrs
5	F	8/22/97	1005	DF	2nd level Hall	F	10 Min	36+ hrs
6	F	8/22/97	1012	DF	Basement level Hall	F	10 Min	36+ hrs
7	F	8/22/97	1020	MDF	Play yard	F	10 Min	36+ hrs
8	F	8/22/97	1030	MDF	Play yard	F	10 Min	36+ hrs
9	F	8/22/97	1040	DF	1st level classroom #11	F	10 Min	36+ hrs

RELINQUISHED BY: Karen Ahrendt
Date/Time: 8/22 4:15
RECEIVED BY: John Alfone
Date/Time: 8/22/97 4:15

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Longfellow ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MICRO ANALYTICAL
PHONE: DATE: 8/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LONGFELLOW
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: Kenneth Pikin / Firm R6A
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	F	8/22/97	1045	DF	1st level classroom #109	F	10 Min	36+ hr
B	F	8/22/97	1648	—	Blank	—	—	—
11						S	—	—

RELINQUISHED BY: Karin Schroeter
Date/Time: 8/22/97 - 4:15 pm
RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:15 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Longfellow ES

487609

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lowell High School
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: J. Garrison / firm SES
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First ~~Blank~~ Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	697-1	M.O.	9/22/97	6:00am	DF	corridor C90B adjacent to Room 129	F.	15min	18hrs
02	C97-2			6:02am	DF	corridor C92 adjacent to room 112A			
03	697-3			6:05am		corridor C90C adjacent to room 142			
04	697-4			6:07am		corridor C90A adjacent to room 251			
05	697-5			6:12am		corridor C90E adjacent to room T71			
06	697-6			6:20am		corridor C90 adjacent to room T69			
07	697-7			6:25am		corridor C91 adjacent to room T213			
08	697-8			6:28am		corridor C90 T72 adjacent to room ~~T72~~			
09	697-9 ~~697-10~~	✓	✓	6:32am	✓	corridor C90 adjacent to room 331	✓	✓	✓

RELINQUISHED BY: [signature]
Date/Time: 9/23/97 11:25am

RECEIVED BY: [signature]
Date/Time: 9-23-97 1:20pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Lowell HS

48769

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lowell High School
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: J. Carrison / firm SCS
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	697-10		9/22/97	6:36am	DF	Corridor C90 adjacent to room 763	F	15min	18hrs
11	697-11			6:38am		~~Cafeteria~~ Room 055 cafeteria adjacent to room 046			
12	697-12			6:40am		corridor C90A adjacent to room 045			
13	697-13			6:43am		corridor C90A adjacent to room 041			
14	697-14			6:48am		~~[illegible]~~ Room 033 girls locker room drinking fountain			
15	697-15			6:50am	NA	Spike # 97-W00774-12	S		
16	697-16			6:55am	NA		B		

RELINQUISHED BY: Jesse B. [illegible]
Date/Time: 9/23/97 11:25am

RECEIVED BY: Fidel Martinez
Date/Time: 9-23-97 1:00pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Lowell HS

SAME DAY PICKUP

9708C09

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/24/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mahler cc
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: Gene Spector RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 50

	SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1		8/24/97	8:00	SF	Kitchen	F	10min	36 h.
3	2		〃	8:15	DF	courtyard	〃		
4	3		〃	8:20	SF	staff lounge	〃		
5	B		〃			BLANK	B		

RELINQUISHED BY: Karin Schroeter
Date/Time: 8/25/97

RECEIVED BY: [signature]
Date/Time: 8/25/97 4:25

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

Page 1 of 1

P012

Mahler CC

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/16/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD
LOTC 7187010

SITE: MALCOLM X ACADEMY
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MAL EDWARDS, TSES
WORK ORDER #: SFUSD PO

☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	HOUSE TIME
830-1	SAT	8-16-97	9:12AM	DF	C-90 - Basement outside 005	F	10 minutes 8-18-97	15hrs
830-2	SAT	8-16-97	9:15am	SF	Room 034 - Kitchen sink (south)	F		15hrs
830-3	SAT	8-16-97	9:16AM	SF	Room 034 - Kitchen sink (north)	F		15hrs
830-4	SAT	8-16-97	9:19AM	DF	C-90 - Basement outside Rm 014	F		15hrs
830-5	SAT	8-16-97	9:23am	DF	C-90 - First Floor outside Room 107	F		15hrs
830-6	SAT	8-16-97	9:25AM	DF	C-90 - First Floor outside Room 103	F		15hrs
830-7	SAT	8-16-97	9:30am	MDF	outside in Basement CNG Drinking Fountain and Fountain [illegible]	F		15hrs
830-8	SAT	8-16-97	9:32AM	MDF	C-90 - outside 204 CNG Drinking Fountain (3 TAPS)	F	↓	15hrs
830-9	SAT	8-16-97	9:36		BLANK	B		

RELINQUISHED BY: [signature]
Date/Time: 8-20-97

RECEIVED BY: [signature]
Date/Time: 8/20/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

Page 1 of 1

MALCOLM X ACAD.

(50765)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/12/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Malcolm X
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: J. Gamsh Firm SES
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Flush Vol	A
01	830-3A	Tue	11/12/97	6:00am	SF	Room 204 kitchen sink (north)	1st draw	30 sec	~12hrs	10sec	N
02	830-3B	↓	↓	6:02am	↓	S ↓	Second draw	30 sec	~12hrs	10sec	N
03	830-3C	↓	↓	10:15am	↓	↓	3rd draw	NA	NA	10sec	N
04	830-Blank	↓	↓								

RELINQUISHED BY: [signature]
Date/Time: 11/18/97 3:10pm

RECEIVED BY: [signature]
Date/Time: 11-18-97 4:28pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

48520

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/15/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Horace Mann
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: Jason Garrison Firm SES
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
618-1	MO	9/15/97	5:30am	DF	Drinking fountain at main entrance of facility	F	15 min	8/16 hours
618-2			5:40am		Drinking fountain adj acent to room 102 in corridor C90			
618-3			5:45am		Drinking fountain adjacent to room 114 in corridor C90			
618-4			5:50am		Drinking fountain located in corridor C92 2nd fountain from left.			
618-5			5:55am		Drinking fountain located adjacent to room 152 in corridor C95			
618-6			6:00am		Drinking fountain located adjacent to room 152 in corridor C92			
618-7			6:03am		drinking fountain located in corridor C95 adjacent to room 251			
618-8			6:10am		DF located in corridor C95 adjacent to room 251			
618-9			6:12am		DF located in corridor C90 adjacent to room 202			

RELINQUISHED BY:
Date/Time:

RECEIVED BY: Fidel Vasquez
Date/Time: 9-15-97 11:15AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Mann MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

48520

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/15/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Horace Mann
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: Jason Garrison Firm SES
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[x] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
618-10	MO	9/15/97	6:15am	DF	DF located in corridor c90 adjacent to room 202	F	15 min	~16 hours
618-11	MO	9/15/97	6:18am	DF	DF located in corridor c90 adjacent to room 302	F	15 min	~16 hour
618-12	MO	9/15/97	6:20am	X	sample #97-WQ 774-2	S	X	X
618-13	MO	9/15/97	6:20am	X	Blank	B	X	X

RELINQUISHED BY: Jason Garrison
Date/Time: 9/15/97
RECEIVED BY: Field Processing
Date/Time: 9-15-97 11:15am

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Mann MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARINA J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	SA	8/23/97	0600	Blank	Blank	B	8/22/97 0800	22hrs
2	SA	8/23/97	0600	DF	First Floor outside Room-104	F	8/22/97 0800	22hrs
3	SA	8/23/97	0600	SF	First Floor cooking Room Rm-104	F	8/22/97 0800	22hrs
4	SA	8/23/97	0600	SF	First Floor Room-104 Cooking Rm.	F	8/22/97 0800	22hrs
5	SA	8/23/97	0600	SF	First Floor Room-104 Cooking Room	F	8/22/97 0800	22hrs
6	SA	8/23/97	0600	SF	First Floor Room-104 Cooking Room	F	8/22/97 0800	22hrs
7	SA	8/23/97	0600	SF	First Floor Room-104 Cooking Room	F	8/22/97 0800	22hrs
8	SA	8/23/97	0600	SF	First Floor Room-104 Cooking Room	F	8/22/97 0800	22hrs
9	SA	8/23/97	0600	DF	First Floor outside Room 150	F	8/22/97 0800	22hrs

RELINQUISHED BY: [signature]
Date/Time: 8/23/97

RECEIVED BY: [signature]
Date/Time: 8/23/97 11:45 A.M.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
MARINA JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARINA J.H.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: M. LUNA / firm GST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	HA	8/23/97	0600	DF	First Floor outside of Bldg outside Rm-150	F	8/22/97 0800	22hrs
11	HA	8/23/97	0600	DF	Third Floor outside Room 306	F	8/22/97 0800	22hrs
NO-SAMPLE → 12	HA	8/23/97	0600	DF	Third Floor outside Room 313-	F	8/22/97 0800	22hrs NON-OPERATIONAL
13	HA	8/23/97	0600	DF	Second Floor outside Room 213	F	8/22/97 0800	22hrs
14	HA	8/23/97	0600	DF	Second Floor outside Room 208	F	8/22/97 0800	22hrs
15	HA	8/23/97	0600	DF	Second Floor outside Room 217	F	8/22/97 0800	22hrs
16	HA	8/23/97	0600	DF	Second Floor inside Room 03B	F	8/22/97 0800	22hrs
17	HA	8/23/97	0600	DF	First Floor Room-036	F	8/22/97 0800	22hrs
18	HA	8/23/97	0600	MDF	First Floor outside of Bldg. Room-980	F	8/22/97 0800	22hrs

RELINQUISHED BY: [signature] Date/Time: 8/23/97
RECEIVED BY: [signature] Date/Time: 8/23/97 11:45 A.M.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
MARINA JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARINA J.H
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. UNA / firm AST
WORK ORDER #: SFUSD PO

[ ] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	SA	8/23/97	0600	DF	First Floor outside Room 117	F	8/22/97 0800	22hrs
20	SA	8/23/97	0600	DF	First Floor inside Room 01B	F	8/22/97 0800	22hrs
21	SA	8/23/97	0600	DF	First Floor outside of Room - 002	F	8/22/97 0800	22 hr

RELINQUISHED BY: [signature] Date/Time: 8/23/97
RECEIVED BY: [signature] Date/Time: 8/23/97 11:45 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

MARINA JH

MAL

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARINA J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
17 A	Th	10/2/97	07:50	DF	First Floor Room-036	F	08:00	30 sec
17 B	Th	10/2/97	07:50	DF	First Floor Room-036	F	08:02	30 sec
17 C	Th	10/2/97	12:15 ~~07:50~~	DF	First Floor Room-036	F	12:16	4 hrs
Blank	Th	10/2/97						

RELINQUISHED BY: [signature] Date/Time: 10/2/97
RECEIVED BY: [signature] Date/Time: 10-2-97

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Marina JH-Ret

SAME DAY PICKUP

9708025

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
S. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/25/97 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARSHALL ELEM
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: DK / Firm
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 49

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1		8/25/97	1000	DF	Rm 27	F	10 min	36+
3,4	2			1005		26			
5	3			1006		25			
6	4			1010		24			
7	5			1016		23			
8	6			1020		22			
9	7			1030		21			
10	8			1035		20			
11	9			1037		13			

RELINQUISHED BY: Karen Achmeter
Date/Time: 8/25/97
RECEIVED BY: [signature]
Date/Time: 8/25/97 4:25

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5300

Relinquished by: [signature] 8/25/97 [signature] 8-25-97

Page 1 of 3

P012

Marshall ES

SAME DAY PICKUP

9708D25

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/25/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARSHALL ELEM
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: DR / Kim
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	AT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
12	10		8/25/97	1120	DF	RM 12	F	10 min	36 hr
13	11			1124		11			
14	12			1125		10			
15	13			1128	SF	KITCHEN			
16	14			1140	SF	FACILTY			
17	15			1141	DF	COURT DRK FTN			
18	16			1155		MULTI PURPOSE DRK FTN			
19	17			1220		PLAYGROUND DRK FTN			
20	18			1240	SF	NURSE RM			

RELINQUISHED BY: Karin Schroeder
Date/Time: 8/25/97
RECEIVED BY: [signature]
Date/Time: 8/25/97 4:25

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 4:25 pm

Page 2 of 3

P012

Marshall ES

SAME DAY PICKUP

9708025

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MARSHALL ELEM
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: DE / Fire
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 49

SAMPLE #	O/T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21 B		8/23/97	—	—	BLANK	B	—	—
22 #19	—	—	—	—	SPIKE	S	—	—

97-W00765-17

RELINQUISHED BY: Karin Schroeter Date/Time: 8/25/97
RECEIVED BY: [signature] Date/Time: 8/25/97 4:25

1851 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 [signature] 8-25-97

Page 3 of 3

P012

Marshall ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Thurgood Marshall HS
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Thurgood M. 1		8/26/97	0615	DF	C90	F	10mins	76hrs.
Thurgood M. 2		↓	0620	DF	C90	F	↓	↓
Thurgood M. 3		↓	0625	DF	C90	F	↓	↓
Thurgood M. 4		8/26/97	0630 ~~036~~	DF	Rm. 128 (caf.)	F	↓	↓
Thurgood M. 5		↓	0635	DF	Rm. 128 (caf.)	F	↓	↓
Thurgood M. 6		↓	0640	DF	C90	F	↓	↓
Thurgood M. 7		8/26/97	0645	DF	C90	F	↓	↓
Thurgood M. 8		↓	0650	DF	C90	F	↓	↓
Thurgood M. 9		↓	0655	DF	C90	F	↓	↓

RELINQUISHED BY: [signature]
Date/Time: 8/26/97 2pm
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Marshall HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Thurgood Marshall HS
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	ADY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
T.M. 10		8/26/97	0700	DF	C90	F	10 mins	7 hrs
T.M. 11			0705	DF	B91			
T.M. 12			0710	DF	991			
T.M. 13			0715	DF	B92			
T.M. 14			0720	DF	992			
T.M. 15			0725	DF	C83			
T.M. 16			0730	SF	124E			
T.M. 17			0735	DF	C86			
T.M. 18			0740	SF	127A			

RELINQUISHED BY: Michelle Lee
Date/Time: 8/26/97 2pm.
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Marshall HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710514 ~~9710B~~

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 7 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Thurgood Marshall HS
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: / Firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
S - Second

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Marshall 13-A		10/7/97		DF	B92	F		
Marshall 13-B		↓		↓	↓	S		
Marshall 13-C		↓		↓	↓	F		
Marshall 14-A		↓		↓	992	F		
Marshall 14-B		↓		↓	↓	S		
Marshall 14-C		↓		↓	↓	F		
Marshall 15-A		↓		↓	C83	F		
Marshall 15-B		↓		↓	↓	S		
Marshall 15-C		↓		↓	↓	F		

RELINQUISHED BY: Michelle Lam
Date/Time: 10/8/97 12 pm
RECEIVED BY: D
Date/Time: 10/9/97 255

9 4 22

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 3

Marshall HS-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Project

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B59

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Florence Martin C.C.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. Luna / Elim QST
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A/M	DATE	TIME	FIXTURE TYPE	SPACE/LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1	M	8/18/97	07:00AM	SF	First level Kitchen	F	12:30pm	19 hrs
3	2	M	↓	↓	SF	" "	F	12:30pm	19 hrs
4	3	M	↓	↓	Blank	Blank	/	/	/
5	4	M	↓	↓	DF	First level North/West Room	F	12:30pm	19hrs

RELINQUISHED BY: [signature] Date/Time: 8/18/97
RECEIVED BY: [signature] Date/Time: 8/22 0900

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22

[signature] 8-22-97 1230

Page 1 of 1

P012

Martin CC

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/6/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McATEER H.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Sat	9/6/97	8:26	DF	AUDITORIUM LOBBY	F	:14	23 HR
2			8:39	SF	CAFETERIA KIT. WEST		:10	
3			8:41	SF	-"- CENTER		:10	
4			8:43	SF	-"- EAST		:10	
5			8:56	DF	GIRLS LOCKER Rm NORTH		:11	
6			9:02	DF	BOYS LOCKER Rm NORTH		:16	
7			9:05	DF	BOY LOCKER Rm SOUTH		:16	
8			9:09	DF	GYM LOBBY EAST		:11	
9			9:11	DF	GYM LOBBY WEST		:10	

fill 24 hrs

RELINQUISHED BY: [signature]
Date/Time: 9-6-97 13:18

RECEIVED BY: [signature]
Date/Time: 9/6/97 1418

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

P012
McATEER HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/6/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McATEER H. S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. HOYT / Firm ATC
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10		BLANK						
11	FA	9/6/97	9:22	DF	ACADEMIC-L4 N. HALL	F	:12	23 HR
12		—"—	9:26	DF	ACADEMIC-L4 S. HALL-E. END		:12	
13		NUMBER		NOT	USED			
14		9/6/97	9:36	DF	ACADEMIC-L3 S. HALL-W. END		:12	
15			9:38	DF	ACADEMIC-L3 S. HALL-E. END		:10	22 HR
16			9:40	DF	ACADEMIC-L3 N. HALL		:11	—"—
17			9:45	DF	ACADEMIC-L2 N. HALL		:10	—"—
18			9:48	DF	ACADEMIC-L2 S. HALL-W. END		:11	—"—

RELINQUISHED BY: Phil Hoyt
Date/Time: 9-6-97 13:18

RECEIVED BY: [illegible signature]
Date/Time: 9/6/97 13:18

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McATEER HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/6/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McATEER H.S.

SITE FILE: Water Sampling - [X] Lead

INSPECTOR: P. Hoyt Firm ATC

WORK ORDER #: SFUSD PO

[ ] [ ] [X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19		LOW-FLOW NON-OP.		DF	CAFETERIA WEST			
20		OFF NON-OP.		DF	CAFETERIA EAST			
21		OFF NON-OP.		DF	GIRLS LOCKER RM - SOUTH			
22		OFF NON-OP.		DF	ACADEMIC-LY SOUTH HALL - EAST END			

RELINQUISHED BY: Phil Hoyt
Date/Time: 9-6-97 13:18

RECEIVED BY: John Aspe
Date/Time: 9/6/97 13:18

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McATEER HS

49322

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McAteer HS
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: P. Hoyt Firm ATC
WORK ORDER #: SFUSD PO

[ ] [ ] [X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	SAT	10/4/97	14:34	DF	CAFETERIA WEST	F	:11	28.5 hr
22		10/4/97	14:39	DF	ACADEMIC-L4 SOUTH HALL-WEST END	F	:15	28.25 hr
		NOTE: THIS IS PHASE I SAMPLING						
			OF RETAINED FIXTURES.					

RELINQUISHED BY: Phil Hoyt
Date/Time: 10-6-97 9:03

RECEIVED BY: John Cifre
Date/Time: 10-6-97 9:03 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

McATEER HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LTP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50892

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McATEER H.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: P. Hoyt / Elim ATC
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

Fill Time	SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Arch Height
N/A 01	4 A	S A T	11-22-97	8:19	SF	CAFETERIA KIT. EAST		30s	>6HR	N/A
02	4 B			8:20				30s	-0- NONE	
03	4C			12:46				-0-	4.4HR	
40s 04	1 A			8:33	DF	AUDITORIUM LOBBY		30s	>6HR	.5"
05	1 B			8:35				30s	-0- NONE	
06	1 C			12:39				-0-	4.1HR	
07	5 A			8:48	DF	GIRL'S LOCKER Room - NORTH		30s	>6HR	
30s 08	5 B			8:50				30s	-0- NONE	4"
09	5C			12:52				-0-	4.0	

NOTE: SAMPLE BOTTLE HALF FULL DUE TO RESTRICTED SPACE

RELINQUISHED BY: Phil NDV
Date/Time: 11-22-97 13:32
RECEIVED BY: [signature]
Date/Time: 11/22/97 @ 4:32pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

P012

McATEER HS RETURNS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50892

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McATEER HS
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. Hoyt / Kim ATC
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILL TIME	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	AREA HEIGHT
10 30s	14 A	PA	11-22-97	9:00	DF	ACADEMIC - L3 S. HALL - W. EDGE		30s	>6HR	1.5"
11	14 B	↓	↓	9:02	↓	↓		30s	-0- DONE	
12	14 C	↓	↓	13:02	↓	↓		-0-	4.0HR	

RELINQUISHED BY: [signature] Date/Time: 11-22-97 13:32
RECEIVED BY: [signature] Date/Time: 11/22/97 2 1:32

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

P012

McATEER HS RETURNS

San Francisco Unified School District

Lead in Drinking Water Sampling and Analysis Plan, FAX

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-843-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/24/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Frank McCoppin ES, ce

SITE FILE: Water Sampling - ☑ Lead

INSPECTOR: R. Williams / Fire SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	Sun	8-24-97	2:35	DF	Rm 14	F	—	11 hrs
#2	"	"	2:37	DF	Rm 15	F	—	"
#3	"	"	2:40	DF	Rm 13	F	—	"
#4	"	"	2:43	DF	Rm 16	F	—	"
#5	"	"	2:45	DF	Corridor 2nd floor	F	—	"
#6	"	"	2:48	DF	Rm 11	F	—	"
#7	"	"	2:50	DF	Rm 10	F	—	"
#8	"	"	2:55	DF	Rm 9	F	—	"
#9	"	"	2:59	DF	Rm 12	F	—	"

RELINQUISHED BY: Ray Williams
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McCoppin E.S.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to Lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-[illegible]-3328.

BYCND
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROJECTS

LABORATORY: SEQUOIA / (MICROANALYTICAL)

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8 / 24 / 97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Frank McCoppin ES, cc

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: D. Williams / FLYM SFUSD

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooler DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#10	Sat	8-24-97	3:00	DF	Rm 6	F	—	11 hrs
#11	"	"	3:05	DF	Rm 7	F	—	"
#12	"	"	3:07	DF	Rm 5	F	—	"
#13	"	"	3:11	DF	Rm 8	F	—	"
#14	"	"	3:15	DF	corridor near flow	F	—	"
#15	"	"	3:20	DF	Rm 2	F	—	"
#16	"	"	3:25	DF	Rm 3	F	—	"
#17	"	"	3:29	DF	Rm 1	F	—	"
#18	"	"	3:33	DF	Rm 4	F	—	"

RELINQUISHED BY: Ray Wall
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McCoppin E.S.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to Lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-[illegible]-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Frank McCoppin
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Williams SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - Spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#19	Sun	8-24-97	3:35	DF	outside L-DF	F	—	11 hrs
#20	"	"	3:42	DF	outside R-DF	F	—	"
#21	"	"	3:45	DF	ee Room	F	—	"
#22	"	"	3:50	SF	ee Kitchen	F	—	"
#23	"	"	3:55	SF	faculty Room	F	—	"
#24	"	"	4:00	MDF	yard	F	—	"
#25	"	"	—	—	—	B	—	—
#26	"	"	4:10	MDF	Principals office	F	—	"

Spike 97-W00774 6

RELINQUISHED BY: R. Williams
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McCoppin E.S.

49316

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SAP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McCoppin ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Jones firm
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Height
1	1A	S	10/4/97	9:00	DF	RM14	R	30	11 HRS	30	3"
02	1B	"	"	9:05	"	RM14	"	30	11 HRS	30	"
03	1C	"	"	2:00	"	RM14	"	0	5 HRS	30	"
04	2A	"	"	9:15	"	RM15	"	30	11 HRS	37	5"
05	2B	"	"	9:20	"	"	"	30	11 HRS	37	"
06	2C	"	"	2:05	"	"	"	0	5 HRS	37	"
07	~~3A~~ 4A	"	"	9:30	"	RM16	"	30	11 HRS	37	5"
08	~~3B~~ 4B	"	"	9:35	"	"	"	30	11 HRS	37	"
09	~~3C~~ 4C	"	"	2:10	"	"	"	0	5 HRS	"	"

RELINQUISHED BY: [signature]
Date/Time: 10/6/97 9:30AM

RECEIVED BY: [signature] 10/7/97
Date/Time: 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McCoppin ES-Ret

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McCoppin ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: R. Jones / firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
10	~~4A~~5A	S	10/4/97	9:40 AM	DF	CORRIDOR 2ND FLR.	R	30	11 HRS	37	5
11	~~4B~~5B	"	"	9:45	"	"	"	"	"		
12	~~4C~~5C	"	"	2:15	"	"	"	0	5 HRS		
13	~~5A~~14A	"	"	9:50	"	CORRIDOR 1st FLR.	"	30	11 HRS		
14	~~5B~~14B	"	"	9:55	"	"	"	"	"		
15	~~5B~~14C	"	"	2:20	"	"	"	0	5 HRS		

RELINQUISHED BY: [signature]
Date/Time: 10/6/97 9:30 AM

RECEIVED BY: [signature]
Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McCoppin ES-Ret.

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B70

Instruction to lab: Fax results ONLY to:
S. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
DIRECTOR, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-3824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McKinley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: M. LUNA / RST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	1	T	8/19/97	7:05 AM	B	BLANK	/	/	/
2,3	2				DF	1st FLOOR RM-17	F	12:30 PM	17 Hrs
4	3				DF	1st FLOOR RM-18			
5	4				DF	1st FLOOR HALL-Back of Rm-10			
6	5				DF	1st FLOOR RM-11			
7	6				DF	1st FLOOR - Rm-12			
8	7				DF	1st FLOOR Rm-13			
9	8				DF	1st FLOOR Rm-14			
10	9				DF	1st FLOOR Rm-15			

RELINQUISHED BY: K.B. Tobe
Date/Time: 8/21/97
RECEIVED BY: [illegible] 8/22
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22

Page 1 of 3

W.S. 8-22-97
1230

P012

McKinley ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708870

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McKinley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: M. LUNA / CIRB DST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	10	T	8/19/97	7:05 AM	DF	1st Floor Rm 16	F	12:30 PM	17 Hrs
Spike ~~12~~	11				DF	1st Floor HALL-outside Rm 14			
13	12				SF	1st Floor OFFICE /Kitchen			
14	13				DF	1st- outside Girls Bathroom			
15	14				SF	2nd Floor STAFF Lunch room Kitchen			
16	15				DF	2nd Floor Rm 28			
17	16				DF	2nd Floor Rm 27			
18	17				DF	2nd Floor Rm 26			
19,20	18				DF	2nd Floor Rm 25			

RELINQUISHED BY: K.B. Toller
Date/Time: 8/21/97

RECEIVED BY: [illegible] 8/22 0900
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22

-.2
8-22-97 1230

Page 2 of 3

PO12

McKinley ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B70

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mc Kinley E.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. LUNA / FLOR RST
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[ ] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21	19	+	8/19/97	7:05 AM	DF	2nd Floor Rm 24	F	12:32 PM	17 Hrs
22	20				DF	2nd Floor Rm-23			
23	21				DF	2nd Floor Rm-22			
24	22				DF	2nd Floor Rm-21			
25	23				DF	2nd FLOOR HALL-Outside Rm-24			
26	24				DF	Outside PLAY GROUND North East of OFFICE			
27	25				MDF	Outside PLAY GROUND South West of BUILDING			

RELINQUISHED BY: R.B. Toller
Date/Time: 8/21/97

RECEIVED BY:
Date/Time: 8/22 1400

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/22

N.C. 8-22-97 1230

Page 3 of 3

P012

McKinley ES

48383

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McKinley E.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. Luna / QST Firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
A	26	W	9/10/97	05:15	DF	1st Floor Room-12	F	05:16	30 sec	01
B	27	W	9/10/97	05:17	DF	1st Floor Room-12	F	05:18	30 sec	02
C	28	W	9/10/97	09:20	DF	1st Floor Room-12	F	09:20	4 hrs	03
A	29	W	9/10/97	05:25	DF	2nd Floor Room-27	F	05:25	30 sec	04
B	30	W	9/10/97	05:26	DF	2nd Floor Room-27	F	05:26	30 sec	05
C	31	W	9/10/97	09:30	DF	2nd Floor Room-27	F	09:30	4 hrs	06

RELINQUISHED BY: [signature] Date/Time: 9/10/97
RECEIVED BY: Lom Date/Time: 9/10/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

PLEASE DO NOT ANALYZE (2nd Sample) SAMPLE B, IF FIRST SAMPLE (A) IS WITHIN THE LIMITS - DO ANALYZE SAMPLE C

P012 Rct 9/10

McKinley ES

49166

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

MAL

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McKinley E.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. Luna / Firm Qst

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01 ✓ 2A	Th	10/2/97	06:20	DF	First Floor Room # 17	F	06:30	30 secs
02 ✓ 2B	Th	10/2/97	06:20	DF	First Floor Room # 17	F	06:32	30 secs
03 ✓ 2C	Th	10/2/97	11:30	DF	First Floor Room # 17	F	11:35	4 hrs
04 ✓ 7A	Th	10/2/97	06:20	DF	First Floor Room # 13	F	06:45	30 secs
05 ✓ 7B	Th	10/2/97	06:20	DF	First Floor Room# 13	F	06:47	30 secs
06 ✓ 7C	Th	10/2/97	11:20	DF	First Floor Room # 13	F	11:25	4 hrs
07 ✓ 10A	Th	10/2/97	06:20	DF	First Floor Room # 16	F	06:40	30 secs
08 ✓ 10B	Th	10/2/97	06:20	DF	First Floor Room# 16	F	06:42	30 secs
09 ✓ 10C	Th	10/2/97	11:30	DF	First Floor Room# 16	F	11:30	4 hrs

RELINQUISHED BY: [signature] Date/Time: 10/2/97

RECEIVED BY: [signature] Date/Time: 10/2/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Ret. 10/2
McKinley ES - Ret.

21966

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

MAL

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: McKinley E.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. Luna / Firm QST
WORK ORDER #: SFUSD PO

[ ] [ ] [X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10 4 Blank	Th	10/2/97	/	/	Blank	/	/	/

RELINQUISHED BY: [signature] Date/Time: 10/2/97
RECEIVED BY: [signature] Date/Time: 10/2/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

McKinley ES- Ref 19

9708B61

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: HARVEY MILK E.S
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: M. LUNA / RST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOBUSY TIME
1	1	Sub	8/16/97	915/A	BLANK	BLANK	/	/	/
2,3	2				DF	First FLOOR HALL WAY - FRONT of ROOM 107	F	7 PM	14 hrs
4	3				DF	SECOND FLOOR HALLWAY - Outside of RM 204			
Spike 5	4				DF	SECOND FLOOR Rm 209			
6	5				DF	SECOND FLOOR HALLWAY - Outside RM 205			
7	6				DF	BASEMENT FLOOR ROOM 001			
8	7				SF	BASEMENT FLOOR Kitchen			
9	8				SF	BASEMENT FLOOR Kitchen			
10	9				DF	BASEMENT LEVEL Outside RM 001			

RELINQUISHED BY: [signature]
Date/Time: 8/20/97

RECEIVED BY: [signature] 8/22/97 0900
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 · Phone: (415) 695-5500

8/22 1100

Page 1 of 2

8-22

8-22 1230

P012

Milk ES

9708861

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-3824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Harvey Milk E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: M. LUNA / QST
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	ANY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	SA	8/16/97	9:15/A	MDF	Play Ground Level South Side	F	7 PM	14 Hrs
11				MDF	Play Ground Level Back of Room 113			
12				DF	First Floor Rm 109 - No Water Flow		Non-Operational	
13				DF	First Floor Room 111 No Water Flow		Non-Operational	
14				DF	First Floor Room 113 No-Water Flow		Non-Operational	

Samples Not Submitted

RELINQUISHED BY: [signature] Date/Time: 8/20/97
RECEIVED BY: [signature] Date/Time: 8/22 0900

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 6/22

Page 2 of 2

M.C. 8-22-97 1230

P012

Milk ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MIRALOMA E.S.
SITE FILE: Water Sampling
CAC # 722 - ☐ Lead
INSPECTOR: / TIME
WORK ORDER #: SFUSD PO

☐ ☐
Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	AT	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	RESUME TIME
722-1	S U	8-17-97	9:05	DF	1ST FLOOR - CTO INTERIOR RM 115	F	10 Minutes 8-18-97	24 Hours
722-2	S U	8-17-97	9:07	DF	1ST FLOOR - RM 107	F		
722-3	S U	8-17-97	9:09	DF	1ST FLOOR - RM 105	F		
722-4	S U	8-17-97	9:11	DF	1ST FLOOR - RM 103	F		
722-5	S U	8-17-97	9:13	DF	1ST FLOOR - RM 101	F		
722-6	S U	8-17-97	9:15	DF	1ST FLOOR - RM 100	F		
722-7	S U	8-17-97	9:17	DF	1ST FLOOR - RM 102	F		
722-8	S U	8-17-97	9:23	DF	1ST FLOOR - RM 106	F		
722-9	S U	8-17-97	9:30	SF	1ST FLOOR - RM 110 - FACULTY LOUNGE	F		

RELINQUISHED BY: [signature]
Date/Time: 8-22-97

RECEIVED BY: [signature] 8/20/97
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 3

MIRALOMA ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MIRALOMA E.S
SITE FILE: Water Sampling - [redacted] Lead
INSPECTOR: / TITLE
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DATA	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	HOURS TIME
722-10	S u	8-17-97	9:35	DF	BASEMENT FLOOR Room 001	F	10 minutes 8-16-97	24 HRS
722-11	S u	8-17-97	9:37	DF	BASEMENT FLOOR RM 010	F		
722-12	S u	8-17-97	9:39	DF	BASEMENT FLOOR RM 012	F		
722-13	S u	8-17-97	9:42	DF	BASEMENT FLOOR RM 014	F		
722-14	S u	8-17-97	9:44	DF	BASEMENT FLOOR RM 016	F		
722-15	S u	8-17-97	9:46	DF	BASEMENT FLOOR RM 018	F		
722-16	S u	8-17-97	9:49	SF	BASEMENT FLOOR RM 036 FACULTY LOUNGE	F		
722-17	S u	8-17-97	9:51	SF	BASEMENT FLOOR KITCHEN RM 028	F		
722-18	S u	8-17-97	9:53	SF	BASEMENT FLOOR KITCHEN RM 023	F		

RELINQUISHED BY: [signature]
Date/Time: 8-26-97

RECEIVED BY: [signature] 8/26/97
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 659-5500

Page 2 of 3

MIRALOMA ES

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MIRALOMA E.S.
SITE FILE: Water Sampling
Site # 722 - ☐ Lead
INSPECTOR: M. Edwards / SES
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
722-19	S U	8-17-97	7:57	MDF	BASEMENT outside C92	F	1 minute 8-26-97	24 HRS
722-20	S U	8-17-97	10:00	B	BLANK	B	↓	↓
722-21	S U	8-17-97	10:03	DF	room 123	F	↓	↓

RELINQUISHED BY: [signature]
Date/Time: 8-20-97

RECEIVED BY: [signature] 8/20/97
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5600

Page 3 of 3

MIRALOMA ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

49610

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/15/97
TURNAROUND TIME: ~~REF-CONTACTED WITH SFUSD~~ Rush

SITE: Mira Loma
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: Jason Garrow Firm SES
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY WEEK	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill-up Time	Arc Leg
01	722-2A		10/15/97	@7:00am	DF	1st floor Room 107	1st draw	30sec	~14hrs	30sec	1"
02	722-2B			7:01am	DF	" "	2nd draw	30sec	NA	30sec	1"
03	722-2C			11:30am	DF	" "	3rd draw	N-A	~4hrs	30sec	1"
04	722-5A			7:05am	DF	1st floor Room 101	1st draw	30sec	~14hrs	20sec	½"
05	722-5B			7:07am	DF	" "	2nd draw	30sec	NA	20sec	½"
06	722-5C			11:34am	DF	" "	3rd draw	N/A	~4hrs	20sec	½"
07	722-8A			7:10am	DF	1st floor - Room 106	1st draw	30sec	~14hrs	32sec	1½"
08	722-8B			7:12am	DF	" "	2nd draw	30sec	NA	31sec	1½"
09	722-8C			11:40am	DF	" "	3rd draw	NA	~4hrs	32sec	1½"

RELINQUISHED BY: Date/Time: 10/15/97
RECEIVED BY: Date/Time: 10/15/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5600

Page 1 of 4

Miraloma ES Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

49610

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: 10/15/97
(M) 510-653-0824
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE:

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: J. Gamson / SB

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY WEEK	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	F. Up Time	Arch Rem
10	722-10A		10/15/97	7:15am	DF	Basement floor Room 001	1st draw	30sec	~14hrs	45sec	1/8"
11	722-10B			7:17am	DF	" "	2nd draw	30sec	~14 hrs	45sec	1/8"
12	722-10C			11:45am	DF	" "	3rd draw	NA	~4hrs	45sec	1/8"
13	722-11A			7:21am	DF	Basement floor Room 010	1st draw	30sec	~14hrs	64sec	0
14	722-11B			7:23am	DF	" "	2nd draw	30sec	NA	64sec	0
15	722-11C			11:50am	DF	" "	3rd draw	NA	~4hrs	64sec	0
16	722-14A			7:31am	DF	Basement floor Room 016	1st draw	30sec	~14hrs	89sec	0
17	722-14B			7:32am	DF	" "	2nd draw	30sec	NA	89sec	0
18	722-14C			11:55am	DF	" "	3rd draw	NA	~24hrs	90sec	0

RELINQUISHED BY: [signature] 10/15/97
Date/Time:

RECEIVED BY: [signature] 10/15/97
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone (415) 695-5500

Miraloma ES Ret.

San Francisco Unified School District (SFUSD).
Lead in Drinking Water Sampling and Analysis Plan 5/6

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

69610

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/15/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE:
SITE FILE: Water Sampling
[N] Lead
INSPECTOR: J. Garrison / SCS Firm
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	ANALYZED	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill-up Time	Air bub
19	722-15A		10/15/97	7:40am	DF	Basement floor Room 018	1st draw	30sec	~14hrs	68sec	0'
20	722-15B			7:42am	DF	" "	2nd draw	30sec	NA	60sec	0'
21	722-15C			12 pm	DF	" "	3rd draw	NA	~4hrs	67sec	0'
22	722-17A			7:48am	SF	Basement floor Room 023 Kitchen	1st draw	30sec	~14hrs	40sec	
23	722-17B			7:51am	SF	" "	2nd draw	30sec	NA	40sec	
24	722-17C			12:02pm	SF	" "	3rd draw	NA	~4hrs		
25	722-18A			7:54am	SF	Basement floor Room 023 Kitchen	1st draw	30sec	~14hrs	NA	N
26	722-18B			7:57am	SF	" "	2nd draw	30sec	NA	NA	N
27	722-18C			12:05pm	SF	" "	3rd draw	NA	~4hrs	NA	N

RELINQUISHED BY: [signature] Date/Time: 10/15/97
RECEIVED BY: [signature] Date/Time: 10/15/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 4

Miraloma ES Rot.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 5/4/

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

#9610

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/15/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ RUSH

SITE:
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: J. Gamlon / firm SES
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28 722-20A	WES	10/15/97	12:10pm	NA	Blank	Blank	NA	NA
~~722-21A~~						~~spiked~~		

RELINQUISHED BY: [signature] Date/Time: 10/15/97
RECEIVED BY: [signature] Date/Time: 10/15/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 4 of 4

Miraloma ES Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Gianoni of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

47412

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA (MICROANALYTICAL)
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/13/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: INTERNATION STUDIES ACADEMY
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: / CLEM
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	WED	8/13/97	6:30	DF	CORRIDOR C-90 FIRST FLOOR	F	N/A	14 HRS
#2	"	8/13/97	6:40	DF	CORRIDOR C90 SECOND FLOOR	f	"	"
#3	"	8/13/97	7:00	SF	KITCHEN AREA 035, Basement	f	"	"
#4	"	8/13/97	7:10	DF	BY ENTRANCE TO THE GYMN.	f	"	"
#5 x ED	"	8/13/97	7:40	DF	CORRIDOR C-90			
#6	"	8/13/97						

RELINQUISHED BY: [signature] Date/Time: 8/13/97
RECEIVED BY: [signature] Date/Time: 8/15 @ 1:37 pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

P012

Intnl. Studies Aca

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Jefferson Nursery/CC
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: / firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Jefferson 1		8/22/97	0700	SF	Bathroom 1	F	10mins	76hrs
Jefferson 2			0702	SF	Bathroom 1	F		
Jefferson 3		↓	0705	SF	Bathroom 1	F	↓	↓
Jefferson 4			0707	SF	Kitchen	F		
Jefferson 5			0715	SF	Bathroom 2	F		
Jefferson 6		↓	0712	SF	Bathroom 3	F	↓	↓
Jefferson 7			0720	WF	Outside fount	F		
Jefferson 8								
Jefferson 9		↓	0730	SF	Bungalow	F	↓	↓

* are Jefferson CC
* like N00701

RELINQUISHED BY:
Date/Time:
RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Jefferson PO CC

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SCA

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710481

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 1 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Jefferson CC
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: MZ / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
Weight Fill time

	SAMPLE #	QA/QC	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOFUSE TIME
1	Jefferson CC 4-A		10/1/97	1pm	SF	Kitchen	1st	NA	10 sec
2	Jefferson CC 4-B		↓	1:05 pm	↓	↓	2nd	↓	↓
3,4	Jefferson CC 4-C		↓	5pm	↓	↓	1st	↓	↓
5	Jefferson CC	BLANK							

RELINQUISHED BY: Michelle Jam
Date/Time: 10/8/97 12pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 2:53

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab Page 1 of 1
by: J. Downs
1624
10-9-97

Jefferson CC-K

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/18/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JEFFERSON ES

SITE FILE: Water Sampling - ☐ Lead

INSPECTOR: CQ / Firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
JEFFERSON CC 1		8.18.97	6:00	SDF	Room 108			>6 HRS
JEFFERSON 2			6:05	SDF	Room 106			
JEFFERSON 3			6:10	DF	HALL 1ST FLOOR			
JEFFERSON ES 4			6:15	SDF	Room 104			
JEFFERSON ES 5			6:20	SDF	Room 102			
JEFFERSON ES 6			6:25	SF	TEACHERS LOUNGE			
JEFFERSON E.S. 7			6:30	DF	CAFETERIA			
JEFFERSON E.S. 8			6:35	SF	Room 8			
JEFFERSON E.S. 9			6:40	SDF	Room 101			

RELINQUISHED BY: CRAIG QUEZADA
Date/Time: 8.19.97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
Jefferson ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/18/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JEFFERSON ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: CQ / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
JEFFERSON ES 10		8.18.97	6:45	SDF	Room 103			>6Hrs
JEFFERSON ES 11		↓	6:50	SDF	Room 105			↓
JEFFERSON ES 12		↓	6:55	SDF	Room 209			↓
JEFFERSON ES 13		↓	7:00	DF	HALL 2ND FLOOR			↓
JEFFERSON 28		↓	7:05	DF	HALL 3RD FLOOR			↓ - Spike
JEFFERSON BL		↓	—	—	—	B		

RELINQUISHED BY: CRAIG QUEZADA
Date/Time: 8.19.97
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Jefferson ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8 /19 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JEFFERSON ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: CQ / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
JEFFERSON ES 14		8.19.97	5:45	SDF	Room 212			> 6 Hrs
JEFFERSON ES. 15			5:50	SDF	Room 213			
JEFFERSON ES 16			5.55	SDF	Room 211			
JEFFERSON ES. 17			6:00	SDF	Room 210			
JEFFERSON ES 18			6:05	SDF	Room 208			
JEFFERSON ES 19			6:10	SDF	Room 206			
JEFFERSON ES 20			6:15	SDF	Room 204			
JEFFERSON ES 21			6:20	SDF	Room 202			
JEFFERSON ES 22			6:25	SDF	Room 201			

RELINQUISHED BY: CRAIG QUEZADA
Date/Time: 8.19.97
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
Jefferson ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/19/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JEFFERSON ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: CQ / FIRM SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
JEFFERSON ES 23		8.19.97	6:30	SDF	Room 203			>6 HRS
JEFFERSON ES 24			6:35	SDF	Room 205			
JEFFERSON ES 25			6:40	SDF	Room 207			
JEFFERSON ES 26			6:45	MDF	PLAYGROUND			
JEFFERSON ES 27			6:50	MDF	PLAYGROUND			- Spike
JEFFERSON ES BL		—	—	—	—	B		

RELINQUISHED BY: CRAIG QUEZADA
Date/Time: 8.19.97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

JeffersonES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710478

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-843-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Jefferson ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MD / FIRM SCA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw height fill time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Jefferson ES.17-A		10/3/97	7 AM	SDF	Room 210	1st	2in	25 sec
2	Jefferson E.S.17-B		↓	7:10 AM	↓	↓	2nd	↓	↓
3	Jefferson E.S.17-C		↓	1 pm	↓	↓	1st	↓	↓
4	Jefferson E.S.21-A		↓	7:15 AM	SDF	Room 202	1st	.5 in	45 sec.
5	Jefferson E.S.21-B		↓	7:20 AM	↓	↓	2nd	↓	↓
6	Jefferson E.S.21-C		↓	1:05 PM	↓	↓	1st	↓	↓
7	Jefferson E.S.25-A		↓	7:25 AM	SDF	Room 207	1st	1in	35 sec
8	Jefferson E.S.25-B		↓	7:30 AM	↓	↓	2nd	↓	↓
9,10	Jefferson E.S.25-C		↓	1:10 PM	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Date/Time: 10/8/97 12pm.
RECEIVED BY: Date/Time: 10/9/97 255

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

9 4 24

Page 1 of 2

Received by Lab J. Downs 1624 10/9/97

Jefferson ES-Ret

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SCA

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710478

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-343-3323.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Jefferson ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - Spiked
F - First Draw

SAMPLE #	ACTIVITY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11 Jefferson ES	B	ANK						

RELINQUISHED BY: Michelle 10/6/97 12pm
Date/Time:
RECEIVED BY:
Date/Time: 10/6/97 255

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

Jefferson ES-Ret

72168.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

nstruction to lab: Fax results ONLY to:
3. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 8 / 5 /99

TURNAROUND TIME: 8/26/99 12 PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # 8-3581

SITE: JEFFERSON CC

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE TIME (S)	AI H
JEFFERSON 4 I	TH	8/5	0715 A	SF	KITCHEN	1ST	0	> 6 H	15	
JEFFERSON 4 II	"	"	"	"	"	2ND	30	"	"	
JEFFERSON 6 I	"	"	"	SF	BATHROOM 3	1ST	0	"	55	
JEFFERSON 6 II	"	"	"	"	"	2ND	30	"	"	
JEFFERSON BL I					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 8.12.99 @ 2:00 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1-8

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: KATE KENNEDY C.C.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A/D	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	8/15/97		Blank	Blank			
2	F		5:10 AM	DF	First Floor Hallway - Next to Cafeteria	F	6.00 pm	11 hrs
3	F			MDF	Playground Level Outside of Cafeteria - South/West	F		
4	F			MDF	Playground Level North/West side Outside of Kitchen	F		
5	F			DF	Second Floor Between Main Office & Library	F		
6	F			DF	Second Floor Next to Room 9 (Hallway)	F		
7	F			DF	Third Floor Hallway - Next to Room - 15	F		
8	F			DF	Third Floor Hallway - Next to Room - 13	F		
9	F			SF	Kitchen Sink (Left)	F		

RELINQUISHED BY: [signature]
Date/Time: 8/15/97

RECEIVED BY: [signature]
Date/Time: 8/18/97 2:45 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

KATE KENNEDY C.C.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824

DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: KATE KENNEDY BC.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / FIRM QST

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	F	8/15/97		SF	Kitchen sink (CENTER)	F	6.00 pm	11 hrs
11	F	↓	6:10	SF	Dish washer (COUNTER)	F	↓	↓

RELINQUISHED BY: Manuel Luna
Date/Time: 8/15/97

RECEIVED BY: [illegible]
Date/Time: 8/18/97 8:15 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

KATE KENNEDY C.C.

48028

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (S/F)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/30/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Kate Kennedy C.C.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: O. Martinez / Ken Tobler / ZLRM QST
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st - 1st Draw
2nd - 2nd Draw
3rd - 3rd Draw

	SAMPLE #	DAY SA	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	12		8/30/97			Blank	B		
02	~~13~~ 4A		8/30/97	10:25	MDF	Playground Level West side of Kitchen	1st	30 sec	
03	~~14~~ 4B		8/30/97	10:26	MDF	Playground Level West side of Kitchen	2nd	30 sec	
04	T5 4C		8/30/97	2:10	MDF	Playground Level West side of Kitchen	3rd	N/A	3 Hrs 44 min.

RELINQUISHED BY: Orlando Martinez
Date/Time: 8/30/97

RECEIVED BY: [illegible]
Date/Time: 8/30/97 2:30pm

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

R1-R3
Kennedy ES

72167

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

nstruction to lab: Fax results ONLY to:
. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 8 / 3 / 99

TURNAROUND TIME: 8/26/99 12PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # B-3581

SITE: KATE KENNEDY CC

☑ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONI
(IN) - INCHE

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE TIME (S)	A
KENNEDY 4I	TU	8/3	0615A	MDF	PLAYGROUND LEVEL NW	1ST	0	> 6 H	40	
KENNEDY 4II	"	"	"	"	" "	2ND	30	"	"	
KENNEDY 8I	"	"	"	DF	3RD FL. HALLWAY (NEXT TO RM. 13)	1ST	0	"	25	
KENNEDY 8II	"	"	"	"	" "	2ND	30	"	"	
KENNEDY BL 1		BLANK								

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 8.12.99 @ 10:00am

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 555-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: [illegible]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8-19-1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Francis Scott Key Elementary
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: Eddie Chan FIRM RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	Tu	8/19/97	7:38	DF	First Floor Kitchen by stairs	F	10 min	>36 HRS
#2	Tu		7:42	SF	First Floor Kitchen.	F	10 min	>36 HRS
#3	Tu		7:48	DF	First Floor. Hall, south end	F	10min	>36 HRS
#4	Tu	8/19/97	7:55	DF	2nd Floor. Hall, south end	F	10min	>36 HRS
#5	Tu		8:09	SF	1st Floor. Admin, lounge.	F	10min	>36 HRS
#6	Tu		8:17	MDF	Outside Basketball Court.	F	10min	>36 HRS
#7	Tu	8/19/97	8:20	MDF	Outside Basketball Court.	B	N/A	—
#8		—	—	—	—	S	—	—

RELINQUISHED BY: Karin Schroeter
Date/Time: 8/22/97 4:15
RECEIVED BY: John Lepore
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

 KeyES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49296

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11 / 6 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: KEY	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: DK FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Arch Fill TIME 56 Sec 01 3 A		10/2	750	DF	1ST FLR HALL / SOUTH END	~~DF~~ F	30sec	10sec
02 B		↓	751	↓	↓		30sec	30sec
1½" 03 C		↓	1505	↓	↓		—	7½
04 B/Blank						B		

RELINQUISHED BY: Karin Threet Date / Time: 10/7/97	RECEIVED BY: Julie Sachs Date / Time: 10/7 @ 2:48
1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500	

Page 1 of 1

Key ES-Ret

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/16/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STARR KING ES

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: CQ / Firm SCA

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
STARR KING 1		8.16.97	11:10	SF	KITCH ROOM 017			>6 HRS
STARR KING 2		8.16.97	11:20	MDF	EXTERIOR NEAR T-600			
STARR KING 3		8.16.97	11:30	SF	ROOM 009			
STARR KING 4		8.16.97	11:40	SF	ROOM 005			
STARR KING 5		8.16.97	11:50	DF ~~SF~~	ROOM 003			
STARR KING 6		8.16.97	12:00	DF	ROOM 001			
STARR KING 7		8.16.97	12:10	DF	ROOM 113			
STARR KING 8		8.16.97	12:15	DF	ROOM 114			
STARR KING 9		8.16.97	12:20	DF	HALL SOUTH			

RELINQUISHED BY: CRAIG QUEZADA
Date/Time: 8.19.97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
King ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/16/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STARR KING

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: CQ / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
STARR KING 10		8.16.97	12:25	DF	HALL NEAR Rm 201			16 HRS
STARR KING 11		8-16-97	12:30	DF	HALL NEAR LOUNGE			
STARR KING 12		8.16.97	12:35	DF	HALL NEAR BOYS RR			
STARR KING 13		8-16-97	12:40	DF	HALL NEAR GIRLS RR	S		
STARR KING BL		8.16.97	12:45	—	—	B		

RELINQUISHED BY: CRAIG QUEZADA
Date/Time: 8.19.97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
King ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

97104 80

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 10 / 3 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: King ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (height)	NONUSE TIME (fill time)
1	King E.S. 6-A		10/3/97	12 pm	DF	Room 001	1st	3in	45sec
2	King E.S. 6-B			12:05 pm			2nd		
3	King E.S. 6-C		10/4	12pm			1st		
4	King E.S. 7-A			12:10 pm	DF	Room 113	1st	1.5 in	32sec
5	King E.S. 7-B			12:15 pm			2nd		
6	King E.S. 7-C		10/4	12:05 pm			1st		
7	King E.S. 11-A			12:20 pm	DF	Hall near lounge	1st	3 in	47sec
8	King E.S. 11-B			12:25 pm			2nd		
9,10	King E.S. 11-C		10/4	12:10 pm			1st		

RELINQUISHED BY: Michelle Lam
Date/Time: 10/8/97 12pm

RECEIVED BY:
Date/Time: 10/9/97 2:55pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

King ES-Ret

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-843-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: King ES
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
King E.S. BL		BLANK						

RELINQUISHED BY: Michelle Xan
Date/Time: 10/8/97 12 pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 205

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Received in Lab by, T. Downs 10-9-97 1624

Page 2 of 2

King ES-Ret

NON-operational =

DO NOT ANALYZE

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

AD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: M.L. King - M.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
1	Th	8/21/97	05:30Am	B	Blank		8/20/97 11:30Am	18 hrs	
2				DF	First Floor under stairway next to Rm 101	F			NON-OPERATIONAL
3				SF	First Floor Faculty Room - Room - 103				
4				DF	First Floor under stairway next to Rm 126				
5				DF	Second Floor outside Room 211				NON-OPERATIONAL
6				DF	Second Floor outside Rm. 6				NON-OPERATIONAL
7				SF	First Floor inside cafeteria kitchen				
8				DF	Lower Level Girls Gym Bathroom				
9				DF	Upper Level Gym - Basketball Court				

RELINQUISHED BY: [signature] Date/Time: 8/21/97
RECEIVED BY: [signature] Date/Time: 8/21/97 3:20pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

MARTIN LUTHER KING MS

N. operational =
DO NOT
ANALYZE.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

.D IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: M. L. King. M. S.
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: M. Luna / Clim QST
WORK ORDER #: SFUSD PO

[x] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Th	8/21/97	05:30Am	DF	Lower Level Girls Bath room Gym-	F	11:30 Am	18 hrs
11				DF	Lower Level Boy's Room Gym.			
12				DF	Lower Level Boy's Room Gym-Bath room			
13				DF	Lower Level Boy's Room Gym-Bath room			
14				DF	Upper Level Basketball Court-			

NON-OPERATION

RELINQUISHED BY: [signature]
Date/Time: 8/21/97

RECEIVED BY: [signature]
Date/Time: 8/21/97 8:20 Am

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

MARTIN LUTHER KING MS

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling Land Airlines & Bldg. Fd.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to Lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 DATE: 8/21/97
(M) 510-653-0824

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LaFayette ES

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: R. Williams / Firm SFUSD

WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOHOUSE TIME
# 1	H	8·21·97	8:00	DF	1st floor corridor (190)	F		11+ hrs
# 2	"	"	8:10	DF	1st floor corridor (190)	F		"
# 3	"	"	8:25	DF	1st floor corridor (190)	F		"
# 4	"	"	8:30	DF	2nd floor corridor (240)	F		"
# 5	"	"	8:35	DF	2nd floor corridor (290)	F		"
# 6	"	"	8:40	DF	2nd floor corridor (290)	F		"
# 7	"	"	8:45	DF	1st floor Rm (026B)	F		"
# 8	"	"	8:50	DF	1st Floor corridor (193)	F		"
# 9	"	"	9:00	MDF	yard &	F		"

RELINQUISHED BY: Ray Williams
Date/Time: 8-21-97

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Lafayette ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Program

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

9708B83

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAKE SHORE ELEM.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. Luna / FILTER ☒ ST
WORK ORDER #: SFUSD PO

[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	1	SA	8/16/97	12:30pm	Blank	Blank			
2,3	2				DF	First Floor Cafeteria	F	7:00 am	17 hrs
4	3				DF	First Level Playground			
5	4				DF	First Level Outside Community Room			
6	5				MDF	First Level Outside Grounds			
7	6				DF	First Floor Room 12			
8	7				DF	First Floor Hallway-Outside of Room 12			
9	8				DF	First Floor Room 10			
10	9				DF	First Floor Room 8			

RELINQUISHED BY: [signature]
Date/Time: 8/16/97

RECEIVED BY: [signature] 8/22/97
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22

Page 1 of 2

P012

Lakeshore ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B83

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lake Shore - Elem
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: M. Luna / Clim QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	QA	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
10	SA	8/16/97	12:30 pm	DF	1st Floor Room 6	F	9:00 pm	11 hrs	VOID NON-FUNCTION.
Spike-11 11				DF	First Floor outside Room B				
12 12				DF	First Floor Room 4				
14 13				DF	First Floor. Room 2				
15 14				DF	First Floor R.E.C.P. Room				
16 15				DF	Second Floor Hallway 102 & 106				
17 16				DF	Second Floor Outside Room 111				
18 17				DF	Second Floor Outside Rm 114				
19 18				MDF	Ground Level Play Ground				

RELINQUISHED BY: [signature] Date/Time: 8/16/97
RECEIVED BY: [signature] Date/Time: 8/22 0900

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/22

Page 2 of 2

P012

Lakeshore ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: 8/21/97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lafayette ES, CC

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: R. Williams / firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOUSE TIME
#10	Tue	8.21.97	9:00	MDF	Yard	F		11+Hrs
#11	"	"	9:05	SF	faculty Lounge Rm (039)	F		11+Hrs
#12	"	"	9:10	SF	Kitchen Rm (037)	F		11+Hrs
#13	"	"	9:15	—	—	B	—	—

RELINQUISHED BY: Ray Williams Jr.
Date/Time: 8-21-97

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Lafayette ES

49317

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/5/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Lafayette E.S

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

INSPECTOR: R. Joney Firm

WORK ORDER #: SFUSD PO

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
1A 01	~~1A~~	SU	10/5/97	9:00 AM	DF	1st FLR. CORRIDOR (190)	R	30	35 HRS	18 sec	1"
1B 02	~~1B~~	SU	"	9:05	"	"	"	30	"	18 sec	1"
1C 03	~~1C~~	"	"	2:00	"	"	"	0	5 HRS	18 sec	1"
1A 04	~~2A~~	"	"	9:10	"	1st FLR. RM. (026B)	"	30	35 HRS	35 sec	3"
1B 05	~~2B~~	"	"	9:15	"	"	"	30	"	35	3"
1C 06	~~2C~~	"	"	2:05	"	"	"	0	5 HRS	35	3"

RELINQUISHED BY: [signature]
Date/Time: 10/6/97 9:30AM

RECEIVED BY: [signature]
Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Lafayette ES-Ref

Harry Gee, AH's Pager # (415) 485-9979

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Larkin St. (homeless) Youth Center

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: HG / firm AAE

WORK ORDER #: SFUSD PO

☐ ☐

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		10/9	930	SF	Drop in kitchen sink			
2		"	940	SF	Drop in RR			
3		"	955	SF	Art Room SINK			
4		"	1010	SF	STAFF RR			
5		"	1020	SF	Medical Clinic RR			
6		"	1035	SF	After Care RR			
7		"	1050	SF	After Care Kitchen			
8		"	—	—	—	B		
9		"	1105	SF	Meeting Rm. RR			

RELINQUISHED BY: Harry Gee
Date/Time: 10/10/97 1:3

RECEIVED BY: LOZW
Date/Time: 10-10-97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Larkin Youth Center

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM ~~& CHAIN OF CUSTODY~~

9709175

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAS AMERICAS C.C.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / FLYM QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DATA	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	1	F	9/5/97	05:50	SDF	2nd Floor Room-207	F	9/4/97 14:30	16 hrs
2	2	F	9/5/97	05:50	SDF	2nd Floor Room-206	F	9/4/97 14:30	16 hrs
3	3	F	9/5/97	05:50	SDF	2nd Floor Room-205	F	9/4/97 14:30	16 hrs
4,5	4	F	9/5/97	05:50	SDF	2nd Floor Room-204	F	9/4/97 14:30	16 hrs
6	5	F	9/5/97	05:50	Blank	Blank	B		

RELINQUISHED BY: [signature] Date/Time: 9/5/97
RECEIVED BY: [signature] Date/Time: 9/5/97 1200
22 9-5 1215

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 9-5 rec by. Page 1 of 1

Rec. By: [signature] 09-05-97 13:20

LAS AMERICAS CC

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MSB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	LAWTON 1	Tu	9/22/98	724	DF	Hall east of Auditorium		0	O/N	29
02	LAWTON 1A			1203	DF	"		30		30
03	LAWTON 2	Tu		727	DF	cross from 232 R Hall		0	O/N	51
04	LAWTON 2A	Tu		1024	DF	"		51		54
05	LAWTON 3			728	DF	cross from 232 L Hall		0	O/N	61
06	LAWTON 3A			1022	DF	"		61		66

RELINQUISHED BY: M.S.B. [signature]
Date/Time: 3P 9/22/98
RECEIVED BY: [signature]
Date/Time: 9/22/98 2:58

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: / firm
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
04 ~~07~~	LAWTON 4	TUE	9/22/98	734	SF	(Class Room) ~~X-fom~~ 238		0	0/N	8
~~08~~	LAWTON 4A			1028	SF	"		30		6
05 ~~09~~	LAWTON 5			735	SF	234		0	0/N	8
~~10~~	LAWTON 5A			1044	SF	234		30		10
06 ~~11~~	LAWTON 6			739	SF	237		0	0/N	5
~~12~~	LAWTON 6A			1040	SF	237		30		5

RELINQUISHED BY: M. L. B. [signature]
Date/Time: 9/22/98 30

RECEIVED BY: [signature]
Date/Time: 9-22-98 8:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON ES.
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
7 ~~13~~	LAWTON 7	Tu	9/22/98	741	DF	HALL BY 140 L		0	O/N	41
~~14~~	LAWTON 7A	Tu		1001	"	"		30 44		42
8 ~~15~~	LAWTON 8			742	DF	HALL BY 140 R		0	O/N	49
~~16~~	LAWTON 8A			1004	DF	"		49		60
9 ~~17~~	LAWTON 9			745	DF	HALL BY 136		0		55
~~18~~	LAWTON 9A			1006	DF	"		55		50

RELINQUISHED BY: MB
Date/Time: 9/22/98 3p

RECEIVED BY: [illegible]
Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
10 ~~19~~	LAWTON 10	Tu	9/22/98	755	SF	230		0		8
~~20~~	LAWTON 10A			1033	SF	230		30		8
				800	SF	239	NON FUNCTIONING	0		
11 ~~21~~	LAWTON BLANK	Tu		1008	SF	"	B			
12 ~~22~~	LAWTON 11			902	SF	232		0		22
~~23~~	LAWTON 11A			1029	SF	"		30		24

RELINQUISHED BY: M.L.B. Date/Time: 9/22/98 3p
RECEIVED BY: [illegible] Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: [illegible] / SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
3 ~~24~~ LAWTON 12	Tu	9/22/98	804	SF	~~134~~ 233		0		11
~~25~~ LAWTON 12A			1046	SF	233		30		12
4 ~~26~~ LAWTON 13			806	SF	134		0		10
~~27~~ LAWTON 13A			1056		134		30		12
5 ~~28~~ Lawton 14			808	SF	133		0		9
~~29~~ Lawton 14A			1059	SF	133		30		11

RELINQUISHED BY: [illegible] Date/Time: 9/22/98
RECEIVED BY: [illegible] Date/Time: 9/22/98 2:58 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: AB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
16 ~~30~~	LAWTON 15	Tu	9/22/98	812	SF	135		0		8
~~31~~	Lawton 15A			1107	SF	135		30		8
17 ~~32~~	Lawton 16			814	SF	132		0		11
~~33~~	Lawton 16A			1109	SF	132		30		12
18 ~~34~~	Lawton 17			817	SF	136		0		10
~~35~~	Lawton 17A			1152	SF	136		30		8

RELINQUISHED BY: M. [illegible]
Date/Time: 9/22/98 3p

RECEIVED BY: [illegible]
Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: [illegible] / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
36 LAWTON 18	Tu	9/22/98		SF	131		0	0/N	
37 LAWTON 18A			1156	SF	131		30		
38 LAWTON 19				SF	138		0	0/N	36
39 LAWTON 19A			1146	SF	138		30		37
40 LAWTON 20				SDF	139		0	0/N	28
41 LAWTON 20A			1137	SDF	139		30		29

RELINQUISHED BY: [illegible]
Date/Time: 9/22/98 3p

RECEIVED BY: [illegible]
Date/Time: 9/22/98 2:55

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: firm / SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
22/42	LAWTON 21	Tu	9/22/98	828	SF	139		0	4/N	11
43	LAWTON 21A			142	SF	139		30		11
23/44	LAWTON 22			834	SDF	140		0		22
45	LAWTON 22A			1134	SDF	140		30		24
24/46	LAWTON 23			834	SF	140		0		15
47	LAWTON 23A			1136	SF	140		30		15

RELINQUISHED BY: [signature]
Date/Time: 9/22/98 3p

RECEIVED BY: [signature]
Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: NB / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
48 LAWTON 24	Tu	9/22/98	839	SDF	141		0	O/N	18
49 LAWTON 24A			841	SDF	141		30		11
(missing)									
50 LAWTON 25			840	SF	141		0		11
51 LAWTON 25A			843	SF	141		30		11
(missing)									
52 LAWTON 26			844	DF	HALL BY 031 R		0		50
53 LAWTON 26A			1251	"	"		52+?		50

RELINQUISHED BY: N.D.B. Date/Time: 9/22/98 3P
RECEIVED BY: Date/Time: 9/22/98 2:58

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.

SITE FILE: Water Sampling ☒ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
~~28~~ 54	LAWTON 27	Th	9/24/98	0946	DF	HALL by OSI L		0		42
~~55~~	LAWTON 27A			1252	"	"		42+?		41
~~29~~ 56	LAWTON 28			848	MDF	HALL across from Lafeteria North L		0 ?	0/N?	41
~~57~~	LAWTON 28A			1217	MDF	H		40+?		40
~~30~~ 58	LAWTON 29			850	MDF	Hall across from Lafeteria South L		0?	Y/N?	49
~~59~~	LAWTON 29A			1214	"	"		30?		48

RELINQUISHED BY: M.D. B Date/Time: 9/24/98 3p

RECEIVED BY: [illegible] Date/Time: 9/22/98 2155

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 DATE: 9/22/98
510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: [illegible] / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
60	LAWTON 30	Th	9/22/98	853	MDF	Cafeteria south		0		46
61	LAWTON 30A			1224	"	"		46+?		44
62	LAWTON 31			556	MDF	Cafeteria North		0	9/N?	41
63	LAWTON 31A			1223	"	"		41+?		43
64	LAWTON 32			859	SDF	031		0		42
65	LAWTON 32A			1228	SDF	031		46+?		44

RELINQUISHED BY: [illegible]
Date/Time: 9/22/98 3p

RECEIVED BY: [illegible]
Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: NB / firm SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
3466	LAWTON 33	Tu	9/22/98	901	SF	031		~2 min?	O/N	11
67	LAWTON 33A			1230	SF	031		+30		11
3568	LAWTON 34			914	SDF	032		0	Y/N	4
69	LAWTON 34A			1233	SDF	032		42+?		4
3670	LAWTON 35			916	SF	032		0	O/N	11
71	LAWTON 35A			1236	SF	032		30+?		10

RELINQUISHED BY: NB
Date/Time: 9/22/98 30
RECEIVED BY: [signature]
Date/Time: 9/22/98 0155

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 DATE: 9/22/98
510-653-0824

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
72	LAWTON 36	Th	9/22/98	919	~~SF~~ SDF	033		0		30
73	36A ~~LAWTON 36A~~			1151	SDF	"		30		30
74	LAWTON 37			921	SF	033		0	Drips	18
75	LAWTON 37A			1153	"	"		30		10
76	LAWTON 38			926	SF	027		0		17
77	LAWTON 38A			1301	SF	"		30		18

RELINQUISHED BY: [signature]
Date/Time: 9/22/98 3P

RECEIVED BY: [signature]
Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: NB / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
4078 79 LAWTON 39	Tu	9/22/98	928	~~928~~ SF	Rm 28		0	0/N	12
LAWTON 39A			1308	"	"		30		13
4180 87 LAWTON 40			931	SF	KITCHEN SS (2)		0	0/N	8
LAWTON 40A			1312	"	"		30+		7
4282 83 LAWTON 41			933	SF	KITCHEN (porcelain) R		7	0/N	8
LAWTON 41A			1315	SF	"		30+		8

RELINQUISHED BY: N.D.B. Date/Time: 9/22/98 3p
RECEIVED BY: SMK Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 9/22/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: LAWTON E.S.

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling ☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
84	LAWTON 42	Tu	9/22/98	1127	SDF	142		0	9N	>3' 3''
85	LAWTON 42A			1129	SDF	142		30		
86	LAWTON 43			1131	SF	142		0	9N	1
87	LAWTON 43A			1133	SF	142		30		
88	LAWTON 44			1242	SDF	034		?	?	30
89	LAWTON 44A			1244	SDF	034		30		30

RELINQUISHED BY: M.B. Date/Time: 9/22/98 3p

RECEIVED BY: Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District SFUSD.
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60461

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/22/98

TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: LAWTON E.S.

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / SCA (firm)

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
LAWTON 45	Tu	9/22/98	141	MDF	PLAYGROUND S		?	?	2
LAWTON 45A			142	MDF	"		30+?		3
LAWTON 46			145	MDF	PLAYGROUND NW		?	?	4
LAWTON 46A			146	MDF	"		46+?		5

4690 91

4792 93

RELINQUISHED BY: M. A. B
Date/Time: 9/22/98

RECEIVED BY: [illegible]
Date/Time: 9/22/98 2:55

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ction to **lab**: Fax results **ONLY** to:
annini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
BESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 12 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

TE: MISSION ANNEX

PROJECT # B-2243

Graphite Furnace AA EPA 239.2 LEAD

TE FILE: Water Sampling

☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SPECTOR: SCA / firm

RK ORDER #: SFUSD PO

MPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGHT
ANNEX ~~1A~~ 1A ②	F	3/12	630 A	SF	TOILET 1	1 ST	0	> 6 HRS.	10	N/A
ANNEX ~~1B~~ 1B ②	"	3/12	"	"	"	2 ND	30	"	"	"
ANNEX ~~2A~~ 1A ②	"	3/12	"	SF	KITCHEN	1 ST	0	"	10	"
ANNEX ~~2B~~ 1B ②	F	"	"	"	"	2 ND	30	> 6 HRS	"	N/A
ANNEX 3A	"	3/12	"	SF	CLASSROOM	1 ST	0	"	10	"
ANNEX 3B	"	"	"	"	"	2 ND	30	"	"	"
ANNEX 4A	"	3/12	"	SF	TOILET 2	1 ST	0	> 6 HRS.	10	N/A
ANNEX 4B	"	"	"	"	"	2 ND	30	"	"	"
ANNEX 5A	"	"	"	"	"	1 ST	0	"	"	"

ELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

51 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 12 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MISSION ANNEX

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(G) - GROUND
(N) - INCLUDED

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGH
M. ANNEX 5B	F	3/12	630A	SF	TOILET 2	2ND	30	> 6HRS.	10	N/
M. ANNEX 6A	"	"	"	DF	EXT. PLAYGROUND	NON - FUNCTIONING				
M. ANNEX 6B	"	"	"	DF	" "		"	"		
M. ANNEX BL	F	3/12	630A	BLANK						

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mission Annex / CC
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	LAB	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
2	PA	8/23/97	9:00	SF	STAFF LOUNGE	F	:10	17HR
5		FIELD BLANK						
3		NON-OP.			COVERED PLAYGROUND			
NOTE: SAMPLING OF OTHER FIXTURES								
		DELAYED — DRINKING FIXTURES						
		WILL REVISIT SITE						

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50
RECEIVED BY: Glen Cipan
Date/Time: 8/28/97 11:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

PA12

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/5/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mission Annex/CC
SITE FILE: Water Sampling - [X] Lead
INSPECTOR: P. Hoyt / Firm ATC
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	QA Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	FR,	9/5/97	6:55	SF	KITCHEN 421 BARTLETT	F	>:10 IN USE	13HR
4		9/5/97	6:59	SF	KITCHEN 2950 MISSION	F	>:10 IN USE	13HR

NOTE: SAMPLES #2, 5, 3 RELINQUISHED ON 8/30/97

SAMPLES # 1, 2, 3, 5 at MISSION ANNEX CC #965

SAMPLE # 4 at MISSION CC #965

* MISSION ANNEX CC & MISSION CC ARE THE SAME FACILITY

RELINQUISHED BY: Phil Hoyt
Date/Time: 9-6-97 13:18

RECEIVED BY: John Bryan
Date/Time: 9/6/97 1318

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600
(M) 510-653-0824

DATE: 9/5/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ~~1950 MISSION~~ (MISSION ANNEX (C))

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☐ Lead

-1 Bartlett

INSPECTOR: P. Hoyt Firm ATC

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F R I	NON-OP. LOW	P. FLOW	SDF	PORTABLE # 1			
2		9/5/97	7:48	SDF	PORTABLE # 4	F	:11	24HR
3		9/5/97	7:51	SDF	PORTABLE # 5	F	:13	↓
4		9/5/97	7:56	SDF	PORTABLE # 6	F	:13	↓
5		NON-OP. LOW FLOW		SDF	PORTABLE # 8			
6		BLANK						
7		9/5/97	8:01	SDF	PORTABLE # 9	F	:10	-"-

Spike 97-W00753 9

RELINQUISHED BY: Phil Hoyt
Date/Time: 9-6-97 13:18

RECEIVED BY: John Aiyou
Date/Time: 9/6/97 13:18

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 3

P012

Mission Annex CC

49207

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: 1950 Mission (Mission Annex CO)
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: / Firm ATC
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILL TIME	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
25sec	4A	Fr	10-3-97	8:03	SDF	PORTABLE #6		30s	>6HR	3.5'
49207-01 02 03	4B			8:05	SDF			30s	-0- NONE	
	4C			12:51			F	-0-	4.8	
25sec	3A			8:13		PORTABLE #5		30s	>6HR	4"
49207-04 05 06	3B			8:15				30s	-0- NONE	
	3C			12:54			F	-0-	4.7	
35sec	2A			8:22		PORTABLE #4		30s	>6HR	0.5'
49207-07 08 09	2B			8:25				30s	-0- NONE	
	2C			12:58			F	-0-	4.6	

RELINQUISHED BY: Phil Hoyt
Date/Time: 10-3-97 13:34
RECEIVED BY:
Date/Time: 10/3/97 1334

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Mission Annex - P012

72166

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

uction to lab: Fax results **ONLY** to:
iannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**

SFUSD
BESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 8 / 6 /99

TURNAROUND TIME: 8/26/99 12 PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # B-3581

☒ Graphite Furnace AA EPA 239.2 LEAD

ITE: MISSION ANNEX CD (MARSHALL)

ITE FILE: Water Sampling
☑ Lead

NSPECTOR: SCA / firm

ORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONI
(IN) - INCHE

AMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE TIME (S)	A
MISSION 21	F	8/6	0615A	SDF	PORTABLE #4	1ST	0	> 6H	15	
MISSION 21	"	"	"	"	" "	2ND	30	"	"	
MISSION 31	"	"	"	SF	PORTABLE #6	1ST	0	"	15	
MISSION 31	"	"	"	"	" "	2ND	30	"	"	
MISSION 41	"	"	"	SF	PORTABLE #6	1ST	0	"	15	
MISSION 41	"	"	"	"	" "	2ND	30	"	"	
MISSION BL 1					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY
Date/Time: 8-12-99 @ 12:00pm

551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 555-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MISSION High SCHOOL
SITE FILE: Water Sampling SITE #725 — ☐ Lead
INSPECTOR: M. Edwards / FILM 565
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
725-1	Tu	8-26-97	7:25	DF	Girls Locker Rm. Room 018	F	10 mnts 8-25-97	24 Hrs
725-2	Tu	8-26-97	7:32	SF	Basement Level	F		
725-3	Tu	8-26-97	7:35	DF	1st Floor - C97 outside Rm 130	F		
725-4	Tu	8-26-97	7:38	SF	1st Floor - Rm 116	F		
725-5	Tu	8-26-97	7:39	SF	1st Floor - Rm 122 Cafe Kitchen - North wall	F		
725-6	Tu	8-26-97	7:40	SF	1st Floor - Rm 122 Cafe Kitchen - North wall	F		
725-7	Tu	8-26-97	7:41	SF	1st Floor - Rm 122 Cafe Kitchen - West wall	F		
725-8	Tu	8-26-97	7:42	SF	1st Floor - Rm 122 Cafe Kitchen - West wall	F		
725-9	Tu	8-26-97	7:44	SF	1st Floor - Rm 122 Cafe Kitchen - South wall	F		

RELINQUISHED BY: [signature]
Date/Time: 8-26-97

RECEIVED BY: [signature] 8/26/97
Date/Time: 2:40 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

MISSION HS

San Francisco Unified School District (SFUSD):
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mission High School
SITE FILE: Water Sampling
site # 725 - ☐ Lead
INSPECTOR: M. Colwell / SES
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
725-10	Tu	8-26-97	7:47	SF	1st Floor - Rm 104 Outside Kitchen - South wall	F	10 minutes 8-25-97	24 HRS
725-11	Tu	8-26-97	7:51	DF	2nd Floor - C97 outside Auditorium	F		
725-12	Tu	8-26-97	7:55	SF	2nd Floor - Rm 237 cooking class sink	F		
725-13	Tu	8-26-97	7:57	SF	2nd Floor - Rm 237 cooking class sink	F		
725-14	Tu	8-26-97	7:59	SF	2nd Floor - Rm 237 cooking class sink	F		
725-15	Tu	8-26-97	8:10	DF	2nd Floor - C91 outside Auditorium	F		
725-16	Tu	8-26-97	8:15	DF	4th Floor - C77 outside Rm 407	F		
725-17	Tu	8-26-97	8:17	DF	4th Floor - C91 outside Rm 424	F		
725-18	Tu	8-26-97	8:19	B	BLANK	B	—	—

RELINQUISHED BY: [signature]
Date/Time: 8-26-97

RECEIVED BY: [signature] 8/26/97
Date/Time: 2:00 PM.

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone (415) 695-5308

Page 2 of 2

MISSION HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50887

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/18/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Mission HS
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: Jackson / firm SES
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill-up Time	Air Ht.
01	725-1A	T	11/18/97	8:02am	DF	girls locker room	1st draw	30sec	~14hrs	43sec	1/4
02	725-1B	↓		8:05	↓	↓	second draw	30sec	~14hrs	40sec	1/4
03	725-1C	↓		12:00	↓	↓	3rd draw	NA	NA	40sec	1/4
04	Blank										

RELINQUISHED BY: [signature]
Date/Time: 11/22/97

RECEIVED BY: [signature]
Date/Time: 11/22/97 @ 9:01 am

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

MISSION HS RETURN

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ction to **lab**: Fax results **ONLY** to:
annini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
BESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 DATE: 3 / 12 / 99
510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

TE: MISSION NURSERY

☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

TE FILE: Water Sampling

☒ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SPECTOR: SCA / Firm

RK ORDER #: SFUSD PO

MPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGHT
NURS. 1A	F	3/12	715A	SF	CLASSROOM 1	1 ST	0	> 6 HRS.	15	N/A
NURS. 1B	"	"	"	"	"	2 ND	30	"	15	"
NURS. 2A	"	"	"	"	TOILET 2	1 ST	0	"	"	"
NURS. 2B	F	3/12	715A	SF	TOILET 2	2 ND	30	> 6 HRS.	15	N/A
NURS. ~~3A~~ 4A	"	"	"	"	KITCHEN	1 ST	0	"	"	"
NURSE ~~3B~~ 4B	"	"	"	"	"	2 ND	30	"	"	"
NURS. ~~4A~~ 3A	F	3/12	715A	SF	TOILET 3	1 ST	0	> 6 HRS.	15	N/A
NURS. ~~4B~~ 3B	"	"	"	"	"	2 ND	30	"	"	"
NURS. 5A	"	"	"	"	" 4	1 ST	0	"	"	"

ELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

51 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 12 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MISSION NURSERY

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water=Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
M. NURS. 5B	F	3/12	715A	SF	TOILET 4	2ND	30	> 6 HRS.	15	N/
M. NURS. 6A	"	"	"	"	" 5	1ST	0	"	"	"
M. NURS. 6B	"	"	"	"	"	2ND	30	"	"	"
M. NURS. BL	F	3/12	715A	BLANK						

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

72169

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ruction to lab: Fax results ONLY to:
Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 8/6/99

TURNAROUND TIME: 8/26/99 12PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # B-3581

SITE: MISSION ANNEX (NURSERY)

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECOND
(IN) - INCHES

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE TIME (s)	AR HE
- ANNEX 4 I	F	8/6	0615 A	SF	KITCHEN	1ST	0	> 6H	15	
1. ANNEX 4 II	"	"	"	"	"	2ND	30	"	"	
M. ANNEX BL					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 8-12-99 @ 12:00 pm

551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MONROE E.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: HG / firm AAE
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
1	Su	8/24	810	DF	101			OVER NIGHT	NOT OPERA
2	"	"	819	SDF	101			"	
3	"	"	828	DF	102			"	
4	"	"	837	SDF	102			"	
5	"	"	852	DF	103			"	
6	"	"	904	SDF	103			"	
7	"	"		DF	104			"	NOT OPER
8	"	"	923	SDF	104			"	
9	"	"	939	DF	105			"	NOT OPER

RELINQUISHED BY: Harry Gee
Date/Time: 8/26/97 4:20
RECEIVED BY: John Aeon
Date/Time: 8/26/97 4:20 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

MONROE ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SAP -

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MONROE E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: HG / firm AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	SU	8/24				B		12+
11	"	"	953	SDF	105			"
12	"	"	1009	MDF	LIBRARY			"
13	"	"	1024	SDF	106			"
14	"	"	1041	DF	107			"
15	"	"	1057	SDF	107			"
16	"	"	1120	SDF	108			"
17	"	"	1138	SDF	109			"
18	"	"	1200	SDF	110			"

RELINQUISHED BY: Harry Lee
Date/Time: 8/26/97 420
RECEIVED BY: John Ryan
Date/Time: 8/26/97 420PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

MONROE ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MONROE E.S.
SITE FILE: Water Sampling
- [x] Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

[x] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	M	8/25	805	SF	KITCHEN			12+
20	"	"				B		
21	"	"	824	DF	201			"
22	"	"	839	SDF	201			"
23	"	"	851	DF	202			"
24	"	"	859	SDF	202			"
25	"	"	912	DF	203			"
26	"	"	921	SDF	203			"
27	"	"	937	SDF	204			"

RELINQUISHED BY: Harry Gee
Date/Time: 8/21/97 420

RECEIVED BY: Arlee Aspa
Date/Time: 8/26/97 420 PM.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Monroe E.S.

MONROE E.S. Page 4 of 5

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MONROE G.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: HG / Firm AAE

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	M	8/25	952	SDF	205			
29	"	"	1007	SF	Lounge			
30	"	"			BLANK	B		
31	"	"	1020	SF	WOMEN'S RM			
32	"	"	1031	SF	MEN'S RM			
33	"	"	1053	MDF	2nd Fl Drinking Fount			
34	"	"	1114	SF	BOY'S RR.			
35	"	"	1130	SF	Girl's R.Rm			
36	"	"	1157	MDF	OUTSIDE MDF			

RELINQUISHED BY: Harry Lee
Date/Time: 8/26/97 420

RECEIVED BY: John Rejas
Date/Time: 8/26/97 420 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Monroe ES

MRUC U.S. Page 5 of

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: MONROE, G.S.

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: HG / firm AAE

WORK ORDER #: SFUSD PO

[ ] [ ] [ ]

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
97- W00753-4	M	8/25	12:15		SPIKE	S		97-W00-

RELINQUISHED BY: Harry Lee
Date/Time: 8/26 4 pm

RECEIVED BY: Helen Ayon
Date/Time: 8/26/97 4:20 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Monroe ES

LEAD IN WATER SAMPLE FORM & ~~CHAIN OF CUSTODY~~

9709158

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GEORGE MOSCONE Elem

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm QST

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	1	F	9/5/97	06:20	BLANK	BLANK	Blank		
2	2	F	9/5/97	06:20	SDF	1 ST Floor Room-102	F	9/4/97 14:30	16 hrs
3	3	F	9/5/97	06:20	SDF	1 ST Floor Room-103	F	9/4/97 14:30	16 hrs
4	4	F	9/5/97	06:20	SDF	1 ST Floor Room-104	F	9/4/97 14:30	16 hr
5	5	F	9/5/97	06:20	SDF	1 ST Floor Room-105	F	9/4/97 14:30	16 hrs
6	6	F	9/5/97	06:20	SDF	1 ST Floor Room-106	F	9/4/97 14:30	16 hrs
7	7	F	9/5/97	06:20	SDF	1 ST Floor Room-107	F	9/4/97 14:30	16 hrs
8	8	F	9/5/97	06:20	SDF	1 ST Floor Room-108	F	9/4/97 14:30	16 hrs
9,10	9	F	9/5/97	06:20	SDF	2nd Floor Room-201	F	9/4/97 14:30	16 hr

RELINQUISHED BY: Manuel Luna
Date/Time: 9/5/97

RECEIVED BY: Theresa 9/5/97 1200
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

R. 9-5 - 1215. rel by. R. 9-5

rec. by [illegible] 09-05-97 12:20

Moscone ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9709158

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GEORGE MOSCONE ELEM.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / EJM QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - FIRST DRAW

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	10	F	9/5/97	06:20	SDF	2nd Floor Room-202	F	9/4/97 14:30	16 hrs
12	11	F	9/5/97	0620	SDF	2nd Floor Room-203	F	9/4/97 14:30	16 hrs
13	12	F	9/5/97	06:20	SDF	2nd Floor Room-205	F	9/4/97 14:30	16 hrs
14	13	F	9/5/97	06:20	SDF	2nd Floor Room-206	F	9/4/97 14:30	16 hrs
15	14	F	9/5/97	06:20	SDF	2nd Floor Room-207	F	9/4/97 14:30	16 hrs
16	15	F	9/5/97	06:20	SDF	2nd Floor Room-Faculty Room	F	9/4/97 14:30	16 hrs
17, 18	16	F	9/5/97	06:20	SDF	2nd Floor Faculty Room	F	9/4/97 14:30	16 hrs

RELINQUISHED BY: [signature] Date/Time: 9/5/97
RECEIVED BY: [signature] 9/5/97 1210 Date/Time: 9-5 1210.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

rel by [signature] 9-5

Page 2 of 2

Rec. By: [signature] 09-05-97 13:20 Moscone ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

uction to **lab**: Fax results **ONLY** to: 465 -9109
iannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-**

SFUSD
SBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 16 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

☐ PROJECT # ☐ B-2243

☒ Graphite Furnace AA EPA 239.2 LEAD

ITE: GEORGE MOSCONE

ITE FILE: Water Sampling

☒ Lead

NSPECTOR: SCA / firm

ORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGHT (IN)
MOSCONE 1A	T	3/16/99	630 A	SDF	OFFICE	1 ST	0	> 6 HRS	45	2
MOSCONE 1B	"	"	"	"	"	2 ND	30	"	"	"
MOSCONE ~~2A~~	"	"	"	~~SF~~	~~TOILET (MEN)~~	1 ST	0	"	~~35~~	~~N/A~~
MOSCONE ~~2B~~	T	~~3/16/99~~	~~630 A~~	~~SF~~	~~TOILET (M)~~	~~2 ND~~	~~30~~	~~> 6 HRS~~	~~35~~	~~N/A~~
MOSCONE ~~3A~~	"	"	"	"	" (W)	1 ST	0	"	"	"
MOSCONE ~~3B~~	"	"	"	"	" "	~~2 ND~~	30	"	"	"
MOSCONE ~~4A~~	T	~~3 / 16 /99~~	~~630 A~~	~~SF~~	~~TOILET (GIRLS)~~	~~1 ST~~	~~0~~	~~> 6 HRS~~	~~35~~	~~N/A~~
MOSCONE ~~4B~~	"	"	"	"	" "	~~2 ND~~	~~30~~	"	"	"
MOSCONE ~~5A~~	"	"	"	"	" "	~~1 ST~~	~~0~~	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLE NOT SENT IN FOR ANALYSIS PER CLIENT'S (SFUSD) REQUEST. *

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109** .

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 16 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GEORGE MOSCONE

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(M) - MINUTES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
MOSCONE ~~5B~~	~~T~~	~~3/16/99~~	~~630A~~	~~MDF~~ SF	~~TOILET (GIRLS)~~	~~2ND~~	~~30~~	~~>6H~~	~~35~~	~~N/~~
MOSCONE 6A	T	3/16/99	630A	MDF	COURTYARD	1ST	0	"	40	3
MOSCONE 6B	"	"	"	"	"	2ND	30	"	"	"
MOSCONE ~~7A~~	~~T~~	~~3/16~~	~~630A~~	~~SF~~	~~TOILET (BOYS ~~MEN~~)~~	~~1ST~~	~~0~~	~~>6H~~	~~30~~	~~N~~
MOSCONE ~~7B~~	~~"~~	~~"~~	~~"~~	~~"~~	~~" "~~	~~2ND~~	~~30~~	~~"~~	~~"~~	~~"~~
MOSCONE ~~8A~~	~~"~~	~~"~~	~~"~~	~~"~~	~~" "~~	~~1ST~~	~~0~~	~~"~~	~~30~~	~~"~~
MOSCONE ~~8B~~	~~T~~	~~3/16~~	~~630A~~	~~SF~~	~~TOILET (BOYS)~~	~~2ND~~	~~30~~	~~>6H~~	~~30~~	~~N/~~
MOSCONE 9A	"	"	"	"	CAFETERIA	1ST	0	"	15	"
MOSCONE 9B	"	"	"	"	"	2ND	30	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLE NOT SENT IN FOR ANALYSIS PER SFUSD'S REQUEST. *

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ction to **lab**: Fax results **ONLY** to:
annini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-**465-9109

SFUSD
BESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 DATE: 3 / 16 / 99
510-653-0824

TURNAROUND TIME: PER CONTRACT WITH SFUSD

TE: GEORGE MOSCONE

☒ Graphite Furnace AA EPA 239.2 LEAD

TE FILE: Water Sampling

☒ Lead

SPECTOR: SCA / Firm

RK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

MPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGHT (
SCONE 10A	T	3/16/99	630A	SDF	CLASS	1ST	0	> 6HRS.	35	5
SCONE 10B	"	"	"	"	"	2ND	30	"	"	"
SCONE 11A	"	"	"	"	"	1ST	0	"	"	"
SCONE 11B	T	3/16/99	630A	SDF	CLASS	2ND	30	> 6 H	35	5
SCONE 12A	"	"	"	"	"	1ST	0	"	"	3
SCONE 12B	"	"	"	"	"	2ND	30	"	"	"
SCONE 13A	T	3/16/99	630A	SDF	CLASS	1ST	0	> 6 H	35	5
SCONE 13B	"	"	"	"	"	2ND	30	"	"	"
SCONE 14A	"	"	"	"	"	1ST	0	"	"	5

ELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

51 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

SAMPLE NOT SENT IN FOR ANALYSIS PER SFUSD'S REQUEST. *

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-**465-9109 .

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 16 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GEORGE MOSCONE

SITE FILE: Water Sampling

☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIG
MOSCONE 14B	T	3/16	630A	SDF	CLASS	2ND	30	>6H	35	5
MOSCONE 15A	"	"	"	"	"	1ST	0	"	"	"
MOSCONE 15B	"	"	"	"	"	2ND	30	"	"	"
MOSCONE 16A	T	3/16	630A	SDF	CLASS	1ST	0	>6H	35	5
MOSCONE 16B	"	"	"	"	"	2ND	30	"	"	"
MOSCONE 17A	"	"	"	"	"	1ST	0	"	"	"
MOSCONE 17B	T	3/16	630A	SDF	CLASS	2ND	30	>6H	35	5
~~MOSCONE 18A~~	"	"	"	~~SF~~	~~TOILET (BOYS)~~	~~1ST~~	~~0~~	"	~~30~~	~~N/~~
~~MOSCONE 18B~~	"	"	"	"	" "	~~2ND~~	~~30~~	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLE NOT SENT IN FOR ANALYSIS PER SFUSD'S REQUEST. *

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

ruction to **lab**: Fax results **ONLY** to:
Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-**465-9109.

SFUSD
SBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 16 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

ITE: GEORGE MOSCONE

ITE FILE: Water Sampling

☒ Lead

NSPECTOR: SCA / firm

ORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGHT (
MOSCONE ~~19A~~	T	~~3/16~~	~~630A~~	~~SDF~~ SF	~~TOILET (GIRLS)~~	~~1ST~~	0	~~>6 H~~	~~30~~	~~N/A~~
MOSCONE ~~19B~~	"	"	"	"	" "	~~2ND~~	~~30~~	"	"	"
MOSCONE 20A	"	"	"	SDF	FACULTY RM. ~~CLASS~~	1ST	0	"	35	5
MOSCONE 20B	T	3/16	630A	SDF	FACULTY RM. ~~CLASS~~	2ND	30	> 6H	35	5
MOSCONE 21A	"	"	"	"	CLASS	1ST	0	"	"	"
MOSCONE 21B	"	"	"	"	"	2ND	30	"	"	"
MOSCONE 22A	T	3/16	630A	SDF	CLASS	1ST	0	> 6 HR	35	5
MOSCONE ~~21A~~ 22B	"	"	"	"	"	2ND	30	"	"	"
MOSCONE 23 ~~25~~A	"	"	"	"	"	1ST	0	"	"	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLE NOT SENT IN FOR ANALYSIS PER SFUSD'S REQUEST. *

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to **lab**: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-465-9109**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 3 / 16 /99

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: GEORGE MOSCONE

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling

☒ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(M) - MINUTES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (S)	NONUSE TIME	SAMPLE TIME (S)	ARCH HEIGHT
OSCONE 24 ~~26A~~	T	3/16	630A	DF	EXT. COURTYARD	1ST	0	>6H	40	3
OSCONE 25 ~~27A~~	"	"	"	SDF	CLASS	"	0	"	35	5
OSCONE 26 ~~28A~~	"	"	"	"	"	"	0	"	"	"
MOSCONE 27A	T	3/16	630A	SDF	CLASS	1ST	0	>6H	35	5
MOSCONE 28A	"	"	"	"	"	"	0	"	"	"
MOSCONE BL 1	"	BLANK 1								
MOSCONE BL 2	"	BLANK 2								

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

* SAMPLE NOT SENT IN FOR ANALYSIS PER SFUSD'S REQUEST. *

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
S. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

9708B50

SFUSD
ABATEMENT, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: John Muir E.S.
SITE FILE: Water Sampling
- [X] Lead

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

INSPECTOR: D. Martinez / Elite QST
WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - Spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2 1	S W	8/17/97	9:50	—	BLANK	B	/	/
2 2		8/17/97		DF	3RD FLOOR CORRIDOR	F	8/16/97 11:00 AM	22 HRS
3 3		8/17/97		DF	1ST FLOOR Corridor-Upper	F		
4 4		8/17/97		DF	1ST-FLOOR-ENTRY Corridor-LOWER	F		
5 5		8/17/97		SDF	1st FLOOR -RM 033	F		
6 6		8/17/97		DF	1st FLOOR - Corridor	F		
7 7		8/17/97		DF	BASEMENT-Rm 050 UPPER	F		
8 8		8/17/97		DF	BASEMENT-Rm 050 Lower	F		
9 9		8/17/97		DF	BASEMENT-Rm 060 UPPER	F		

RELINQUISHED BY: [signature]
Date/Time: 8/17/97

RECEIVED BY: [signature] 4/22 1500
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22

[signature] 8-22-97 1230

Page 1 of 2

P012

Muir ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B50

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
DIRECTOR, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: John Muir E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: B. Martinez / DST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y N	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Su N	8/17/97	12 PM	DF	Basement Rm 060 Lower	F	8/16/97 11 AM	22 Hrs

10, 11

RELINQUISHED BY: Manuel Martinez
Date/Time: 8/17/97
RECEIVED BY: [illegible] 8/22 0400
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22
~ Su 8-22-97 1230

Page 2 of 2

P012

Muir ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NEW TRADITIONS CENTER
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / firm QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th	8/14/97	5:20 AM	B	Blank	B	/	/
2	Th	8/14/97		MDF	SOUTH/WEST OF BASEMENT (OUTSIDE)	F	~7:00 AM	10 hrs
3	Th	8/14/97		DF	FIRST FLOOR HALLWAY - NORTH OF ROOM 002	F		10 hrs
4	Th	8/14/97		SF	SECOND FLOOR KITCHEN SINK ROOM 013A	F		10 hrs
5	Th	8/14/97		DF	SECOND FLOOR HALLWAY - SOUTH of ROOM-008	F		10 hrs
6	Th	8/14/97		MDF	NORTH/WEST of Bldg (outside) BASKETBALL COURT	F		10 hrs
7	Th	8/14/97		MDF	NORTH/EAST OF Bldg (outside)	F		10 hrs
8	Th	8/14/97		SF	SINK INSIDE OF ROOM B-14 WEST WALL	F		10 hrs
9	Th	8/14/97	5:35 AM	SF	SINK INSIDE OF ROOM B-15 WEST WALL	F		10 hrs

RELINQUISHED BY: [signature]
Date/Time: 8/14/97

RECEIVED BY: [signature]
Date/Time: 8/14/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

P012
NEW TRADITIONS CTR
E.S.

48027

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/30/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD.~~ Rush

SITE: New Tradition Elem.
SITE FILE: Water Sampling
- ☐ Lead

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

INSPECTOR: D. Martinez / Ken Tobler / FIRM QST
WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st - 1st Draw
2nd - 2nd Draw
3rd - 3rd Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	10	SA	8/30/97		N/A	Blank	B		
02	~~11~~ 3A	SA	8/30/97	7:45	DF	First Floor - Hallway, North of Room 002	1st	30sec	
03	~~12~~ 3B	SA	8/30/97	7:46	DF	First Floor - Hallway North of Rm 002	2nd	30sec	
04	~~13~~ 3C	SA	8/30/97	11:50	DF	First Floor Hallway - North of Rm 002	3nd	N/A	4 Hrs

RELINQUISHED BY: [signature]
Date/Time: 8/30/97

RECEIVED BY: [signature]
Date/Time: 8/30/97 2:30pm

1551 Newcomb Ave., Rm-206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

R1-R3
New Traditions ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/22 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NEWCOMER H.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / firm GIST
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
1	FR	8/22/97	0800	Blank	Blank	B			
2	FR	8/22/97	0800	DF	Third Floor Front of Rm-306	F	8/21/97 1400	18hrs	NON-FUNTIONA
3	FR	8/22/97	0800	DF	Second Floor Front of Room 205	F	8/21/97 1400	18hrs	NON-FUNTIONA
4	FR	8/22/97	0800	SF	Second Floor Teacher's Library/Kitchen	F	8/21/97 1400	18hrs	
5	FR	8/22/97	0800	SF	Second Floor Teacher's Library/Kitchen	F	8/21/97 1400	18hrs	
6	FR	8/22/97	0800	DF	First Floor Front of Rm-104	F	8/21/97 1400	18hrs	
7	FR	8/22/97	0800	SF	First Floor Cafeteria Kitchen	F	8/21/97 1400	18hrs	
8	FR	8/22/97	0800	SF	First Floor Cafeteria/Food Area	F	8/21/97 1400	18hrs	
9	FR	8/22/97	0800	DF	First Floor Playground-North/West	F	8/21/97 1400	18hrs	

RELINQUISHED BY: Manuel Luna
Date/Time: 8/22/97

RECEIVED BY: Lou Sanchez
Date/Time: 8/22/97 100 p.m.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

NEWCOMER HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NEWCOMER H.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm AST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	FR	8/22/97	0800	MDF	First Floor L&L Playground - North/East	F	8/21/97 1400	18hrs
11	FR	8/22/97	0800	DF	First Floor Parking Lot South/West	F	8/21/97 1400	18hrs
No-Sample → 12	FR	8/22/97	0800	DF	First Floor Parking Lot South/East	F	8/21/97	18hrs NON-FUNCTION

RELINQUISHED BY: [signature]
Date/Time: 8/22/97

RECEIVED BY: Lorna Sanchez
Date/Time: 8/22/97 1:50 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

P012

NEWCOMER HS

To Chuck Siu 465 9109

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LIW)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NEWCOMER H.S.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. LUNA / firm QST
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A/W	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
8 A	13	W	9/10/97	06:20	SF	First Floor Cafeteria Food Area	F	06:20	30 min
8 B	14	W	9/10/97	06:22	SF	First Floor Cafeteria Food Area	F	06:22	30 min
8 C	15	W	9/10/97	10:30	SF	First Floor Cafeteria Food Area	F	10:30	4 hr
10 A	16	W	9/10/97	06:27	MDF	First Floor Playground North/East	F	06:27	30 min
10 B	17	W	9/10/97	06:29	MDF	First Floor Playground North/East	F	06:29	30 min
10 C	18	W	9/10/97	10:35	MDF	First Floor Playground North/East	F	10:35	4 hr

RELINQUISHED BY: [signature] Date/Time: 9/10/97
RECEIVED BY: Lorna Sneeder Date/Time: 9/10/97

1551 McWcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

PLEASE do NOT ANALYZE (Sample B) Second Sample, IF First Sample (Sample A) is within the Limits - DO ANALYZE sample C

P012

Newcomer HS-Ref

52060

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 01/14/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NEW COMER H.S

☒ Rush ☐

SITE FILE: Water Sampling

☒ Lead

☒ Graphite Furnace AA EPA 239.2 | LEAD

INSPECTOR: N. OWENS / S.F.U.S.D.

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	ORDER	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
01	8A	T	01-13-98	08:50	SF	OFF CAFETERIA	R	30	15HRS	21	
02	8B	U	"				R	30	"	18	
03	8C	E	"				R	0	340 MIN	19	
04	10A	S		09:00	MDF	PLAYGROUND ~~NORTHEAST~~ SOUTH WEST	R	30	15HRS	60	
05	10B	D			"	CORNER NORTH D.F.	R	30	"	60	
06	10C	A			"	"	R	0	313 MIN.	60	
		Y									

RELINQUISHED BY: [signature] Date/Time: 01-14-98

RECEIVED BY: Jonny Chow Date/Time: 1/14/98 @ 120

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

NEWCOMER HS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52169

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 DATE: 1/16/98
510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NEWCOMER H.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	NEWCOMER 8A	F	1/16/98	701	~~S~~F	CAFETERIA		30sec	OVER-NIGHT	N/A
02	NEWCOMER 8B	F	1/16/98	702	~~W~~SF	CAFETERIA		30sec	OVER-NIGHT	↓
03	NEWCOMER 8C	F	1/16/98		SF	CAFETERIA		0sec		
	~~NEWCOMER 10A~~		NON FUNCTIONING							0"
	NEWCOMER 10		FOUNTAIN ONLY DRIBBLES							0"
										0"
OK	NEWCOMER ~~BLANK~~				~~S~~		B			

RELINQUISHED BY: MB
Date/Time: 1.19.98
RECEIVED BY: John Cegan
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

NEWCOMER HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/16/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NORIEGA C.C.

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: Emmanuel / SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	SAT	8/16/97	11:00 AM	Df	ROOM 003 RIGHT HAND CORNER	I	N/A	16 HRS
#2	"	"	11:05	Df	ROOM 003 LEFT HAND CORNER	I	N/A	16 HRS
#3	"	"	11:20	Sf	KITCHEN AREA 003C - NORTH SINK FAUCET	I	N/A	16 HRS
#4	"	"	11:25	Sf	KITHEN AREA 003C - EAST SINK FAUCET	I	N/A	16 HRS
#5	"	"	12:00	Df	ROOM 001 BY NORTHSIDE	I	N/A	17 HRS
#6	"	"	12:10	Df	ROOM 002 JUST BY ENTRANCE DOOR	I	N/A	17 HRS
#7	"	"	12:25	Wf	ROOM 004 NORTHSIDE CORNER	I	N/A	17 HRS
#8	"	"	12:35	Wf	ROOM 005 BY EAST CORNER	I	N/A	17 HRS
#9	"	"	12:40	Wf	ROOM 006 BY NORTH CORNER	I	N/A	17 HRS

RELINQUISHED BY:
Date/Time: 8/16/97 [signature]

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Noriega C.C.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8 / 16 / 97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: NORIEGA C.C.

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: Emmanuel / firm SFUSD

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#10	1st	8/16/97	1:00pm	WF	ROOM 007 By EAST CORNER	I	N/A	18 Hrs
#11	"	8/16/97	1:30pm	DF	SOUTH SIDE of THE YARD (OUTSIDE)	I	N/A	18 Hrs
#12	"	8/16/97	1:40	DF	OUTSIDE YARD BY CORNER OF Room 004 BACKSIDE	I	N/A	18 Hrs
#13	"	8/16/97	2:00	DF	OUTSIDE YARD SOUTH SIDE	I	N/A	18 Hrs.
#14	"	8/16/97	BLANK					
#15	"	8/16/97	2:30	DF	CORRIDER C-90	I	N/A	18 Hrs

RELINQUISHED BY: [signature] 8/16/97
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Noriega C.C

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

47475

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-843-3328 8/15/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: MICRO ANALYTICAL LAB
	PHONE: 510-653-0824
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: John O'Connel HS	FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF; SF Sink Faucet; WF Water Faucet
SITE FILE: WATER SAMPLING ☒ LEAD	SAMPLE TYPE: B — Blank; F — First Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	
WK ORDER: SFUSD Purchase Order	

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	8/15/97	0700	DF	Corridor - Bas't	F	10min.	12hrs
2	"	"	0710	DF	Corridor - Bas't	"	"	"
3	"	"	0720	SF	Class - 7	"	"	"
4	"	"	0730	DF	Corridor - 1st Flr.	"	"	"
5	"	"	0740	SF	Class - 108	"	"	"
6	"	"	0750	SF	Class - 106	"	"	"
7	"	"	0800	SF	Class - 104	"	"	"
8	"	"	0810	SF	Class - 102	"	"	"
9	"	"	0820	DF	Corridor - 1st Flr.	"	"	"
10	"	"	0830	DF	Class - 103	"	"	"
11	"	"	0840	DF	Class - 105	"	"	"
12	"	"	0850	SF	Lounge - 1st Flr	"	"	"
13	"	"	0900	SF	Rm 115 - Bath	"	"	"
14	"	"	0910	SF	Rm 110	"	"	"
15	"	"	0920	DF	Corridor - 1st Flr	"	"	"
16	"	"	0930	SF	Kitchen	"	"	"
17	"	"	0940	SF	Kitchen	"	"	"
18	"	"	0950	SF	Kitchen	"	"	"
19	"	"	0955	DF	Playground	"	"	"
20	—	—	1000	—	BLANK	—	—	—
21								
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: John Cupo
DATE: 8/18/97	DATE: 8/18/97
TIME: 11:07	TIME: 11:07 AM

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Page 1 of 1

O'Connel HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/15/97

SFUSD	LABORATORY: MICRO ANALYTICAL LAB
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	PHONE: 510-653-0824
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: Jose Ortega ES
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Colled DF
SDF Sink DF

SAMPLE TYPE:
B — Blank
F — First Draw
SF Sink Faucet
WF Water Faucet

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	8/15/97	1100	SDF	Class - 100	F	10 min.	12hrs +
2	"	"	1110	SDF	Class - 101	"	"	"
3	"	"	1120	SDF	Class - 102	"	"	"
4	"	"	1130	SDF	Class - 103	"	"	"
5	"	"	1140	DF	Corridor-1st Flr.	"	"	"
6	"	"	1150	DF	Corridor-1st Flr.	"	"	"
7	"	"	1200	DF	Class - 002	"	"	"
8	"	"	1210	DF	Class - 003	"	"	"
9	"	"	1220	DF	Class - 004	"	"	"
10	"	"	1230	DF	Class - 007	"	"	"
11	"	"	1240	DF	Class - 011	"	"	"
12	"	"	1250	DF	Class - 012	"	"	"
13	"	"	1300	DF	Class - 013	"	"	"
14	"	"	1310	DF	Class - 014	"	"	"
15	"	"	1320	DF	~~207A~~ Corridor-2nd Flr.	"	"	"
16	"	"	1330	SF	Rm 207A	"	"	"
17	"	"	1340	SDF	Class - 200	"	"	"
18	"	"	1350	SDF	Class - 202	"	"	"
19	"	"	1400	SDF	Class - 203	"	"	"
20	"	"	1410	SDF	Class - 204	"	"	"
21	"	"	1420	SDF	Class - 205	"	"	"
22	"	"	1430	SDF	Class - 206	"	"	"
23	"	"	1440	DF	Corridor-2nd Flr	"	"	"
24			1450	SF	Lounge - 208A			
25			1500	DF	Cafeteria - 209			

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: John Cifou
DATE: 8/18/97	DATE: 8/18/97
TIME: 11:07	TIME: 11:07 AM

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

JOSE ORTEGA ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/15/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	MICRO ANALYTICAL LAB
	PHONE:	510-653-0824
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Jose Ortega ES
SITE FILE: WATER SAMPLING
☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Colled DF
SDF Sink DF
SF Sink Faucet
WF Water Faucet

SAMPLE TYPE:
B — Blank
F — First Draw

SAMPLE №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
26	F	8/15/97	1510	SF	Kitchen	F	10 min.	12 hrs+
27	"	"	1520	SF	Kitchen	"	"	"
28	"	"	1530	SF	Kitchen	"	"	"
29	"	"	1540	MDF	Playgrand	"	"	"
30	"	"	1550	MDF	Playground	"	"	"
31	—	—	1600	—	Blank	B	—	—
32								
33								
34								
35								
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: Flory Ayon
DATE: 8/18/97	DATE: 8/18/97
TIME: 11:07	TIME: 8:11:07 AM

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

JOSE ORTEGA ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Jose Ortega ES	FIXTURE TYPE:	SAMPLE TYPE:
SITE FILE: WATER SAMPLING ☒ LEAD	DF Drinking Fountain	B: Blank
	MDF Multiple DF	F: 1st Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	WCDF Water-Colled DF	S: Draw after 30 sec. flush
WORK ORDER: SFUSD Purchase Order	SDF Sink DF	T: Draw after 30+30 sec. flush
	SF Sink Faucet	R: Draw after 5 hrs

New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
3 - 1	7	TR	12-11	0930	DF	Class-02	S	30	
3 - 2	7	"	"	0933	"	" "	T	30+30	
3 - 3	12	"	"	0937	DF	Class-12	S	30	
3 - 4	12	"	"	0940	"	" "	T	30+30	
3 - 5	18	"	"	0945	SDF	Class-202	S	30	
3 - 6	18	"	"	0950	"	" "	T	30+30	
3 - 7	20	"	"	0957	SDF	class-204	S	30	
3 - 8	20	"	"	1000	"	" "	T	30+30	
3 - 9	22	"	"	1005	SDF	Class-206	S	30	
3 - 10	22	"	"	1008	"	" "	T	30+30	
~~3 - 11~~	25	"	"	1015	DF	Cafeteria	S	30	NON OP.
~~3 - 12~~	25	"	"	1018	"	" "	T	30+30	
3 - 13	28	"	"	1025	SF	Kitchen	S	30	
3 - 14	28	"	"	1029	"	" "	T	30+30	
3 - 15	7	"	"	1435	DF	Class-02	R	—	5 HRS
3 - 16	12	"	"	1440	DF	class-12	R	—	5 HRS
3 - 17	18	"	"	1444	SDF	Class-202	R	—	5 HRS
3 - 18	20	"	"	1450	SDF	Class-204	R	—	5 HRS
3 - 19	22	"	"	1455	SDF	Class-206	R	—	5 HRS
~~3 - 20~~	25	"	"	1459	DF	Cafeteria	R	—	5 HRS NON OP.
3 - 21	28	"	"	1506	SF	Kitchen	R	—	5 HRS
3 - 22									
3 - 23									
3 - 24									
3 - 25									
3 - 26									

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [signature]
DATE: 12-12-97	DATE: 12-12-97
TIME: 1035	TIME: 10:35

ORTEGA ES

SAME DAY PICKUP

9708015

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/24/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: J. PARKER
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: DF / Fire RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 15 49

	SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1	PM	8/25/97	0730	SF	KITCHEN	F	10 min	36+ hrs
3,4	2			0745	SF	CAFETERIA KITCHEN			
5,6	3			0750	DF	105			
7	4			0755		104			
8	5			0810		103			
9	6			0815		103			
10	7			0820		102			
11	8			0840		102			
12	9			0855		101			

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/25/97

RECEIVED BY: [signature]
Date/Time: 8/25/97 4:20

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

Page 1 of 4

P012

Parker ES

SAME DAY PICKUP

9708015

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling at S. Ann...

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: J. PARKER
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: DE / RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
13	10	SC	8/21/97	0910	DF	101	F	10 min	36+ HR
14	11			0920	DF	PLAYGRD RSWK			
15	12			0940	DF	PLAYGRD RSWK			
16	13			0950	DF	PLAYGRD ABOVE ANCLT			
17	14			1000	DF	WALKWAY 3RD			
18	15			1010	DF	305			
19	16			1015		304			
20	17			1025		303			
21	18			1035		302			

RELINQUISHED BY: Karin Achiocter Date/Time: 8/25/97
RECEIVED BY: [signature] Date/Time: 8/25/97 4:30

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 - L 8-26-97

Page 2 of 4

P012

Parker ES

SAME DAY PICKUP

9708D15

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/25 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: J. PARKER
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: DC / RGB
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 2 5 49

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
22	19	59	8/21/97	1050	DF	301	F	10MIN	+ 36HRS
23	20			1055		WACKWAY 2ND			
24	21			1059		208			
25	22			1110		205			
26	23			1115		204			
27	24			1118		203			
28	25			1125		202			
29	26			1140	SF	201 FACULTY			
30	27			1145	DF	200			

RELINQUISHED BY: Gavin Schroeder
Date/Time: 8/25/97

RECEIVED BY: [signature]
Date/Time: 8/25/97 4:00

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97 [signature] 8/25/97

Page 3 of 4

P012

Parker ES

9708015 **SAME DAY PICKUP**

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ABATEMENT, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/24 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: J. PARKER
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: DR / RGA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 49

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
31	B		8/24/97	—		BLANK	B	—	—
32	#28		—	—	—	SPIKE	S	—	—

97-W00705
19

RELINQUISHED BY: Karin Schroeter Date/Time: 8/25/97
RECEIVED BY: Date/Time: 8/25/97 4:30

1351 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: 8/25/97 W.S. 5-5-97

Page 4 of 4

P012

Parker ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/17/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Rosa Parks ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	TIME	ARCH NEIG
PARKS 1	Th	9/17/98	619	DF	HALL (4th)		0	OVER NIGHT	40s	2.5
PARKS 1A	Th	9/17/98	621	DF	4th HALL		40s		38	2.5
PARKS 1B	Th	9/17/98	224	DF	4th HALL		30s		42	2.5
PARKS 2	Th	9/17/98	629	DF	4th HALL		0	OVER NIGHT	48	2.5
PARKS 2A	Th	9/17/98	629	DF	4th HALL		30s		45	2.5
PARKS 2B	Th	9/17/98	631	DF	4th HALL		30		43	2.5
PARKS 3	Th	9/17/98	635	SF	4th TEACHER'S LOUNGE		0	OVER NIGHT	5	Nu
PARKS 3A	Th	9/17/98	636	SF	4TH TEACHER'S LOUNGE		30		7	
PARKS 3B	Th	9/17/98	637	SF	4TH TEACHERS LOUNGE		30		7	

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 9/17/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ROSA PARKS ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME		
PARKS 4	~~F~~ Th	9/17/98	~~0~~ 944	DF	ROOF / EXT		0	over night	46	2.0
PARKS 4A	Th	9/17/98	~~0~~ 946	DF	ROOF / EXT		46		45	2.0
PARKS 4B	Th	9/17/98	947	DF	ROOF / EXT		+30			
PARKS 5	Th ~~F~~	9/17/98	~~0~~ 654	DF	3RD HALL		0	over night	40	3.5
PARKS 5A	Th	9/17/98	655	DF	3RD HALL		40		42	
PARKS 5B	Th	9/17/98	656	DF	3RD HALL		+30		39	
PARKS 6	Th ~~F~~	9/17/98	701	DF	3RD HALL		0	over night	~~53~~ 48	2.0
PARKS 6A	Th	9/17/98	702	DF	3RD HALL		~~53~~ 48		~~53~~ 48	
PARKS 6B	Th	9/17/98	704	DF	3RD HALL		+30		47	

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600
510-653-0824
DATE: 9/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Rosa Parks ES

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: [illegible] / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME		
PARKS 7	F	9/17/98	707	DF	2ND HALL		0	over night	33	4
PARKS 7A		9/17/98	708	DF	2ND HALL		33		32	4
PARKS 7B		9/17/98	710	DF	2ND HALL		+30		31	4
PARKS 8	F	9/17/98	717	DF	2ND HALL		0	over night	35	3.7
PARKS 8A		9/17/98	716	DF	2ND HALL		35		38	3.7
PARKS 8B		9/17/98	718	DF	2ND HALL		+30		37	3.7
PARKS 9		9/17/98	726	DF	2ND HALL AUDITORIUM		0	over NIGHT	46	2.25
PARKS 9A		9/17/98	725	DF	2ND HALL AUDIT.		46		45	
PARKS 9B		9/17/98	727	DF	2ND HALL AUDIT		+30		41	

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ROSA PARKS ES
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: [illegible] / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	FILL TIME	ARI HCK
PARKS 10	Th	9/17/98	738	DF	1ST cafeteria		0	over night	35	3'
PARKS 10 A	Th	9/17/98	739	DF	1ST CAFETERIA		35		36	
PARKS 10B	Th	9/17/98	742	DF			+30		38	
☆ PARKS 11	Th	9/17/98	744	MSF	1ST KITCHEN		0	over night?	10	NA
PARKS 11A	Th	9/17/98	745	MSF	1ST KITCHEN		30		9	
PARKS 11B	Th	9/17/98	747	MSF	1ST KITCHEN		30		8	
PARKS 12	Th	9/17/98	749	SF	1ST TEACHERS EATING		0	over night	8	NA
PARKS 12A	Th	9/17/98	750	SF	1ST TEACHERS EATING		30		8	
PARKS 12B	Th	9/17/98	752	SF	1ST TEACHERS EATING AREA		30		7	
PARKS BLANK		9/17/98	810	NA	NA	B	NA	NA		

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Peabody ES
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: R. Williams / SFUSD
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOUSE TIME
#1	8-23-97	1:30pm	DF	Rm 4	F	—	11 hrs+
#2	"	"	DF	Rm 3	F	—	"
#3	"	"	DF	Rm 5	F	—	"
#4	"	"	DF	Rm 6	F	—	"
#5	"	"	DF	Corridore 1st floor	F	—	"
#6	"	"	DF	Rm 8	F	—	"
#7	"	"	DF	Rm 7	F	—	"
#8	"	"	DF	Rm 10	F	—	"
#9		"	DF	Rm 9	F	—	"

RELINQUISHED BY: Ray Williams
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Peabody ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDW)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3310.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Peabody ES

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: R. Williams SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#10	SAT	8-23-97	2:10	DF	Rm 11	F	—	11+hrs
#11	"	"	2:14	DF	Rm 12	F	—	"
#12	"	"	2:19	DF	Lobby 2nd floor	F	—	"
#13	"	"	2:22	SF	Teachers Lunch Room	F	—	"
#14	"	"	2:25	MDF	upper yard	F	—	"
#15	"	"	2:30	DF	K-1/Rm 2	F	—	"
#16	"	"	2:35	DF	Rm 1	F	—	"
#17	"	"	2:40	DF ~~MDF~~	~~[illegible]~~ outside Rm 2	F	—	"
#18	"	"	~~2:45~~	MDF	Lower Yard	F	~~—~~	~~—~~

RELINQUISHED BY: Ray Williams
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

page 2 of 3

Peabody ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to Lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA (MICROANALYTICAL)

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Peabody ES

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: L. William / SFUSD

WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NO USE TIME
#19	Sat	8-23-97	—	—	—	B	—	—
#20	"	"	2:50	DF	Principals office	F	—	11 hrs

RELINQUISHED BY: Ray Wells
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Peabody ES

49315

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Peabody ES /CC
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: R. Williams / Firm SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DATA SHEET	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
01	~~1-A~~		10-4-97	11:25am	DF	Rm 3	R	30 sec	12+hrs	35 sec	5"
02	~~1-B~~	"	"	11:27am	"	"	"	30 sec	"	35 sec	"
C03	~~1-C~~	"	"	5:15pm	"	"	"	Ø	"	35 sec	"
A04	~~2-A~~	"	"	11:32am	"	Rm 9	R	30 sec	"	53 sec	2"
B05	~~2-B~~	"	"	11:35am	"	"	"	30 sec	"	52 sec	"
C06	~~2-C~~	"	"	5:20pm	"	"	"	Ø	"	52 sec	"
A07	~~3-A~~	"	"	11:40am	"	Lobby 2nd Floor	R	30 sec	"	45 sec	3"
B08	~~3-B~~	"	"	11:45am	"	"	"	30 sec	"	45 sec	"
C09	~~3-C~~	"	"	5:23pm	"	"	"	Ø	"	45 sec	"

RELINQUISHED BY: Ray Williams
Date/Time: 10-6-97

RECEIVED BY: [illegible]
Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Peabody ES-Ret.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Peabody ES /CC

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: R. Williams Firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
15A 10	~~4-A~~	Sat	10-4-97	11:50am	DF	K-1/Rm2	R	30 sec	12+hrs	70 sec	1"
15B 11	~~4-B~~	"	"	11:55	"	"	"	30 sec	"	70 sec	"
15C 12	~~4-C~~	"	"	5:10pm	"	"	"	Ø	"		

RELINQUISHED BY: Ray Williams
Date/Time: 10-6-97

RECEIVED BY: [signature] 10/7/97
Date/Time: 5:30PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Peabody ES - Ret

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS
POTRERO Hill – J.H

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: POTRERO Hill J.H.
SITE FILE: Water Sampling – ☒ Lead
INSPECTOR: M.LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Blank -- 1	SA	8/23/97	0800	Blank	~~Second Floor~~ ~~outside Rm-203~~ Blank	Blank	8/22/97 1000	22hrs
2	SA	8/23/97	0800	DF	SECOND Floor OUTSIDE Rm-203	F	8/22/97 1000	22hrs
3	SA	8/23/97	0800	DF	SECOND Floor OUTSIDE Rm-217A	F	8/22/97 1000	22hrs
4	SA	8/23/97	0800	DF	Third Floor ACROSS Rm-310	F	8/22/97 1000	22hrs
5	SA	8/23/97	0800	DF	Third Floor OUTSIDE Rm-581	F	8/22/97 1000	22hrs
6	SA	8/23/97	0800	SF	Third Floor FACULTY LOUNGE Rm-307	F	8/22/97 1000	22hrs
7	SA	8/23/97	0800	SF	FIRST Floor CAFETERIA KITCHEN	F	8/22/97 1000	22hrs
8	SA	8/23/97	0800	SF	FIRST FLOOR CAFETERIA KITCHEN	F	8/22/97 1000	22hrs
9	SA	8/23/97	0800	SF	First Floor CAFETERIA KITCHEN	F	8/22/97 1000	22hrs

RELINQUISHED BY: [signature] Date/Time: 8/23/97
RECEIVED BY: [signature] Date/Time: 8/23/97 11:50 p.m

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

POTRERO HILL JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS
Potrero Hill - J.H

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill J.H
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: M. LUNA Firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	SA	8/23/97	0800	SF	First Floor Cafeteria-Kitchen	F	8/22/97 1000	22hrs
11	SA	8/23/97	0800	SF	First Floor Cafeteria Kitchen	F	8/22/97 1000	22hrs
12	SA	8/23/97	0800	DF	First Floor outside - Room-108	F	8/22/97 1000	22hrs
13	SA	8/23/97	0800	MDF	First Floor outside of Bldg-of Rm-101	F	8/22/97 1000	22hrs
14	SA	8/23/97	0800	DF	Basement Floor Girl's Gym Bathroom -	F	8/22/97 1000	22hrs
15	SA	8/23/97	0800	MDF	Basement Level outside Gym-Boy's Room	F	8/22/97 1000	22hrs
16	SA	8/23/97	0800	DF	First Floor Gymnasium North/West	F	8/22/97 1000	22hrs
17	SA	8/23/97	0800	DF	First Floor Gymnasium North/East	F	8/22/97 1000	22hrs
18	SA	8/23/97	0800	MDF	First Floor outside Gymnasium Room-130	F	8/22/97 1000	22hrs

RELINQUISHED BY: [signature] Date/Time: 8/23/97
RECEIVED BY: [signature] Date/Time: 8/23/97 11:50 A.M.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

POTRERO HILL JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS
Potrero Hill - J.H.

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill J.H
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: M. LUNA / FIRM: QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	SA	8/23/97	0800	MDF	Basement Level outside of Rm. 030D	F	8/22/97 1000	22hrs
20	SA	8/23/97	0800	DF	First Floor inside Room - 103	F	8/22/97 1000	22hrs
21	SA	8/23/97	0800	DF	First Floor inside Room - 104	F	8/22/97 1000	22hrs
22	SA	8/23/97	0800	DF	First Floor inside Room - 105	F	8/22/97 1000	22hrs
23	SA	8/23/97	0800	DF	First Floor inside Room 106	F	8/22/97 1000	22hrs
24	SA	8/23/97	0800	DF	First Floor outside Room 103	F	8/22/97 1000	22 hrs

RELINQUISHED BY: [signature]
Date/Time: 8/23/97

RECEIVED BY: [signature]
Date/Time: 8/23/97 11:50 AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

POTRERO HILL JH

(49220)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill . J.H.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. Luna / Firm QST
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	14A	F	10/3/97	07:00	DF	BASEMENT LVL Girl's Gym Bathroom	F	07:10	30 secs	1½" 5s
02	14B	F	10/3/97	07:00	DF	BASEMENT LVL Girl's Gym Bathroom	F	07:12	30 secs	
03	14C	F	10/3/97	11:45 ~~07:00~~	DF	BASEMENT LVL Girls Gym Bathroom	F	11:50	4 hrs	
04	17A	F	10/3/97	07:00	DF	First Floor Gymnasium North/East	F	07:25	30 secs	3" 20 s
05	17B	F	10/3/97	07:00	DF	First Floor Gymnasium - North/East	F	07:27	30 secs	
06	17C	F	10/3/97	11:45	DF	First Floor Gymnasium North/East	F	12:10	4 hrs	
07	18A	F	10/3/97	07:00	MDF	First Floor Outside Gymnasium Room - 130	F	07:40	30 secs	
08	18B	F	10/3/97	07:00	MDF	First Floor Outside Gym - Room - 130	F	07:42	30 secs	
09	18C	F	10/3/97	11:45	MDF	First Floor Outside Gym Room - 130	F	12:15	4 hrs	

RELINQUISHED BY: [signature] Date/Time: 10/3/97
RECEIVED BY: [signature] Date/Time: 10/3/97 1425 hrs

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Potrero Hill J H - Ret

(49220)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill J.H.

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: M. Luna / Q/ST

WORK ORDER #: SFUSD PO

[ ] [ ] [ ]

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10 Blank	F	10/3/97	/	/	Blank	/	/	/

RELINQUISHED BY: Manuel Luna
Date/Time: 10/3/97

RECEIVED BY: Peter Ngan
Date/Time: 10/3/97 1425 hrs

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Potrero Hill JH - Ret.

52059

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 01/14/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: POTRERO HILL
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: DUENS / S.F.U.S.D.
WORK ORDER #: SFUSD PO

☐ Flush ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Reigh
01	21A		01-13-97	09:57	D.F.	Rm 104	R	30	?	24sec	
02	21B							30			
03	21C							0	315 min		
04	22A		01-13-97	09:57	D.F.	Rm 105	R	30	?	23sec	
05	22B							30			
06	22C							0	314 min		
07	23A		01-13-97	09:45	D.F.	Rm 106	R	30	?	24sec	
08	23B							30			
09	23C							0	315 min		

RELINQUISHED BY: [signature] Date/Time: 01-14-97 13:00
RECEIVED BY: Lorin Chow Date/Time: 1/14/98 @ 120

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

** NOTE: THIS DRINKING FAUCETS USED ONCE IN A GREAT WHILE IF AT ALL. NO STUDENTS IN THIS ROOM!

POTRERO HILL JH RETUR

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

52164

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 1/17/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: POTRERO HILL JH
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
01	POTRERO HILL 21A	Sat	1/17/98	758	DF	104		30s	OVER NIGHT	2"
02	POTRERO HILL 21B	Sat	1/17/98	759	DF	~~105~~ 104		30s	OVER NIGHT	2"
03	POTRERO HILL 21C	Sat	1/17/98	1247	DF	~~106~~ 104		0s		2"
04	POTRERO HILL 22A	Sat	1.17.98	806	DF	105		30s	Over NIGHT	2.5"
05	POTRERO HILL 22B	Sat	1.17.98	807	↓	105		30s	"	2.5"
06	POTRERO HILL 22C	Sat	1.17.98	1250	↓	105		0s		2.5"
07	POTRERO HILL 23A	Sat	1.17.98	804	DF	106		30s	OVER NIGHT	3"
08	POTRERO HILL 23B	Sat	1.17.98	805	↓	106		30s	"	3"
09	POTRERO HILL 23C	Sat	1.17.98	~~1247~~ 1253	↓	106		0s		3"

RELINQUISHED BY: MB
Date/Time: 1.19.98

RECEIVED BY: John Cipper
Date/Time: 1/19/98

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

POTRERO HILL JH

48315

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill J.H.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: M. LUNA / Firm QST

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01 A	~~25~~ 13A	T	9/9/97	07:00	MDF	First Floor outside of Bldg of Rm 101	F	07:00.3 30 secs	30 secs	13
02 B	~~26~~ 13B	T	9/9/97	07:01	MDF	First Floor outside of Bldg of Rm-101	F	07:01 30 secs	2 minutes	
03 C	~~27~~ 13C	T	9/9/97	11:05	MDF	First Floor outside of Bldg of Rm-101	F	30 secs 11:05	4 hrs	
04 A	~~28~~ 15A	T	9/9/97	07:20	MDF	Basement Level-outside Gym Boys Rm-	F	07:20.3 30 sec	30 sec	15
05 B	~~29~~ 15B	T	9/9/97	07:21	MDF	Basement Level-outside Gym- Boys Rm	F	07:21.3 30 sec	1 minute	
06 C	~~30~~ 15C	T	9/9/97	11:21	MDF	Basement Level-outside Gym. Boys Rm	F	11:21 30 sec	4 hrs	
07 A	~~31~~ 16A	T	9/9/97	07:15	DF	First Floor Gymnasium- North/West	F	07:15.3 30 sec	30 sec	16
08 B	~~32~~ 16B	T	9/9/97	07:16	DF	First Floor Gymnasium North/West	F	07:16 30 sec	2 min.	
09 C	~~33~~ 16C	T	9/9/97	11:17	DF	First Floor Gymnasium North/West	F	11:17 30 sec	4 hrs	

RELINQUISHED BY: [signature]
Date/Time: 9/9/97

RECEIVED BY: [signature]
Date/Time: 9/9/97 @ 1:50pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

NOTE: IF FIRST Sample (A) comes in below THE Allowed Limit, PLEASE do NOT sample the second sample (B)

P012

Potrero Hill JH

48315

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 5/97

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Potrero Hill J.H.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / firm QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
~~34~~ 20A	T	9/9/97	07:31	DF	First Floor inside Rm-103	F	07:32	30 sec
~~35~~ 20B	T	9/9/97	07:33	DF	First Floor inside Rm-103	F	07:33	1 min ~~30 sec~~
~~36~~ 20C	T	9/9/97	11:35	DF	First Floor inside Rm-103	F	30 min 11:35	4 hrs
~~37~~ 21A	T	9/9/97		DF	First Floor inside Rm 104	F	This Room is no long	
~~38~~ 21B	T	9/9/97		DF	First Floor inside Rm-104	F	used as a classroom is part of the Techn	
~~39~~ 21C	T	9/9/97		DF	First Floor inside Rm-104	F	logy Department Room-Intrac	
~~40~~ 23A	T	9/9/97		DF	First Floor inside Rm-106	F	This Room is no long	
~~41~~ 23B	T	9/9/97		DF	First Floor inside Rm 106	F	used as a classroom is part of the Techn	
~~42~~ 23C	T	9/9/97		DF	First Floor inside Rm-106	F	logy Department	

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [signature]
Date/Time: 9/9/97 1:50 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012
Potrero Hill JH

#52533

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: ~~(C) 650-364-9600~~ ~~(M) 510-653-0824~~ DATE: 1/31/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: POTRERO HILL
SITE FILE: Water Sampling
~~Lead~~
INSPECTOR: MB / FIRM SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank ONE OVER NIGHT
I - Initial
R - Resample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
01	POTRERO HILL 13A	Sat	1/31/98	1352	MDF	YARD	R	30	ON	24	2"
02	POTRERO HILL 13B			1354	MDF		R	30		25	2"
03	POTRERO HILL 13C			1800	MDF		R	0		26	2"

RELINQUISHED BY: [signature] Date/Time: 2-2-98 10:35am
RECEIVED BY: [signature] 2/2/98 Date/Time: 2-2-98 10:35am

Page 1 of 1

POTRERO HILL JH

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

52568

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE:
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: POTRERO HILL
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: / Firm
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
POTRERO HILL 15A/6A	Mo	2/2/98	6:42	MDF	YARD	R	30	ON	23	2"
POTRERO HILL 15B/6B	Mo	2/2/98	6:43			R	30		24	2"
POTRERO HILL 15C/6C	Mo	2/2/98	16:29			R	0		26	2"

RELINQUISHED BY: JT
Date/Time: 2/3/98 10:20

RECEIVED BY: [signature]
Date/Time: 2/3/98 10:20

Page 1 of 1

POTRERO HILL JH

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: Potrero Hill Neighborhood House
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF; SF Sink Faucet; WF Water Faucet

SAMPLE TYPE: B — Blank; F — First Draw

SAMPLE №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W	10-29-97	0840	SF ~~SDF~~	Kitchen Downstairs	F		
2	"	"	0845	DF	Corridor	"		
3	"	"	0850	SF	Kitchen-up	"		
4	"	"	0855	SF	Dining Hall	"		
5	"	"	0900	–	BLANK	"		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 10-29-97	DATE: 10/29/97
TIME: 1550	TIME: 1550

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Potrero Hill Neighborhood House

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan, SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Presidio CC

SITE FILE: Water Sampling
Site #7 - ☒ Lead

INSPECTOR: J. Garrison / Firm SES

WORK ORDER #: SFUSD PO

☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
7-1	SAT	8/23/97	4:10	SF	Room #1/Kitchen faucet	F	15min	23hrs
7-2	↓	↓	4:15	SF	Room #2/Kitchen faucet	↓	↓	↓
7-3	↓	↓	4:20	DF	corridor adjacent to room 3+4	↓	↓	↓
7-4	↓	↓	4:22	SDF	Room #4 sink drinking fountain	↓	↓	↓
7-5	↓	↓	4:28	SDF	Room #3 sink / drinking fountain	↓	↓	↓
7-6	↓	↓	4:30	SF	sink fountain in main kitchen	↓	↓	↓
7-7	↓	↓	4:32	SF	sink fountain in main kitchen adjacent to stove	↓	↓	↓
7-8	↓	↓	4:34	SF	sink fountain in employee breakroom	↓	↓	↓
7-9	✓	✓	4:37	SDF	Room #5 sink drinking fountain	✓	✓	✓

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio CC

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-3600 (M) 510-653-0824 DATE: 4/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Presidio CC
SITE FILE: Water Sampling
Site #7 - ☒ Lead
INSPECTOR: J. Garrison / SES
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
7-10	Sat	8/23/97	4:39	SDF	Room #5 and adj to activity room	F	15 min	23 hrs
7-11			4:40	SDF	Room #12 sink drinking fountain			
7-12			4:42	SF	Room #12 ~~drin~~ sink fountain closer to activity room			
7-13			4:43	SDF	Room #10 sink drinking fountain			
7-14			4:44	SDF	Room #7 sink drinking fountain			
7-15			4:45	SDF	Room #9 sink drinking fountain			
7-16			4:46	SDF	Room #8 sink drinking fountain			
7-17			4:48	DF	Outside d.f. adj to room 11			
7-18	✓	✓	4:49	DF	outside d.f. adj to Room #5	✓	✓	✓

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio CC

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SFE

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 **DATE:** 6/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Presidio CC

SITE FILE: Water Sampling
site #7 - [X] Lead

INSPECTOR: J. Gannon / Ellen SES

WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
7-19	SAT	6/23/97	4:51	DF	outside of adj. to Room 5	F	15 min	23 hrs
7-20			4:54	DF	Drinking Fount in	F*		
Blank								

Spike 97-W00760-1

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio CC

50560

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SAP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

5

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 11/6/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Presidio CC
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: J. Gardner SCI Firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	RFC	Fill Time
01	7-17A	Th	11/6/97	7:20	DF	~~outside~~ DF outside Room 11	1st draw	30sec	~18hrs	½"	4
02	7-17B	↓	↓	7:24	↓	↓	2nd draw	30sec	↓	½"	4
03	7-17C	↓	↓	1:00pm	↓	↓	3rd draw	NA	5½hrs	0"	60 fz
04	7-19A	↓	↓	7:27	↓	Drinking fountain outside Room 5	1st draw	30sec	~18hrs	¾"	30
05	7-19B	↓	↓	7:30	↓	↓	2nd draw	30sec	↓	¾"	30
06	7-19C	↓	↓	1:05	↓	↓	3rd draw	NA	5½hrs	½"	45
07	Spike 1			1:20	spike	97WQ0-7-1-8	S				
08	Blank-1			1:25			B				

RELINQUISHED BY: [signature]
Date/Time: 11/11/97

RECEIVED BY: [signature]
Date/Time: 11-11-97 1:30pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

X samples 7-17A, B, and C bottles only filled approx ½ half way. 7-19A, B, and C bottles filled ¾ full

Page 1 of 1

PRESIDIO CC - RETURN

72165

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

struction to lab: Fax results ONLY to:
Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-465-9109

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: / MICROANALYTICAL

PHONE: 650-364-9600
510-653-0824

DATE: 8 / 10 / 99

TURNAROUND TIME: 8/26/99 12 PM

DO NOT ANALYZE 2ND SAMPLE AND BLANK, UNTIL INSTRUCTED

☐ ☐ PROJECT # B-3581

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE: PRESIDIO CC

SITE FILE: Water Sampling
☑ Lead

INSPECTOR: SCA / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

(S) - SECONDS
(IN) - INCHES

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	SAMPLE TIME (S)	AS H
PRESIDIO 17 1	TU	8/10	0630A	DF	OUTSIDE ADS. TO RM 11	1ST	0	> 6H	40	
PRESIDIO 17 1	"	"	"	"	" "	2ND	30	"	"	
PRESIDIO 3 1	"	"	"	DF	CORRIDOR ADS. TO RM. 3	1ST	0	"	45	
PRESIDIO 3 1	"	"	"	"	" "	2ND	30	"	"	
PRESIDIO 12 1	"	"	"	SDF	RM. 12 ACT. RM.	1ST	0	"	35	
PRESIDIO 12 1	"	"	"	"	" "	2ND	30	"	"	
PRESIDIO BL 1					BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time: 8.12.99 @ 2:00pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA (MICROANALYTICAL)
PHONE: (S) 650-364-9600 DATE: 8/26/97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PRESIDIO M.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: Emmanuel / SFUSD
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	TUE	8/26/97	6:30 am	MDF	OUTSIDE LOWER YARD	I	N/A	12 Hrs
#2	TUE	8/26/97	6:36	MDF	OUTSIDE YARD BY STAIRWAY	I	N/A	12 Hrs
#3	"	8/26/97	6:40	DF	CORRIDOR C90 Southside 1st floor	I	N/A	12 Hrs
#4	"	8/26/97	6:40	DF	CORRIDOR C90 NORTHSIDE 1ST. FLOOR	I	N/A	12 Hrs
#5	"	8/26/97	6:40	DF	CORRIDOR C90 Southside 2nd. FLOOR	I	N/A	12 Hrs
#6	"	8/26/97	6:45	DF	CORRIDOR C90 NORTHSIDE 2nd FLOOR	I	N/A	12 Hrs
#7	"	8/26/97	6:50	DF	CORRIDOR C90 SOUTHSIDE THIRD FLOOR	I	N/A	12 Hrs
#8	"	8/26/97	6:58	DF	CORRIDOR C90 Northside THIRD FLOOR	I	N/A	13 Hrs
#9	"	8/26/97	7:02	SF	Kitchen Room 213, 2nd. floor	I	N/A	13 Hrs

RELINQUISHED BY: Emmanuel Pro 8/26/97
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PRESIDIO M.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: [illegible] / SFUSD (Firm)

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY-TIME	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
# 10		8/26/97	7:10	SF	Kitchen Room 213, SECOND floor	I	N/A	13 Hrs
# 11	"	8/26/97	7:20	SF	Kitchen Room 213 2nd. floor	I	N/A	13 Hrs
# 12	"	8/26/97	7:25	DF	ROOM 230 2nd. floor	I	N/A	13 Hrs
# 13	"	8/26/97	7:29	DF	CORRIDOR C-95, 1st floor	I	N/A	13 Hrs
# 14	"	8/26/97	7:35	DF	AREA 147A FIRST FLOOR	I	N/A	13 Hrs
# 15	"	8/26/97		BLANK		I	N/A	13 Hrs
# 16	"	8/26/97	7:40	DF	Room 021 Basement	I	N/A	
~~# 17~~	~~"~~	~~8/26/97~~				I	N/A	

RELINQUISHED BY: [signature] Date/Time: 8/26/97

RECEIVED BY: Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio MS

49321

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PRESIDIO M.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: Emmanuel / Firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill time	Arch Heigh
01	#1 A	SAT	10/4/97	9:05 a.m.	Df	Room 147A first floor	R	30 seconds	15 Hrs	1 Min.	3"
02	#1 B	"	"	9:07	Df	" "	R	30 seconds	15 Hrs	1 min	3"
03	#1 C	"	"	2:30	Df	" "	R	0	6 Hrs	1 Min	3"
04	#2 A	"	"	9:15	Df	CORRIDOR C-90, 1st floor	R	30 seconds	15 Hrs	50 secs	3"
05	#2 B	"	"	9:20 p.m.	Df	" "	R	30 seconds	15 Hrs	50 secs	3"
06	#2 C	"	"	2:35 p.m.	Df	" "	R	0	6 Hrs	50 secs.	3"
07	#3 A	"	"	9:35	Df	CORRIDOR C-90, 2nd floor	R	30 seconds	15 Hrs	50 secs	2"
08	#3 B	"	"	9:37	Df	" "	R	30 seconds	15 Hrs	50 secs.	2"
09	#3 C	"	"	2:40 P.M	Df	" "	R	0	6 Hrs	50 secs.	2"

RELINQUISHED BY: [signature] Date/Time: 10/4/97

RECEIVED BY: [signature] Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio MS - Ret.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/04/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PRESIDIO M.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: Emmanuel / SFUSD Firm

WORK ORDER #: SFUSD PO

☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
R - Re-Sample

	SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill time	Arch Height
10	#4A	10/4/97	10:00	DF	CORRIDOR C-90, 3rd floor		30 seconds	16 HRS	1 min	1"
11	#4B	"	"	10:05	DF	" "		30 seconds	16 HRS	1 min	1"
12	#4C	"	"	3:00 P.M.	DF	" "		0	7 HRS	1 min	1"

RELINQUISHED BY: Date/Time: 10/4/97

RECEIVED BY: Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Presidio MS-Ret.

51849

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 01/06/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PRESIDIO MS
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Neil / SFUSD
WORK ORDER #: SFUSD PO

☑ Flush ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
ST-Sink Faucet
WT-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONITOR TIME	fill time	Arch Height
01	5A	T	01-06-97	08:15	DF	CORRIDOR C90 SOUTHSIDE	R	30	15 kPa	32sec	
02	5B	H	"		DF	2ND FLOOR	R	30		"	
03	5C	E S.	"	14:05	DF		R	~~0~~		32sec	
04	14A	D	01-06-97	07:20 08:00	DF	AREA 147A FIRST FLOOR OFFICE	R	30	15 kPa	40sec	
05	14B	A	"		DF	Locker Room	R	30		40sec	
06	14C	Y	"	14:00	DF	"	R	~~0~~			
	7A					*NOTE*					
	7B					Faucet Removed					
	7C										

RELINQUISHED BY: [signature]
Date/Time: 01-06-97 1900

RECEIVED BY: [signature]
Date/Time: 1/6/98

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

PRESIDIO MS - RETURNS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23 /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: REDDING ELEM / PK / CC

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1 RE		8/23/97	0920	MDF	OUTSIDE PLAYGROUND	F	10 MIN	36+ HR
2		"	0931	MDF	"	"		
3		"	0942	MDF	"	"		
4		"	0954	MDF	"	"		
5		8/25	0910	SF	FACILITY ROOM			
6		8/25	0920	SF	KITCHEN			
7		8/25	0935	DF	2ND FLR Hallway			
8		8/25	0950	DF	2ND FLR Hallway			
9		8/25	1005	DF	3RD FLR Hallway			

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/26/97

RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Redding P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/25/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Redding E/PH/CC

SITE FILE: Water Sampling - ☑ Lead

INSPECTOR: DR / Firm RGA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
~~8~~ 10		8/25/97	–		BLANK	B	+	
11	→				SPIKE	S		

RELINQUISHED BY: Karin Schroeter
Date/Time: 8/26/97

RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:30pm.

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Redding P012

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49289

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: REDDING	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: R. Richards FIRM: RCA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	812A		10-3	0720	DF	2ND FL. HALLWAY	F	30	11-12 hrs.	3"-35sec
02	812B		↓	0725	↓	↓	2ND	30	↓	3"
03	812C		↓	1200	↓	↓	3RD	0	4-6	3"-30sec
04	13B		10-3		—	BLANK	B	—	—	

RELINQUISHED BY: K Johnson Date / Time: 10/7/97	RECEIVED BY: Julie Swing Date / Time: 10/7 @ 2:48pm
1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5300	

Page 1 of 1

Redding ES-Ret.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PAUL REVERE & ANNEX

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: WRL / firm RGA

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		8-26	0759	SDF	Room 214	F	>10 min	36+ HRS
2		8-26	0801	SDF	Room 215	F	>10	
3		8-26	0805	SDF	Room 213	F		
4		8-26	0807	SDF	211	F		
5		8-26	0810	SDF	209	F		
6		8-26	0812	DF	2nd floor Hall	F		
7		8-26	0814	SDF	208	F		
8		8-26	0816	SDF	207	F		
9		8-26	0817	SDF	205	F		

RELINQUISHED BY: Karin Atwater Date/Time: 8/26/97

RECEIVED BY: [illegible] Date/Time: 08/26/97 @ 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Revere 2012

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: 8/26 /97
M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PAUL Revere & ANNEX
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: WRL / RGA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10		8-26	0819	SDF	203	F	>10 min	36+ HRS
11		8-26	0821	SDF	201	F		
12		8-26	0823	SDF	202	F		
13		8-26	0827	SDF	210	F		
14		8-26	0837	DF	1st floor Hall	F		
15		8-26	0839	MDF	PlayYARD	F		
16		8-26	0859	—	—	B	—	—
17		~~ANNEX~~ 8-26	0902	SDF	ANNEX 116	F	10+ min	36+ HRS
18		8-26	0904	SDF	ANNEX 105	F		

RELINQUISHED BY: Karen Ashcraft
Date/Time: 8/26/97
RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Revere 012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: PAUL REVERE + ANNEX

SITE FILE: Water Sampling
- ☑ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	T	8-26	0907	SDF	ANNEX 106	F	>10min	36+ HRS
20	T	8-26	0910	SDF	ANNEX 113	F	>10	
21	T	8-26	0918	SDF	ANNEX 121	F	>10	
22	T	8-26	0919	SDF	ANNEX 122	F	>10	
23	T	8-26	0921	SDF	ANNEX 114	F	>10	
24	T	8-26	0925	SDF	ANNEX 115	F	>10	
25	T	8-26	0936	SF	ANNEX Office	F	>10	
26	T	8-26	11:55	SDF	ANNEX Rm. 211	F	10 min	36+ HRS
27	T	8-26	12:00	SDF	ANNEX Rm 201	F	10 min	

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/26/97

RECEIVED BY: [illegible]
Date/Time: 8/26/97 @ 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Revere

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Paul Revere Annex

SITE FILE: Water Sampling - ☐ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	T	8/26	12:05	SDF	Annex Rm 212	F	10 min	36+ HRS
29			12:07	SDF	Annex Rm 202	F	10 min	
30			12:10	SDF	Annex Rm 209			
31			12:15	SDF	Annex Rm 217			
32			12:20	SF	Faculty Room			
33			12:25	MDF	Playground			
34			12:28	MDF	Annex Hallway			
35			—	—	Spike ~~[illegible]~~	S	—	→

RELINQUISHED BY: Karin Schroeder Date/Time: 8/26/97

RECEIVED BY: [illegible] Date/Time: 8/26/97 4:30 pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5000

Reverse

78049

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:

PHONE: DATE: 9/1/97

TURNAROUND TIME: ☑ 3-5 Days

SITE: Rooftop ES

☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling ☑ Lead

INSPECTOR: M. Brockham

WORK ORDER #:

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
01	1	M	9/1/97	11:15 am	DF	C-90 (S) 1st Floor	I		24h
02	2			11:25 am	DF	C-90 (Mid) 1st Floor	I		24h
03	3			11:29 am	DF	C-90 1st Flr. (N)	I		24h
04	4			11:34 am	SF	Teacher's Lunch Room R-104	I		24h
05	5			11:39 am	SF	Kitchen R-110 A	I		24h
06	6			11:44 am	DF	C-90 (S) Basement Level	I		24h
07	7			11:48 am	DF	007	I		24h
08	8			11:54 am	DF	005	I		24h
09	9			11:59 am	DF	C-91 Basement Level	I		24h

RELINQUISHED BY: [illegible]
Date/Time: 9/2/97 12:12 pm

RECEIVED BY: [illegible]
Date/Time: 9-2-97 2:00 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Lot #

1 of 2

Rooftop ES

48049

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY:

PHONE: DATE: 9/1/97

TURNAROUND TIME: ☑ 3-5 Days

SITE: Rooftop ES

☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling ☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

INSPECTOR: M. Bradshaw

WORK ORDER #:

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
10	M	9/1/97	12 05 pm	DF	C-90 (N) Basement Level	I		24h
11			12 10 pm	MDF	Ext. Yard East Yard (Fence)	I		24h
12			12 16 pm	MDF	Ext. Yard West Yard (Fence)	I		24h
13			12 23 pm	MDF	Ext. Yard West Yard (Ar. Bus)	I		24h
14			—	—	—	B		—

RELINQUISHED BY: [signature]
Date/Time: 9/2/97 12 12 pm

RECEIVED BY: [signature]
Date/Time: 8-2-97 2:00 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

2 of 2
Rooftop ES

49318

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MicroAnalytical
PHONE: DATE: 10/4/97
TURNAROUND TIME: ☑ 3-5 Days

SITE: Rooftop MS
SITE FILE: Water Sampling ☑ Lead
INSPECTOR: M. Bradsh
WORK ORDER #:

☑ Graphite Furnace AA — LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
01		Sat	10/4/97	137 pm	MDF	Roof	I	N/A	20h
02	2			147 pm	DF	R-203	I		
03	3			154 pm	DF	R-201	I		
04	4			—	—	—	B		—

RELINQUISHED BY: [signature] Date/Time: 10/4/97 935 am
RECEIVED BY: [signature] Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1 of 1

Rooftop MS

50108

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE: DATE: 10/28/97
TURNAROUND TIME: ☑ 3-5 Days

SITE: Rooftop MS
☑ Graphite Furnace AA — LEAD
SITE FILE: Water Sampling ☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

INSPECTOR: M. Bracelin
WORK ORDER #: WT-97

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
01	4	SA	10/29/97	234 PM	DF	R-214	I	N/A	20m
02	5			241 PM		R-213			
03	6			249 PM		R-212			
04	7			255 PM		R-211			
05	8			307 PM		R-310			
06	9			313 PM		R-312			
07	10			320 PM		R-311			
08	11			328 PM		R-303			
09	12			341 PM		3rd Floor C-90			

RELINQUISHED BY: [signature] Date/Time: 10/29/97
RECEIVED BY: [signature] Date/Time: 10/29/97 4:30pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

COPY TO CHUCK SIU SCA Environmental

printed: August 4, 1997
Page 9

Rooftop MS 1 of 2

50108

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE: 1-510-653-0824 DATE: 10 12-29-97
TURNAROUND TIME: ☑ 3-5 Days

SITE: Rooftop MS
SITE FILE: Water Sampling ☑ Lead
INSPECTOR: M. Brubshaw
WORK ORDER #: WT-97

☑ Graphite Furnace AA — LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
10	13	Sat	10/25/97	3:49 pm	DF	R-152 Performing Arts	I	N/A	20h
11	14			3:50 pm	SF	R-155 Teacher Lounge			
12	15			4:21 pm	DF	Lower Ext. Yard			
13	16			4:30 pm	DF	Upper Ext. Yard			

RELINQUISHED BY: [signature] Date/Time: 10/29/97
RECEIVED BY: [signature] Date/Time: 10/29/97 4:30PM

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

Rooftop MS 2of2

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50907

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD 5 TO 7 Days

SITE: Roof Top M.S.
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: N. Olcno FILE S.F.U.S.D.
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Reigh
01	#1A	1	11-20-97	07:08	M.F.	Roof Pump Group North East	R	30	16 hrs	43 sec.	
02	1B	1	11-20-97	07:13	"	END "	R	30	16 hrs	43 sec	
03	1C	1			"	"	R	0			
		5									
		6									
		7									

RELINQUISHED BY:
Date/Time:

RECEIVED BY: [illegible signature] 11/23/97 11:00 am
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

ROOFTOP MS - RETURNS

48275

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MicroAnalytical
PHONE: 1-510-653-0824 DATE: 9 17 197
TURNAROUND TIME: ☑ 3-5 Days
Lot # 082797
☑ Graphite Furnace AA — LEAD

SITE: Roosevelt MS
SITE FILE: Water Sampling ☑ Lead
INSPECTOR: M. Breidstrom
WORK ORDER #: WT-97-497

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
01	1	Sun	9/7/97	4:01 pm	MDF	Ext. Yard C-97, East	I	N/A	25hr
02	2			4:06 pm	MDF	Ext Yard C-97, West	I		
03	3			4:12 pm	MDF	Ext Yard East	I		
04	4			4:18 pm	MDF	Ext. Yard C-96, East	I		
05	5			4:21 pm	MDF	Ext. Yard C-96, West	I		
06	6			4:26 pm	DF	1st Floor C-92, North	I		
07	7			4:29 pm	DF	1st Floor C-92, South	I		
08	8			4:38 pm	SF	120C, Kitchen North Sink	I		
09	9			4:40 pm	SF	120C, Kitchen Center Sink	I		

RELINQUISHED BY: [signature]
Date/Time: 9/8/97

RECEIVED BY: [signature]
Date/Time: 9-8-97 3:00pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1 of 4

Roosevelt MS

R-96%

08-04-97 09:34AM P011 #08

48275

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MicroAnalytical

PHONE: 1-510-653-0824 DATE: 9 17 197

TURNAROUND TIME: ☑ 3-5 Days

Lot # 082297

SITE: Roosevelt MS

☑ Graphite Furnace AA — LEAD

SITE FILE: Water Sampling ☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet
PF-Pot Filler

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

INSPECTOR: M. Brautbar

WORK ORDER #: W7-97-497

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE			NONUSE TIME
10	10	Sun	9/7/97	4:42 pm	SF	120 C Kitchen South Sink	I	W	A	25h
11	11			4:45 pm	PF	120 Kitchen Pot Filler-Center	I			
12	12			4:48 pm	SF	120 Kitchen South Wall	I			
13	13			4:53 pm	DF	2nd Floor C-92, North	I			
14	14			4:56 pm	SF	2nd Floor Room 205	I			
15	15			5:00 pm	DF	2nd Floor C-92, South	I			
16	16			5:04 pm	DF	2nd Floor C-95	I			
17	17			5:07 pm	DF	2nd Floor R-212	I			
18	18			5:15 pm	DF	3rd Floor C-92, North	I			

RELINQUISHED BY: [signature]
Date/Time: 9/8/97

RECEIVED BY: [signature]
Date/Time: 9-8-97 3:00

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

2 of 4
Roosevelt MS

R-96%

08-04-97 09:34AM P011 #08

48275

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MicroAnalytical

PHONE: 1-510-653-0824 DATE: 9/7/97

TURNAROUND TIME: ☑ 3-5 Days

Lot # 082297

☑ Graphite Furnace AA — LEAD

SITE: Roosevelt MS

SITE FILE: Water Sampling ☑ Lead

INSPECTOR: M. Brailsford

WORK ORDER #: WT-97-497

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
19	19	Sun	9/7/97	5:20 pm	DF	3rd Floor C92, South	I		25hr
20	20		9/7/97	5:24 pm	DF	3rd Floor C-93	I		
21	21			5:28 pm	DF	3rd Floor, C-95 Girls Locker Rm.	I		
22	22			5:32 pm	SF	3rd Floor, Home Ec Class North Wall	I		
23	23			5:36 pm	SF	"	I		
24	24			5:36 pm	SF	"	I		
25	25			5:35 pm	SF	"	I		
26	26			5:40 pm	SF	"	I		
27	27			5:43 pm	SF	"	I		

RELINQUISHED BY: [signature]
Date/Time: 9/8/97

RECEIVED BY: [signature]
Date/Time: 9-8-97 5:00pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

3 of 4
Roosevelt MS

48275

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE: 1-510-653-0824 DATE: 9 17 97
TURNAROUND TIME: ☑ 3-5 Days
Lot # 082297
☑ Graphite Furnace AA — LEAD

SITE: Roosevelt MS
SITE FILE: Water Sampling ☑ Lead
INSPECTOR: M. Bradshaw
WORK ORDER #: WT-97-497

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
28 28	Sun	9/7/97	5:16 pm	SF	3rd Floor, Home Ec Class South wall	I		25 hr
29 29	"	"	—	—	(Filter bypassed) —	B		N/A
~~30~~						~~B~~		

RELINQUISHED BY: [signature] Date/Time: 9/8/97
RECEIVED BY: [signature] Date/Time: 9-8-97 3:00pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5300

4 of 4
Roosevelt MS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50906

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Roosevelt M.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Nowak / SFUSD
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch. Heigh
01	#24A	T	11-20-97	07:05	S.F.	3rd Floor Home Ec. EAST END NORTH WALL Room 317	R	30 sec	16 hrs	8 sec	
02	24B	H	"	07:07	"	" "	R	30	"	8 sec	
03	24C	H	"		"	" "	R	0	"		
04	11A	R	11-20-97	06:01	S.F	RM 120 KITCHEN POT FILLER,	R	30	16 hrs	13 sec	
05	11B	S	"	06:02	"	CENTER	R	30	"	13 sec	
06	11C	D	"		"	"	R	0	"		
07	8A	A	11-20-97	06:08	S.F.	120C KITCHEN NORTH END WEST WALL	R	30	16 hrs	12 sec	
08	8B	Y	"	06:10	"	"	R	30	"	12 sec	
09	8C		"			"	R	0	"		

RELINQUISHED BY:
Date/Time:

RECEIVED BY: John Cafou
Date/Time: 11/23/97 Alion Au

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

ROOSEVELT MS RETURNS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Samoan Affairs CD	FIXTURE TYPE:	SAMPLE TYPE:
SITE FILE: WATER SAMPLING ☒ LEAD	DF Drinking Fountain MDF Multiple DF	B — Blank F — First Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	WCDF Water-Colled DF	SF Sink Faucet
WK ORDER: SFUSD Purchase Order	SDF Sink DF	WF Water Faucet

SAMPLE №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W	10-29-97	0705	SF	Employee's BATH	F		
2	"	"	0708	SF	Students BATH	"		
3	"	"	0710	SF	Kitchen	"		
4	"	"	0712	SF	Kitchen	"		
5	"	"	0715	—	BLANK	"		
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh DATE: 10-29-97 TIME: ~~15~~ 1550	RECEIVED BY: [signature] DATE: 10/29/97 TIME: 1550

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Samoan Affairs CD

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328.**

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8 /26 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SF Charter Early Childhood
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: / Firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
CR-1	TUE	8/26/97	9:05	DF	Drinking fountain Room 3	F	15 min	22 hours
CR-2	TUE		9:10	SF	sink faucet in Room 4	F	15 min	22 hours
CR-3	TUE		9:15	DF	Drinking fountain in Room 6 - not enough pressure for sample	F	15 min	22 hours
CR-4			9:23	SDF	sink drinking fountain Room 1 - kindergarten Room	F		
CR-5			9:25	SDF	Sink drinking fountain Room 2	F		
CR-6			9:29	SF	Sink faucet in kitchenette area adj to microwave	F		
CR-7			9:35	SF	sink faucet in art room,	F		
CR-8			9:45	SDF	sink drinking fountain in the bungalow (2nd grade)	F		
CR Blank			—	—	—	B	—	—

RELINQUISHED BY: B. Garrison
Date/Time: 8/26/97
RECEIVED BY: Fidel Martinez
Date/Time: 8-26-97 1:40 pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

SAN FRANCISCO CHARTER
EARLY CHILDHOOD

47410

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Form

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

LEAD in Drinking Water

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328

SFUSD
DIRECTOR, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SAN FRANCISCO COMMUNITY
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: AG / FIRM AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
1		8/15	700	SF	013		first draw	12	3rd Fl
2		8/15	717	DF	C 90		"	12+	
3		8/15	732	WF	T62		"	12+	
4		8/15	747	SDF	002A		"	12+	
5		8/15	758	SDF	005A		"	12+	
6		8/15	812	DF	C 90		"	12+	2nd Fl
7		8/15	817	WF	T 61		"	12+	WOMEN'S RM
8		8/15	825	WF	T51		"	12+	MEN'S RM
9		8/15	841	SDF	004A		"	12+	

RELINQUISHED BY: Harry G. Lee
Date/Time: 8/15/97
RECEIVED BY: SAMCOAD Lozin
Date/Time: 8-15-97

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415)695-5800

Page 1 of 2

San Francisco Comm. ES

47410

San Francisco Unified School District (SFUSD).
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SAN FRANCISCO COMMUNITY
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: HG
WORK ORDER #: SFUSD PO

☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10		8/15		—	BLANK	B	—	—

RELINQUISHED BY: Harry S. Bell
Date/Time: 8/15/97
RECEIVED BY: Sacramento Lab
Date/Time: 8-15-97

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

San Francisco Comm.

49249

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: San Francisco Community
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill time	arch height
01	4A	T	9/30	7:15	SDF	002A	1st	30 sec.		29	0*
02	4B		"	7:18	"	"	2nd	30 sec.		28	0
03	4C		"	12:15	"	"	3rd	0		30	0
04	4D		"				B				

RELINQUISHED BY: Harry Kelly
Date/Time: 10/6/97 1:5
RECEIVED BY: [illegible]
Date/Time: 10/06/97. 1:10pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

* vertical drop from curve faucet.

SF Community - Ret.

9708D01

SAME DAY PICKUP

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
S. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: San Miguel CC
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Coppernol / RGA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 49

	SAMPLE #	A/M	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1	m	8/25	7:00	SF	Rm 29: no bubbler cups by sink	F	10+	36+
3	2	m	8/25	7:10	SF	Rm 23: no bubbler cups by sink	F	10+	36+
4	3	m	8/25	7:20	SF	Rm 22 no bubbler cups by sink	F	10+	36+
5	4	m	8/25	7:30	WF	Rm 15 no bubbler cups by sink	F	10	36+
6	5	m	8/25	7:40	SF	Rm 16 no bubbler cups by sink	F	10	36+
7	6	m	8/25	7:50	SF	Rm 17 no bubbler cups by sink	F	10	36+
8	7	m	8/25	8:00	SF	Rm 18 no bubbler cups by sink	F	10	36+
9	8	m	8/25	8:10	SF	Rm 19 no bubbler cups by sink	F	10	36+
10	9	m	8/25	8:20	SF	kitchen no bubbler	F	10	36+

RELINQUISHED BY: Karin Ahrentz
Date/Time: 8/25/97

RECEIVED BY: [signature]
Date/Time: 8/25/97 4:30

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Delegated by: [signature] 8/25/97 [signature] 8-25-97

Page 1 of 2

P012

San Miguel C

SAME DAY PICKUP

9708D01

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: (SEQUOIA) / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: San Miguel CC
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Coppend / RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 2 5 49

	SAMPLE #	A/Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	10	M	8/25	830	—	BLANK	B	—	—
12	11	—	—	—	—	SPIKE	S	—	—

97-W00765-18

RELINQUISHED BY: Karen Ethnoal
Date/Time: 8/25/97
RECEIVED BY: [signature]
Date/Time: 8/25/97 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/26/97 8-25-97

Page 2 of 2

P012

San Miguel CC

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SANCHEZ ELEM.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th	8/14/97	10:45	Blank	Blank			
2				DF	SECOND FLOOR HALLWAY- NEXT TO Rm·20	F	7:30 Pm	14 hrs
3				DF	FIRST FLOOR HALL WAY- NEXT TO Rm·12	F		
4				DF	FIRST FLOOR HALLWAY- NEXT TO Rm·6	F		
5				DF	FIRST FLOOR HALLWAY NEXT TO Rm. 24	F		
6				MDF	BASEMENT LEVEL OUTSIDE PLAYGROUND SOUTH/EAST Side	F		
7				MDF	BASEMENT LEVEL OUTSIDE PLAYGROUND SOUTH/WEST Side	F		
8			11:30	MDF	BASEMENT LEVEL OUTSIDE PLAYGROUND SOUTH/WEST side	F		
9				DF	HALLWAY OUTSIDE BASKETBALL COURT	F		

Spiked

RELINQUISHED BY: Manuel Luna
Date/Time: 8/14/97

RECEIVED BY: [illegible]
Date/Time: 8/14/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1
SANCHEZ E.S.

48026

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/30/97
TURNAROUND TIME: ~~PER CONTRACT WITH SFUSD~~ Rush

SITE: Sanchez Elem.
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: O. Martinez, Ken Tobler FILE Q.ST
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
1st- 1st Draw
2nd- 2nd Draw
3rd- 3rd Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	10		8/30/97			Blank	N/A		
02	~~14~~ 5A		8/30/97	8:30	DF	2nd Floor - Hallway: Next To Room 024	1st	30 sec	
03	~~12~~ 5B		8/30/97	8:30	DF	2nd Floor - Hallway: Next To Room 024	2nd	30 sec	
04	~~13~~ 5C		8/30/97	12:30	DF	2nd Floor - Hallway - Next To Room 024	3rd	N/A	4 Hrs

RELINQUISHED BY: [signature] Date/Time: 8/30/97
RECEIVED BY: [signature] Date/Time: 8/30/97 2:30pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Sanchez ES

418768

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: School of the Arts
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: J. Garrison / SFS Firm
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	694-1	W C	9/17/97	5:30am	SDF	Inside classroom 003, west faucet	F	15 min	18hrs
02	694-2			5:32am	SDF	Inside classroom 003, east faucet			
03	694-3			5:35am	DF	Drinking fountain in corridor C90 adjacent to room 003			
04	694-4			5:40am	DF	DF in corridor C90 adjacent to T60			
05	694-5			5:42am	DF	DF in corridor C90 adjacent to T50			
06	694-6			5:45am	DF	DF in corridor C90 adjacent to room J03			
07	694-7			5:51am	DF	DF in corridor C93E adjacent to room 005			
08	694-8			5:53am	SDF	SDF in room 005			
09	694-9	✓	✓	5:56am	SDF	SDF in room 006	✓	✓	✓

RELINQUISHED BY: Jason E. Garrison
Date/Time: 9/23/97 9:46

RECEIVED BY: Fidel Martinez
Date/Time: 9-23-97 1:00pm.

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

School of the Arts

48768

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: School of the Arts
SITE FILE: Water Sampling – ☒ Lead
INSPECTOR: S. Garrison / firm SES
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	694-10	W S	9/17/97	5:51am	SDF	SDF in room 026	F	15min	18hrs
11	694-11	|	|	6:02am	SDF	SDF in room 025	|	|	|
12	694-12	|	|	6:05am	SDF	SDF in room 012	|	|	|
13	694-13	|	|	6:08am	SDF	SDF in room 013	|	|	|
14	694-14	|	|	6:10am	SDF	SDF in room 014	|	|	|
15	694-15	|	|	6:12am	SDF	SDF in room 016	|	|	|
16	694-16	|	|	6:15am	SDF	SDF in room 018	|	|	|
17	694-17	|	|	6:20am	SDF	SDF in room 019	|	|	|
18	694-18	✓	✓	6:25am	SDF	SDF in room 020	✓	✓	✓

RELINQUISHED BY: [signature]
Date/Time: 9/23/97 9:46

RECEIVED BY: Fidel Martinez
Date/Time: 9-23-97 1:00pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

School of the Arts

48768

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 9/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: School of the Arts
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: J. Garrison / Firm SES
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	694-19		9/17/97	6:30am	SDF	SDF in room 021	F	15min	18hrs
20	694-20			6:45am	SDF	SDF in room 022	F		
21	694-21			6:50am	SDF	SDF in room 023	F		
22	694-22			6:55am	DF	Drinking fountain in corridor 172W, west side of corridor	F		
23	694-23			6:55am	~~S~~ NA	Spike #97-W00774-19	S		
24	694-24			7:00am	~~B~~ NA	Blank	B		

RELINQUISHED BY: Joseph B Garrison
Date/Time: 9/23/97 9:45

RECEIVED BY: Fidel Martinez
Date/Time: 9-23-97 1:00pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

School of the Arts

50764

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/18/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SOTA
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: B Garcia x 695
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Acc. Vol.
01	694-1A	Joe	11/18/97	6:45	DF	Room 003 west	1st draw	30sec	~14hrs	23sec	1 1/2"
02	694-1B			6:47		~~Room 003~~ West	2nd draw	30sec	14hrs	23sec	1 1/2"
03	694-1C			12:45		↓	3rd draw	NA	NA	23sec	1 1/2"
04	694-2A			6:49		Room 003 East	1st draw	30sec	~14hrs	20sec	1 3/4"
05	694-2B			6:51		↓	2nd draw	30sec	~14hrs	↓	↓
06	694-2C			12:47		↓	3rd draw	NA	NA	↓	↓
07	694-3A			6:55		Adj to Room 003	1st draw	30sec	~14hrs	20sec	2"
08	694-3B			6:56		↓	2nd draw	30sec	~14hrs	↓	↓
09	694-3C	↓	↓	12:49	↓	↓	3rd draw	NA	NA	↓	↓

RELINQUISHED BY: B. G.
Date/Time: 11/18/97 3:00pm
RECEIVED BY: [illegible]
Date/Time: 11-18-97 5:28pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

SCHOOL OF THE ARTS RETURNS

50764

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Chain of C...

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/18/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SOTA
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: J. Gorman Firm SES
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	FLOW TIME	Amt
10	694-4A	PM	11/18/97	7:02	DF	Adj to Room 660	1st draw	30sec	~14hrs	20sec	1½
11	694-4B			7:03			2nd draw	30sec	~14hrs	20sec	1½
12	694-4C			7:52			3rd draw	NA	NA	20sec	1
13	694-22A			7:08		corridor c-92 west	1st draw	30sec		26sec	½
14	694-22B			7:09			2nd draw	30sec			½
15	694-22C			12:54			3rd draw	NA			½
16	694 Blank										

RELINQUISHED BY: [signature] Date/Time: 11/18/97 5:02pm
RECEIVED BY: [signature] Date/Time: 11-18-97 4:08pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

SCHOOL OF THE ARTS RETURNS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Program

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

Main Floor

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA ANNEX CC
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: HG / Elite AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Tu	8/19	645	SDF	3025A			12
2	"	"	650	DF	3025A			"
3	"	"	710	SDF	3025B			"
4	"	"	725	DF	3025B			"
5	"	"	737	DF	MAIN YARD			"
6	"	"	751	WF	3024			"
7	"	"	802	WF	3023			"
8	"	"	820	SF	3023			"
9	"	8/19	831	WF	3021			"

RELINQUISHED BY: Harry G. Gee
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

Serra Annex CC

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 8/5

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA ANNEX CC
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: HG / ILYM AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Th	8/19	844		BLANK	B		
11	"	"	857	WF	3021			
12	"	"	914	WF	3021			
13	"	"	930	MDF	BACK YARD AREA			
14	"	"	944	DF	3020			
15	"	"	1001	SDF	3020			
16	"	8/19	1016	WF	3023			

RELINQUISHED BY: Harry G. Gill
Date/Time:
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 2

Junipero Serra Annex CC

49250

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SERRA ANNEX CC
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: HG / firm AAE
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill time	arc heig
01	2A	M	9/29	7:10	DF	3025A	1st	30 sec		24 sec.	6
02	2B		"	7:13	"	"	2nd	30 sec		23 sec.	6
03	2C		"	12:10	"	"	3rd	0		24 sec.	6

RELINQUISHED BY: Harry Ell
Date/Time: 10/6/97 1:10
RECEIVED BY: Jon
Date/Time: 10/06/97 1:10pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Serra Annex CC-Ret

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: / /97
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA ELEM
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th	8/21	742	WF	Adult Restroom			12
97-W00753-2		"			SPIKE SAMPLE	S		"
2		"	753	SDF	Rm 206			"
3		"	805	SF	Rm 206			"
4		"	817	SDF	Rm 207			"
5		"	829	SF	Rm 207			"
6		"	848	SDF	Rm 208			"
7		"	857	SF	Rm 208			"
8		"	915	SDF	Rm 209			"

RELINQUISHED BY: Harry G. Lee
Date/Time: 8/25/97 1200

RECEIVED BY: Lon Sucher
Date/Time: 8/25/97 1200

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

SERRA ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA ELEM

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: HG / Firm AAE

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
9	Th	8/21	9:26	SF	Rm 209			12
10		"			BLANK	B		"
11		"	10:00	SF	Sink nr. STOVE			"
12		"	10:12	SF	Teacher Rest Rm.			"
13		"	10:23	SF	2nd Adult Rest Rm.			"
14		"	10:37	SF	Teacher's Lunch Rm,			"
15		"	10:50	SF	Boy's Rm			"
16		"	11:04	SDF	Girl's Rm			"
17		"	11:18	DF	Hall drinking fountain			"

RELINQUISHED BY: Harry J. Gill
Date/Time: 8/25/97 12:00

RECEIVED BY: Lory Sweeney
Date/Time: 8/26/97 1200

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

JUNIPERO SERRA ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA ELEM

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: HG / firm AAE

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
18	Th	8/21	11:24	SDF	Rm 205			12
19		"	11:31	SF	Rm 205			"
20		"			BLANK SAMPLE	B		"
21		"	11:48	MDF	PLAY YARD ARCH			"

RELINQUISHED BY: Harry Bell
Date/Time: 8/25/97 12:00

RECEIVED BY: Lorna Sweeney
Date/Time: 8/25/97 1200

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

JUNIPERO SERRA ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA (SA)
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: HG / AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1		8/20	650	SDF	CAFE			127
2		"	659	SF	OFFICE			"
3		"	711	SDF	Girl's Rm.			"
4		"	723	WF	GIRL's RM			"
97-W007	53-1				SPIKE SAMPLE	S		
5		"	741	SDF	BOY's RM			"
6		"	754	WF	BOY's RM.			"
7		"	810	DF	Hall outside of REST RM.			"
8		"	824	WF	Adult REST ROOM			"

RELINQUISHED BY: Harry G. Bell
Date/Time:
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 3

Serra (SA)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Sie of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA (SA)
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: HG / AAE
WORK ORDER #: SFUSD PO

[ ] [ ] [X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	OAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
9		8/20	844	DF	CLASS RM #5			124
10		"	855		BLANK	B		"
11		"	911	SDF	CLASS RM #5			"
12		"	923	DF	CLASS RM #4			"
13		"	940	SDF	CLASS RM #4			"
14		"	953	DF	CLASS RM #3			"
15		"	1010	SDF	CLASS RM #3			"
16		"	1024	DF	CLASS RM. #2			"
17		"	1041	SDF	CLASS RM #2			"

RELINQUISHED BY: Harry G. Gill
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 3

Junipero Serra (SA)

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: JUNIPERO SERRA (SA)
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: HG / Firm AAE
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
18		8/20	11:00	DF	CLASS RM #1			
19		"	11:14	SDF	CLASS RM #1			
20		"	11:28		BLANK	B		

RELINQUISHED BY: Harry G. Lee
Date/Time:
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 3

Junipero Serra (SA)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/15/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: MICRO ANALYTICAL LAB
	PHONE: 510-653-0824
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: Sheridan ES	FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF
SITE FILE: WATER SAMPLING ☒ LEAD	SAMPLE TYPE: B — Blank; F — First Draw; SF Sink Faucet; WF Water Faucet
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	
WK ORDER: SFUSD Purchase Order	

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	F	8/15/97	1240	SF	Lounge-100F	F	10 min-	12 hrs +
2	"	"	1250	SF	Kitchen-102B	"	"	"
3	"	"	1300	SDF	Classroom-103	"	"	"
4	"	"	1310	SDF	Classroom-104	"	"	"
5	"	"	1320	DF	Corridor-C101	"	"	"
6	"	"	1330	DF	Corridor-C201	"	"	"
7	"	"	1340	SDF	Classroom-205	"	"	"
8	"	"	1350	SDF	Classroom-204	"	"	"
9	"	"	1400	SDF	Laboratory-206A	"	"	"
10	"	"	1410	SDF	Classroom-201	"	"	"
11	"	"	1420	SDF	Laboratory-106A	"	"	"
12	"	"	1430	SDF	Classroom-12	"	"	"
13	"	"	1440	SDF	Classroom-11	"	"	"
14	"	"	1450	SDF	" -10	"	"	"
15	"	"	1500	SDF	" -09	"	"	"
16	"	"	1510	SDF	" -08	"	"	"
17	"	"	1520	SDF	" -07	"	"	"
18	"	"	1530	SDF	" -06	"	"	"
19	"	"	1540	SDF	" -05	"	"	"
20	"	"	1550	SDF	" -04	"	"	"
21	"	"	1600	SDF	" -03	"	"	"
22	"	"	1610	SDF	" -02	"	"	"
23	"	"	1620	SDF	" -01	"	"	"
24	"	"	1630	MDF	Playground	"	"	"
25	"	"	1640	MDF	Playground	"	"	"
26	—	—	1650	—	Blank	B	—	—

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: John Ayon
DATE: 8/18/97	DATE: 8/18/97
TIME: 11:07	TIME: 11:07 AM

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

SHERIDAN ES

Form by: EnviroScience, Inc. 1 (650) 700-4ESI

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

Page 1 of 2

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9712589

INSTRUCTION TO LAB:
Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: Sheridan ES
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Coiled DF
SDF Sink DF
SF Sink Faucet

SAMPLE TYPE:
B: Blank
F: 1st Draw
S: Draw after 30 sec. flush
T: Draw after 30+30 sec. flush
R: Draw after 5 hrs

	New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
A 1	3 - 1	12	W	12-10	0930	SDF	Class - 12	S	30	—
B 2	3 - 2	12	"	"	0932	"	" "	T	30+30	—
A 3	3 - 3	13	"	"	0935	SDF	Class - 11	S	30	
B 4	3 - 4	13	"	"	0937	"	" "	T	30+30	
A 5	3 - 5	14	"	"	0940	"	Class - 10	S	30	
B 6	3 - 6	14	"	"	0943	"	" "	T	30+30	
A 7	3 - 7	15	"	"	0950	"	Class - 09	S	30	
B 8	3 - 8	15	"	"	0952	"	" "	T	30+30	
A 9	3 - 9	16	"	"	1000	"	Class - 08	S	30	
B 10	3 - 10	16	"	"	1004	"	" "	T	30+30	
A 12	3 - 11	18	"	"	1009	"	Class - 06	S	30	
B 13	3 - 12	18	"	"	1012	"	" "	T	30+30	
A 14	3 - 13	19	"	"	1015	"	Class - 05	S	30	
B 15	3 - 14	19	"	"	1017	"	" "	T	30+30	—
A 16	3 - 15	21	"	"	1020	"	Class - 03	S	30	
B 17	3 - 16	21	"	"	1023	"	" "	T	30+30	
A 18	3 - 17	22	"	"	1027	"	Class - 02	S	30	
B 19	3 - 18	22	"	"	1030	"	" "	T	30+30	
C 20	3 - 19	12	"	"	1500	SDF	Class - 12	R	—	5½ HRS
C 21,22	3 - 20	13	"	"	1503	"	Class - 11	R	—	5½ HRS
C 23	3 - 21	14	"	"	1506	"	Class - 10	R	—	5 HRS
C 24	3 - 22	15	"	"	1510	"	Class - 09	R	—	5 HRS
C 25	3 - 23	16	"	"	1515	"	Class - 08	R	—	5 HRS
C 26	3 - 24	18	"	"	1518	"	Class - 06	R	—	5 HRS
C 27	3 - 25	19	"	"	1521	"	Class - 05	R	—	5 HRS
C 28	3 - 26	21	"	"	1525	"	Class - 03	R	—	5 HRS

RELINQUISHED BY: H. Sotoodeh
DATE: 12-10-97
TIME: 1650

RECEIVED BY: [signature]
DATE: 12/10/97
TIME: 1655

1551 Newcomb Avenue, Room 103 • San Francisco, CA 94124 • (415) 695-5500

1 OF 2

SHERIDAN ES

Form by: EnviroScience, Inc.
1 (888) 700-4ES)

San Francisco Unified School District
Lead in Drinking Water Sampling and Analysis Program

Page 2 of 2

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9712569

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: Sheridan ES	FIXTURE TYPE: DF Drinking Fountain; ~~MDF Multiple DF~~; WCDF Water-Coiled DF; SDF Sink DF; SF Sink Faucet
SITE FILE: WATER SAMPLING	SAMPLE TYPE: B: Blank; ~~F: 1st Draw~~; S: Draw after 30 sec. flush; T: Draw after 30+30 sec. flush; R: Draw after 5 hrs
☒ LEAD	
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	
WORK ORDER: SFUSD Purchase Order	

New Nº	Old Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
22C29,30 3 - 27	22	W	12-10	1530	SDF	Class-02	R		5 HRS
3 - 2									
3 - 3									
3 - 4									
3 - 5									
3 - 6									
3 - 7									
3 - 8									
3 - 9									
3 - 10									
3 - 11									
3 - 12									
3 - 13									
3 - 14									
3 - 15									
3 - 16									
3 - 17									
3 - 18									
3 - 19									
3 - 20									
3 - 21									
3 - 22									
3 - 23									
3 - 24									
3 - 25									
3 - 26									

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 12-10-97	DATE: 12/10/97
TIME: 1650	TIME: 1650

1551 Newcomb Avenue, Room 103 • San Francisco, CA 94124 • (415) 695-5500

2 OF 2

SHERIDAN ES

SAMPLES 10-18, 19-20, 22 > SINK FAUCETS ∴ DELETED FROM CHAIN

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / ~~MICROANALYTICAL~~

PHONE: (S) 650-364-9600 (M) 510-653-0824

DATE: 8-20-97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sherman Elementary School

SITE FILE: Water Sampling - ☑ Lead

INSPECTOR: Eddie Chan FIRM RGA

WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#19	well	8/20/97	10:02	SF	2nd Floor Room 205	F	10 min.	>36 hrs
#20		8/20/97	10:05	SF	2nd Floor Room 206	F	10 min	>36 hrs.
#21		8/20/97	10:20	DF	3rd Floor Corridor, N	F	10 min	>36 hrs.
#22	well	8/20/97	10:23	SF	3rd Floor Room 301	F	10 min	>36 hrs
#23		8/20/97	10:35	DF	3rd Floor corridor, South	F	10 min	>36 hrs.
#24		8/20/97	11:00	MDF	outside S.W. playground	F	10 min	>36 hrs
#25	well	8/20/97	11:16	DF	outside S.W. playground	F	10 min	>36 hrs.
#26	well	8/20/97	11:30	N/A	1st Floor Kitchen Sink	B	Ø	N/A
#27	—	—	—	—	—	S	—	—

RELINQUISHED BY: Karen Schwalb
Date/Time: 8/22/97 4:15

RECEIVED BY: John Lopez
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Ste. 106, San Francisco, CA 94124 Phone: (415) 595-5500

Sherman ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8-20-97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sherman Elementary School
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: Eddie Chan / Firm RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	Wed	8/20/97	7:51	SF	1st Floor Teacher Lounge	F	Ø	<36 hrs.
#2	〃	〃	7:56	SF	1st Floor kitchen sink.	F	10 min.	>36 hrs.
#3	〃	〃	8:10	DF	1st Floor Auditorium Lobby	F	Ø	<36 hrs
#4	Wed	8/20/97	8:19	SDF	1st Floor Library	F	10 min	>36 hrs
#5	〃	〃	8:22	SF	1st Floor Library storage	F	10 min	>36 hrs.
#6	〃	〃	8:28	MDF	Outside playground by Library	F	10 min	>36 hrs.
#7	Wed	8/20/97	8:32	MDF	Outside upper playground level.	F	10 min	>36 hrs
#8	〃	〃	8:35	MDF	Outside playground, South	F	10 min	>36 hrs
#9	〃	〃	8:50	DF	2nd Floor Corridor - North	F	10 min	>36 hrs

RELINQUISHED BY: Gregory A. Troel
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ayon
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 | Phone: (415) 695-5500

Sherman ES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

49294
~~49394~~

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: SHERMAN	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: DR FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain; MDF--Multiple DF; WCDF--Water Cooled DF; SDF--Sink DF; SF--Sink Faucet SAMPLE TYPE: B--Blank; S--Spiked; F--First Draw
WORK ORDER #: SFUSD PO	

Arch	Fill TIME	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
2"	3801	24 A		9/30	0730	MDF	OUTSIDE S.W PLAYGRD	F	30 sec	10 HR
	02	B		↓	↓	↓	↓	↓	30 sec	30 sec
	03	C		↓	1430	↓	↓	↓	—	7 HR
	04	BLANK		—	—	—	—	B		
	Sherman 05	S		SPIKE	→	→	→	S	→	→

RELINQUISHED BY: Karen Ahnee Date / Time: 10/7/97	RECEIVED BY: Julie Sedlay Date / Time: 10/7 [illegible]

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415)-695-5500

Page 1 of 1

Sherman ES - Ret.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328 8/14/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS		
	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Sloat E.S.

SITE FILE: WATER SAMPLING ☒ LEAD

INSPECTOR: H. Sotoodeh / EnviroScience, Inc.

WK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Colled DF
SDF Sink DF

SAMPLE TYPE:
B — Blank
F — First Draw
SF Sink Faucet
WF Water Faucet

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Th.	8/14/97	0700	SF	Kitchen	F	10 min.	12+ hrs.
2	"	"	0710	DF	Corridor-Across Cafeteria	"	"	"
3	"	"	0720	SF	Lounge	"	"	"
4	"	"	0730	SF	Teacher's Rm.	"	"	"
5	"	"	0740	SDF	Pod A- Lounge	"	"	"
6	"	"	0750	SDF	Class A-1	"	"	"
7	"	"	0800	SDF	Class A-2	"	"	"
8	"	"	0810	SDF	Class A-3	"	"	"
9	"	"	0820	SDF	Class A-4	"	"	"
10	"	"	0830	SDF	Pod B- Lounge	"	"	"
11	"	"	0840	SDF	Class B-1	"	"	"
12	"	"	0850	SDF	Class B-2	"	"	"
13	"	"	0900	SDF	Class B-3	"	"	"
14	"	"	0910	SDF	Class B-4	"	"	"
15	"	"	0920	SDF	Pod C- Lounge	"	"	"
16	"	"	0930	SDF	Class C-1	"	"	"
17	"	"	0940	SDF	Class C-2	"	"	"
18	"	"	0950	SDF	Class C-3	"	"	"
19	"	"	1000	SDF	Class C-4	"	"	"
20	"	"	1010	SDF	Class D-1			
21	"	"	1020	SDF	Class D-2			
22	"	"	1030	SDF	Class D-3			
23	"	"	1040	SDF	Class D-4			
24	"	"	1050	SF	Media Room			
25	"	"	1100	MDF	Playground			

RELINQUISHED BY: H. Sotoodeh DATE: 8-14-97 TIME: 1630	RECEIVED BY: Abor DATE: 8/14/97 TIME: 1630

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

SLOAT ES

Form by: EnviroScience, Inc.
1 (888) 700-4ESI

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9709823

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3928

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: SLOAT Elem.
SITE FILE: WATER SAMPLING ☒ LEAD
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.
WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Coiled DF
SDF Sink DF
SF Sink Faucet

SAMPLE TYPE:
B: Blank
F: 1st Draw
S: Draw after 30 sec. flush
T: Draw after 30+30 sec. flush
R: Draw after 5 hrs

	New Nº	Old Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1 F	3 - 1	1	T	9/16	1100	SF	Kitchen	R	60 sec.	4-5 hrs
2 F	3 - 2	7	"	"	1105	SDF	Class A-2	R	60 sec.	4-5 hrs
3 F	3 - 3	11	"	"	1110	SDF	Class B-1	R	60 sec.	4-5 hrs
4 F	3 - 4	3	"	"	1115	SDF	Pod C-Lounge	R	60 sec.	4-5 hrs
5 L	3 - 5	18	"	"	1120	SDF	Class C-3	R	60 sec.	4-5 hrs
6 L	3 - 6	20	"	"	1125	SDF	Class D-1	R	60 sec.	4-5 hrs
7 F	3 - 7	23	"	"	1130	SDF	Class D-4	R	60 sec.	4-5 hrs
	3 - 8							R	60 sec.	4-5 hrs
	3 - 9							R	60 sec.	4-5 hrs
	3 - 10							R	60 sec.	4-5 hrs
	3 - 11							R	60 sec.	4-5 hrs
	3 - 12							R	60 sec.	4-5 hrs
	3 - 13							R	60 sec.	4-5 hrs
	3 - 14							R	60 sec.	4-5 hrs
	3 - 15							R	60 sec.	4-5 hrs
	3 - 16							R	60 sec.	4-5 hrs
	3 - 17							R	60 sec.	4-5 hrs
	3 - 18							R	60 sec.	4-5 hrs
	3 - 19							R	60 sec.	4-5 hrs
	3 - 20							R	60 sec.	4-5 hrs
	3 - 21							R	60 sec.	4-5 hrs
	3 - 22							R	60 sec.	4-5 hrs
	3 - 23							R	60 sec.	4-5 hrs
	3 - 24							R	60 sec.	4-5 hrs
	3 - 25							R	60 sec.	4-5 hrs
	3 - 26							R	60 sec.	4-5 hrs

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: Mara Grustis
DATE: 9/16/97	DATE: 9/16/97
TIME: 1545	TIME: 15:50

1551 Newcomb Avenue, Room 103 - San Francisco, CA 94124 • (415) 695-5500

1 of 1

Sloat ES - R3

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 5/97

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710485

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Spring Valley ES
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: MR / SCA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
S - Second

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME (negligible)	NOZZLE TIME (minutes)
11	SV 7-A		10/3/97		SDF	013A	F	3in	20sec
12	SV 7-B		↓		↓	↓	S	↓	↓
13	SV 7-C		↓		↓	↓	F	↓	↓
14	SV 9-A		↓		WCDF	C90	F	2in	25 sec
15	SV 9-B		↓		↓	↓	S	↓	↓
16	SV 9-C		↓		↓	↓	F	↓	↓
17	SV 12-A		↓		SDF	024A	F	2.5 in	35 sec
18	SV 12-B		↓		↓	↓	S	↓	↓
19,20	SV 12-C		↓		↓	↓	F	↓	↓

RELINQUISHED BY: Michelle Lam
Date/Time: 10/8/97 12pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 2055

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Spring Valley ES - Ret.

#52538

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE:
DATE: 1/31/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SPRING VALLEY
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / 1. SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank ON = OVERNIGHT
I - Initial
R - Resample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
SPRING VALLEY 3A	Sat	1/31/98	1000	DF	2 HALL	R	30	ON	29	3/4"
SPRING VALLEY 3B		1/31/98	1002	DF	2 HALL	R	30		23	3/4"
SPRING VALLEY 3C		1/31/98	1520	DF	2 HALL	R	0		25	3/4"

RELINQUISHED BY: [signature]
Date/Time: 2-2-98 10:35

RECEIVED BY: [signature] 2/2/98 1030
Date/Time:

Page 1 of 1

SPRING VALLEY ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26 /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: St. ELIZABETH PREG.

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling CARE

☒ Lead

INSPECTOR: DR / RGA

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM/PM	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	PM	8/26/97	1035	SF	Kitchen Facility RM	F	10MN	36 HR
NOTE		DF. NOT		WORKING	IN	HALL		
2					BLANK	B		

RELINQUISHED BY: [signature] Date/Time: 8/26/92

RECEIVED BY: [signature] Date/Time: 8/26/97 @ 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

St. Elizabeth Preg. Care

#1, 2, 4, 5, 6 ERRONEOUSLY SAMPLED

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan 5/97

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STEVENSON ELEMENTARY
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: S. JACKSON / K. SCHROETER FIRM RGA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	W	8/20	7:50	SF	Rm 17C	F	10+ MIN	>36 HRS
#2	W	8/20	7:55	SF	Rm 17D	F		
#3	W	8/20	8:00	DF	HALLWAY	F		
#4	W	8/20	8:00	SF	Rm 5A	F		
#5	W	8/20	8:05	SF	Rm 6	F		
#6	W	8/20	8:05	SF	Rm 7	F		
#7	W	8/20	8:10	DF	HALL	F		
#8	W	8/20	8:10	DF	HALL	F		
#9	W	8/20	8:15	DF	Rm. 11	F		

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ayon
Date/Time: 8/22/97 4:15

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Stevenson ES

SAMPLES #10, 12, 13, 15, 17, 18
ERRONEOUSLY SAMPLED

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SFUSD

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / (MICROANALYTICAL)
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STEVENSON ELEMENTARY
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: S. JACKSON / FIRM K. SCHROETER RGA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
~~#10~~	~~W~~	~~8/20~~	~~8:15~~	~~SF~~	~~Rm #11~~	~~F~~	~~10 MIN~~	~~>36 HRS~~
#11	W	8/20	8:15	DF	Rm #12	F		
~~#12~~	~~W~~	~~8/20~~	~~8:20~~	~~SF~~	~~Rm #12~~	~~F~~		
~~#13~~	~~W~~	~~8/20~~	~~8:20~~	~~SF~~	~~Rm #13~~	~~F~~		
#14	W	8/20	8:22	DF	Rm #13	F		
~~#15~~	~~W~~	~~8/20~~	~~8:25~~	~~SF~~	~~Rm #14~~	~~F~~		
#16	W	8/20	8:25	DF	Rm #14	F		
~~#17~~	~~W~~	~~8/20~~	~~8:30~~	~~SF~~	~~Rm ~~105~~ 104A~~	~~F~~		
~~#18~~	~~W~~	~~8/20~~	~~8:35~~	~~SF~~	~~Rm 102A~~	~~F~~		

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ayer
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Stevenson ES

SAMPLE #21 ERRONEOUSLY SAMPLED

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STEVENSON ELEMENTARY
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: S. JACKSON / KIM K. SCHROETER RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#19	W	8/20	8:35	DF	HALL	F	10+ MIN	>36 HRS
#20	W	8/20	8:40	DF	HALL	F		
~~#21~~	~~W~~	~~8/20~~	~~8:45~~	~~SF~~	~~Rm 101A~~	~~F~~		
#22	W	8/20	8:45	DF	OUTSIDE	F		
#23	W	8/20	8:55	SF	(NE) KITCHEN	F		
#24	W	8/20	8:55	SF	(SE) KITCHEN	F		
#25	W	8/20	8:55	SF	(NW) KITCHEN	F		
#26	W	8/20	8:56	SF	(SW) KITCHEN	F		
#27	W	8/20	9:00	DF ~~SF~~	Rm 25	F		

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/22/97 4:15
RECEIVED BY: John Cajon
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone (415) 595-5500

Stevenson ES

28 - 32 ERRONEOUSLY SAMPLED

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan: SFP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STEVENSON ELEMENTARY
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: S. JACKSON / K. SCHROETER FIRM RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#28	W	8/20	9:10	SF	Rm # 18	F	+ 10 MIN	>36 HRS
#29	W	8/20	9:15	SF	Rm. #1	F		
#30	W	8/20	9:15	SF	Rm #2	F		
#31	W	8/20	9:20	SF	Rm # 4	F		
#32	W	8/20	9:25	SF	Rm # 3	F		
#33	W	8/20	9:25	DF	OUTSIDE COURTYRD	F		
#34	W	8/20	9:25	DF	OUTSIDE COURTYARD	B		
#35	W	8/20	—	—	—	S	—	—
	W	8/20						

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/22/97 4:20

RECEIVED BY: John Ayon
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 595-5300

Stevenson ES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49295

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: STEVENSON	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: FIRM:	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Arch Fill 1201	25 A		10/2	0730	SF	KITCHEN N.W	SF	30sec	8hr
02	B			0731				30sec	30sec
3" 03	C			1525				—	8hr
04	BLANK						B		

RELINQUISHED BY: K. Schroeder Date / Time: 10/7/97	RECEIVED BY: Julie Sachs Date / Time: 10/7 @ 3:40pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

Stevenson ES - Ret.

SAME DAY PICKUP

9708D04

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/23/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: STOCKTON
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: DR / Fitz Reid
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 50

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	1	SA	8/23/97	1420	DF	1 floor	F	10 min	30 min
3	2			1410	DF	1 floor			
4	3			1340	MDF	OUTSIDE			
5	B			—	—	BLANK	B		

RELINQUISHED BY: Karen Atwater
Date/Time: 8/25/97

RECEIVED BY:
Date/Time: 8/25/97 4:25p

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: 8/25/97

Page 1 of 1

8-26-97

P012

Stockton

No spike

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SUNNYSIDE

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: ST / SCA (Firm)

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
SUNNYSIDE #1		8/23/97	0925	SF	008B	F	10 mins	76hrs
SUNNYSIDE #2		8/23/97	0926	SF	004B	F	↓	↓
SUNNYSIDE #3		8/23/97	0928	SF	003B	F	↓	↓
SUNNYSIDE #4		8/23/97	0939	SF	021B	F	10 mins	76hrs
SUNNYSIDE #5		8/23/97	0940	SF	018B	F	↓	↓
SUNNYSIDE #6		8/23/97	0941	SF	016B	F	↓	↓
SUNNYSIDE #7		8/23/97	0941	SF	015A	F	10 mins	76hrs
SUNNYSIDE #8		8/23/97	0943	SF	014B	F	↓	↓
SUNNYSIDE #9		8/23/97	0948	SF	013B	F	↓	↓

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sunnyside

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/23/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE:

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: STI / SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
SUNNYSIDE #10		8/23/97	0950	SF	TEACHERS LOUNGE	F		
SUNNYSIDE #11		8/23/97	1005	MDF	EXT. YARD	F		
SUNNYSIDE #12		8/23/97	1005	MDF	EXT. YARD	F		
Sunnyside #13		8/23/97	BLANK					

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sunnyside

[redacted]

ORIGINAL

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50762

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Sin of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 11/18/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD
Rush

SITE: SUNNYSIDE E.S.
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: N. OWENS / S.F.U.S.D.
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - Spiked

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Sample Time
#1		11-18-97	0745	D.F.	South Hallway 1st Floor West Wall	I	0	14 hr	35sec.
#2		11-18-97	07:50	D.F	South Hallway 2ND Floor West Wall	I	0	14	28sec.

RELINQUISHED BY: [signature]
Date/Time: 11/18/97 2:10

RECEIVED BY: [signature]
Date/Time: 11/18/97 2:40

1351 Mariposa Ave., Ste. 103, San Francisco, CA 94124 PHONE: [redacted]

1 of 1

SUNNYSIDE ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710492

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 10/7/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sunnyside ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw height full time

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOZZLE TIPS
1	Sunnyside 1-A		10/7/97	8AM	SF	008B	1st	N/A	10sec
2	Sunnyside 1-B		↓	8:05 AM	↓	↓	2nd	↓	↓
3	Sunnyside 1-C		↓	1pm	↓	↓	1st	↓	↓
4	Sunnyside 4-A		↓	8:10 AM	SF	021B	1st	↓	15 sec
5	Sunnyside 4-B		↓	8:15 AM	↓	↓	2nd	↓	↓
6	Sunnyside 4-C		↓	1:05 pm	↓	↓	1st	↓	↓
7	Sunnyside 7-A		↓	8:20 AM	SF	015B	1st	↓	10sec
8	Sunnyside 7-B		↓	8:25 AM	↓	↓	2nd	↓	↓
9,10	Sunnyside 7-C		↓	1:10 pm	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Date/Time: 10/8/97 12pm
RECEIVED BY: D Date/Time: 10/9/97 2:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 2

00 9 4 23

Sunnyside ES-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

97/0492

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 10/7/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sunnyside ES
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONITOR TIME
Sunnyside BL		BLANK						

RELINQUISHED BY: Michelle Date/Time: 10/8/97 2pm
RECEIVED BY: Date/Time: 10/9/97 2:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5600

Received in Lab by: J. Downs 10/9/97 1623

Page 2 of 2

Sunnyside ES-Ret.

#52535

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan - SCA

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: ~~(S) 650-364-9600~~ ~~(M) 510-633-0824~~ DATE: 1/31/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SUNNYSIDE
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: MB / SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Coeled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank ON=overnight
I - Initial
R - Resample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Height
01	SUNNYSIDE 2A	Sat	1/31/98	1320	DF	2 HALL	R	30	ON	37	1.5
02	SUNNYSIDE 2B			1221	DF	2 HALL	R	30		31	1.5
03	SUNNYSIDE 2C			1632	DF		R	0		33	1.5
04	SUNNYSIDE 11A	Sat	1/31/98	1229	MDF	EXT SE	R	30	ON	29	2.5
05	SUNNYSIDE 11B			1231	MDF		R	30		29	2.5
06	SUNNYSIDE 11C			1636	MDF		R	0		31	2.5

RELINQUISHED BY: [signature] Date/Time: 2-2-98 10:35
RECEIVED BY: John Aypin Date/Time: 2-2-98 10:35 AM

Page 1 of 1

SUNNYSIDE ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/20/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SUNSET E.S.

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: Emmanuel / SFUSD (Firm)

WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	WED	8/20/97	6:30	SF	SMALL Kitchen AREA 010C	I	N/A	12HRS
#2	"	8/20/97	6:35	DF	CORRIDOR-92 FIRST FLOOR	I	N/A	12HRS
#3	"	8/20/97	6:40	SF	Kitchen Area 015A	I	N/A	12Hrs
#4	"	8/20/97	6:45	Df	Class Room 014	I	N/A	12Hrs
#5	"	8/20/97	6:50	Df	Class Room 012	I	N/A	12Hrs
#6	"	8/20/97	6:50	MDf	OUTSIDE BY ROOM 12 DOOR	I	N/A	12Hrs
#7	"	8/20/97	7:00	Df	Class Room 005	I	N/A	13Hrs
#8	"	8/20/97	7:05	Df	Class Room 004	I	N/A	13Hrs
#9	"	8/20/97	7:09	Df	Class Room 003	I	N/A	13Hrs

RELINQUISHED BY: [signature]
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sunset ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8 / 20 / 97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SUNSET E.S.

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#10	WED	8/20/97	7:20		CLASS ROOM 601	I	N/A	13 HRS
#11	"	8/20/97			OUTSIDE YARD BY RM 001	I	N/A	13 HRS
#12		SUNC						

RELINQUISHED BY: [signature]
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sunset ES

[redacted]

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824
DATE: 11 / 13 / 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD
5 TO 2 Days

SITE: SUNSET E.A.
SITE FILE: Water Sampling - Lead
INSPECTOR: NEIL OLDS SFUSD
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
4A	T	11-13-97	08:13	D.F	Rm014 NORTH wall	B	30 sec	15 Hr
4B	H	"	08:16	"	"	B	30	"
4C	U	"	13:05	"	"	B	0	200 min
7A	R	11-13-97	07:45	D.F.	Rm 005 EAST wall	B	30 sec.	15 Hr
7B	S	"	07:47	"	"	B	30 sec.	
7C	D	"	12:50	"	"	B	0	303 min
10A	A	11-13-97	07:52	D.F.	Rm 001 WEST WALL	B	30 sec.	15 Hr
10B	Y	"	07:55	"	"	B	30 sec.	
10C		"	12:55	"	?	B	0	300 min

RELINQUISHED BY: [signature]
Date/Time: 15:03 11-13-97
RECEIVED BY: [signature]
Date/Time: 11/13/97 1503

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 PHONE: (415)695-5600

Page 1 of 2

SUNSET ES RETURNS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 11/13/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD 5 to 7 Day

SITE: Sunset E.S.

SITE FILE: Water Sampling ☐ Lead

INSPECTOR: Neil / SFUSD FILE

WORK ORDER #: SFUSD PO

☐ ☐

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	D A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11a		11-13-97	08:05	M.D.F.	OUTSIDE By Sand Box Next TO Bnco	B	30 sec	15 Hrs
11B		11	08:08	M.D.F	"	B	30 sec	
11c		"	12:59	"	"	B	0	291 min

RELINQUISHED BY: [signature]
Date/Time: 11-13-97

RECEIVED BY: John Cupen
Date/Time: 11/13/97 1503

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415)695-5500

SUNSET E.S. RETURNS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 DATE: 01/06/98
(M) 510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sunset E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: / Firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
8A	I	01-06-98		DF	*NOTE*					
8B	I				LOW FLOW					
8C	I				NO SAMPLES TAKEN.		Faucet Sealed with Plastic & Tape			

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

SUNSET ES - RETURNS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~[illegible]~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824

DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SUNSHINE H. S.

SITE FILE: Water Sampling - [illegible] Lead

INSPECTOR: P. HOYT / firm ATC

WORK ORDER #: SFUSD PO

[illegible] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	TUE	8/26/97	7:34	SF	KITCHEN - 1ST FLOOR NORTH	F	:19	17 HR
2		8/26/97	7:38	SF	KITCHEN Room 4		:13	17
3		FIELD BLANK						
4		8/26/97	7:44	SF (RH SINK)	Room 15 "POOL"		:18	17
5		8/26/97	7:48	SF	KITCHEN OF SEWING RM. NW CORNER 1ST FL		:12	17
6		8/26/97	7:57	DF	2ND FLOOR HALL SW CORNER		:17	18
7		8/26/97	7:55	CWDF	2ND FLOOR HALL NE CORNER		:22	18
8		TAPED NON-OP		DF	1ST FLOOR HALL NW CORNER			
9		TAPED NON-OP		DF	1ST FLOOR HALL NE CORNER			

RELINQUISHED BY: [illegible]
Date/Time: 8/30/97 11:50

RECEIVED BY: [illegible]
Date/Time: 8/28/97 11:50

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

Sunshine HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~ASBESTOS~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: SUNSHINE HS

SITE FILE: Water Sampling - ☒ Lead

INSPECTOR: P. Hoyt / firm ATC

WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	NON-OP.	TAPED		DF	2ND FLOOR HALL NW CORNER			
11	NON-OP	OFF		DF	2ND FLOOR HALL SE CORNER			

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/30/97 11:50

RECEIVED BY: [illegible]
Date/Time: 8/30/97 11:32

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sunshine HS

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/24/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES/CC

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: R. Williams SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOHOUSE TIME
#1	Sun	8.24.97	1:00pm	DF	Rm 12	F	—	11+hrs
#2	"	"	1:05	DF	Rm 13	F	—	"
#3	"	"	1:07	DF	Rm 14	F	—	"
#4	"	"	1:10	DF	Rm 11	F	—	"
#5	"	"	1:13	DF	~~Rm~~ Corridor 2nd floor	F	—	"
#6	"	"	1:15	DF	Rm 8	F	—	"
#7	"	"	1:17	DF	Rm 9	F	—	"
#8	"	"	1:20	DF	Rm 7	F	"	"
#9	"	"	1:25	DF	Rm 10	F	"	"

RELINQUISHED BY: Ray Williams
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES/CC

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to Lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
CONNECTOR, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/24/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES, CC

SITE FILE: Water Sampling
- [X] Lead

INSPECTOR: D. Williams / SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOHUSE TIME
#10	Sun	8-24-97	1:30	DF	Rm 1	F	—	21 hrs
#11	"	"	1:33	DF	Rm 4	F	—	"
#12	"	"	1:35	DF	Rm 2	F	—	"
#13	"	"	1:37	DF	Rm 3	F	—	"
#14	"	"	1:41	DF	Rm 5	F	—	"
#15	"	"	1:46	DF	Rm 6	F	—	"
#16	"	"	1:50	SF	Staff Lunch Room	F	—	"
#17	"	"	1:52	SF	CC Kitchen	F	—	"
#18	"	"	2:00	DF	Upper yard L-DF	F	—	"

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES/CC

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to Lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-843-3328.

EPCED
DIRECTOR, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA MICROANALYTICAL

PHONE: (S) 650-364-9600 DATE: 8/24/97
(M) 510-653-0824

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES, CC

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: R. Williams / SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#19	Sun	8-24-97	2:05	DF	Upper yard R-DC	F	—	11-6
#20	"	"	2:10	SF	CC inside kitchen	F	—	"
#21	"	"	2:15	MDF	Lower yard	F	—	"
#22	"	"	2:17	~~DF~~	—	B	—	—
#23	"	"	2:20	DF	Main office	F	—	"

RELINQUISHED BY: Ray Williams
Date/Time:

RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES/CC

49314

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES/CC

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: R.Williams / Firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
14A 01	~~1-A~~	S 7	10-4-97	9:05am	DF	Rm 5	R	30sec.	12+hrs	40sec	5"
14B 02	~~1-B~~	"	"	9:09am	"	"	"	30sec.	"	41sec	"
14C 03	~~1-C~~	"	"	4:30pm	"	"	"	Ø	"	40sec	"
12A A 04	~~2-A~~	"	"	9:20am	"	Rm 2	R	30sec.	"	40sec	8"-9"
12B B 05	~~2-B~~	"	"	9:25am	"	"	"	30sec.	"	35sec	"
12C C 06	~~2-C~~	"	"	4:35pm	"	"	"	Ø	16+hrs	30sec	8"-9"
A 07	~~3-A~~	"	"	9:30am	"	Rm 4	R	30sec	"	50sec	3"
B 08	~~3-B~~	"	"	9:35	"	"	"	30sec	"	50sec	"
C 09	~~3-C~~	"	"	4:39pm	"	"	"	Ø	"	50sec	"

RELINQUISHED BY: Ray Williams
Date/Time: 10-6-97

RECEIVED BY: [signature] 10/7/97
Date/Time: 5:30PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES - Ret

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 / 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES/CC
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: R.Williams / firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
8A 10	~~4-A~~	Sat	10-4-97	9:42am	DF	Rm 7	R	30sec	12+hrs	55sec	2"
8B 11	~~4-B~~	"	"	9:45am	"	"	"	30 sec	"	55sec	"
8C 12	~~4-C~~	"	"	4:40pm	"	"	"	Ø	"	55sec	"
6A 13	~~5-A~~	"	"	9:50am	"	Rm 8	R	30 sec	"	40sec	9"
6B 14	~~5-B~~	"	"	9:53am	"	"	"	30 sec	"	40sec	"
6C 15	~~5-C~~	"	"	4:45pm	"	"	"	Ø	"	40sec	"
4A 16	~~6-A~~	"	"	10:05am	"	Rm 11	R	30 sec	"	140 sec	.5"
4B 17	~~6-B~~	"	"	10:40	"	"	"	30 sec	"	140 sec	.5"
4C 18	~~6-C~~	"	"	4:49pm	"	"	"	Ø	"	140 sec	.5"

RELINQUISHED BY: Ray Williams
Date/Time: 10/4/97
RECEIVED BY: [illegible] 10/7/97
Date/Time: 5:30PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES-Ret

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 / 97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES/CC

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: R.Williams / FIRM SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
19	~~7-A~~	Sat	10-4-97	10:17am	DF	Rm 14	R	30 sec	12+hrs	43 sec	5"
B 20	~~7-B~~	"	"	10:20am	"	"	"	30 sec	"	43 sec	"
C 21	~~7-C~~	"	"	4:52pm	"	"	"	Ø	"	43 sec	"
A 22	~~8-A~~	"	"	10:25am	"	Rm 13	R	30 sec	"	35 sec	6"
B 23	~~8-B~~	"	"	10:30am	"	"	"	30 sec	"	35 sec	"
C 24	~~8-C~~	"	"	4:55pm	"	"	"	Ø	"	35 sec	"
A 25	~~9-A~~	"	"	10:45am	SF	Staff Lunch Room	R	30 sec	"	10 sec	—
B 26	~~9-B~~	"	"	10:47am	"	"	"	30 sec	"	10 sec	—
C 27	~~9-C~~	"	"	5:00pm	"	"	"	Ø	"	10 sec	—

RELINQUISHED BY: Ray Williams
Date/Time: 10-6-97

RECEIVED BY: [signature]
Date/Time: 10/7/97 5:30 PM

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES-Ret

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 4 / 97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Sutro ES/CC

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: R.Williams / Firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
R - Re-Sample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heig
17A 28 10-A	SS9+	10-4-97	10:50am	SF	CC / Kitchen	R	30 sec	12+ Hrs	20sec	—
17B 29 10-B	"	"	10:55am	"	" "	"	30 sec	"	20 sec	—
17C 30 10-C	"	"	4:25pm	"	" "	"	Ø	"	20sec	—
	"	"								
	"	"								
	"	"								
	"	"								
	"	"								
	"	"								

RELINQUISHED BY: Ray Williams Date/Time: 10-6-97

RECEIVED BY: [signature] Date/Time: 10/7/97 5:30 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Sutro ES-Ret

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: John Swett ES & PK

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: R. Williams / IIHM SFUSD

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	Wed	8-20-97	7:15am	DF	Cafe Rm 110	F		11+Hrs
#2	"	"	7:30am	SF	Kitchen Rm 112	"		"
#3	"	"	7:40AM	DF	Pre-K Rm 111	"		"
#4	"	"	7:47AM	DF	Pre-K C92	"		"
#5	"	"	7:51AM	DF	1st Floor C90	"		"
#6	"	"	7:59AM	DF	2nd Floor C90	"		"
#7	"	"	8:00AM	DF	Basement C90	"		"
#8	"	"	8:05am	DF	Basement K-1 Rm 001	"		"
#9	"	"	8:10AM	DF	Basement K-2, Rm 002	"		"

RELINQUISHED BY: Ray Williams, Jr
Date/Time: 8/20/97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Swett ES/PK

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, & ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8 / 20 / 97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: John Swett Es, Pk

SITE FILE: Water Sampling
- ☒ Lead

INSPECTOR: R. Williams / Firm SFUSD

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#10	Wed	8-20-97	8:12 am	MDF	Yard E-side of Bldg	F		11 hrs
#11	"	"	8:17 am	MDF	yard W-side of Bldg	F		11
#12	"	"	8:25		—	B	—	—

RELINQUISHED BY: Ray Williams
Date/Time: 8/20/97

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Swett ES/PK

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

8/13/97

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB PHONE: 650-364-9600 TURNAROUND TIME: PER CONTRACT WITH SFUSD ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: ER Taylor ES SITE FILE: WATER SAMPLING ☒ LEAD INSPECTOR: H. Sotoodeh / EnviroScience, Inc. WK ORDER: SFUSD Purchase Order	FIXTURE TYPE: DF Drinking Fountain MDF Multiple DF WCDF Water-Colled DF SDF Sink DF SAMPLE TYPE: B — Blank F — First Draw SF Sink Faucet WF Water Faucet

SAMPLE Nº	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W.	8/13/97	1200	SF	Kitchen	F	10 min.	12 hrs+
2	"	"	1210	SF	Faculty Lounge	"	"	"
3	"	"	1220	DF	Hallway - 193	"	"	"
4	"	"	1230	SDF	Rm 023	"	"	"
5	"	"	1240	DF	Hallway - 3rd Flr.	"	"	"
6	"	"	1250	SDF	Rm 031	"	"	"
7	"	"	1300	SDF	Rm 035	"	"	"
8	"	"	1310	DF	Hallway - 2nd Flr	"	"	"
9	"	"	1320	SDF	Rm 024	"	"	"
10	"	"	1330	SDF	Rm 030	"	"	"
11	"	"	1340	MDF	Corridor 192	"	"	"
12	"	"	1350	DF	Corridor 192	"	"	"
13	"	"	1400	DF	Corridor 191	"	"	"
14	"	"	1410	DF	Corridor 190	"	"	"
15	"	"	1420	DF	Corridor 190	"	"	"
16	"	"	1430	MDF	Playgr'd	"	"	"
17	"	"	1440	MDF	Playgr'd	"	"	"
18	"	"	1450	MDF	Playgr'd	"	"	"
19	"	"	1500	—	Blank	B	—	—
20	"	"	1510	SDF	Rm 022	F	"	"
21								
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh DATE: 8-13-97 TIME: 1550	RECEIVED BY: Lisa De Candelas DATE: 8-13-97 TIME: 1550

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

E.R. TAYLOR ES

Form by: EnviroScience, Inc.

9708F18

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL
	PHONE: 650-364-9600
	TURNAROUND TIME: R U S H
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SAMPLING DATE: 8/29
SITE NAME: ER Taylor
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: H. Sotoodeh, Ph.D., PE
WK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
DF Drinking Fountain
MDF Multiple DF
WCDF Water-Cooled DF
SDF Sink DF

SAMPLE TYPE:
B: Blank S: 2nd Draw
F: 1st Draw T: 3rd Draw
SF Sink Faucet
WF Water Faucet

	SAMPLE Nº	old No.	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	2 - 1	1	F	8/29	1000	SF	Kitchen	S	30sec.	12+hs.	1st
02	2 - 2	1	"	"	1001	"	"	T	"	"	2nd
03	2 - 3	7	"	"	1010	SDF	Room 035	S	"	"	1st
04	2 - 4	7	"	"	1011	"	"	T	"	"	2nd
05	2 - 5	12	"	"	1020	DF	Corridor 192	S	"	"	1st
06	2 - 6	12	"	"	1021	"	"	T	"	"	2nd
07	2 - 7	21	"	"	1030	SDF	Room B30	F	"	"	1st
08	2 - 8	21	"	"	1035	SDF	Room B29	F	"	"	1st
09	2 - 9	[illegible]	"	"							
	2 - 10										
	2 - 11										
	2 - 12										
	2 - 13										
	2 - 14										
	2 - 15										
	2 - 16										
	2 - 17										
	2 - 18										
	2 - 19										
	2 - 20										
	2 - 21										
	2 - 22										
	2 - 23										
	2 - 24										
	2 - 25										

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 8-29-97	DATE: 8/29/97
TIME: 1410	TIME: 1410

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-5500

Page 1 of 1

Taylor ES R1 + R2

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9600
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: ER Taylor ES	FIXTURE TYPE:	SAMPLE TYPE:
SITE FILE: WATER SAMPLING ☒ LEAD	DF Drinking Fountain	B: Blank
	MDF Multiple DF	F: 1st Draw
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	WCDF Water-Colled DF	S: Draw after 30 sec. flush
WORK ORDER: SFUSD Purchase Order	SDF Sink DF	T: Draw after 30+30 sec. flush
	SF Sink Faucet	R: Draw after 5 hrs

New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
3 - 1	1	T	9/16	1300	SF	Kitchen	R	60 sec.	4-5 hrs
3 - 2	7	"	"	1305	SDF	Room-035	R	60 sec.	4-5 hrs
3 - 3	12	"	"	1310	DF	Corridor 192	R	60 sec.	4-5 hrs
3 - 4							R	60 sec.	4-5 hrs
3 - 5							R	60 sec.	4-5 hrs
3 - 6							R	60 sec.	4-5 hrs
3 - 7							R	60 sec.	4-5 hrs
3 - 8							R	60 sec.	4-5 hrs
3 - 9							R	60 sec.	4-5 hrs
3 - 10							R	60 sec.	4-5 hrs
3 - 11							R	60 sec.	4-5 hrs
3 - 12							R	60 sec.	4-5 hrs
3 - 13							R	60 sec.	4-5 hrs
3 - 14							R	60 sec.	4-5 hrs
3 - 15							R	60 sec.	4-5 hrs
3 - 16							R	60 sec.	4-5 hrs
3 - 17							R	60 sec.	4-5 hrs
3 - 18							R	60 sec.	4-5 hrs
3 - 19							R	60 sec.	4-5 hrs
3 - 20							R	60 sec.	4-5 hrs
3 - 21							R	60 sec.	4-5 hrs
3 - 22							R	60 sec.	4-5 hrs
3 - 23							R	60 sec.	4-5 hrs
3 - 24							R	60 sec.	4-5 hrs
3 - 25							R	60 sec.	4-5 hrs
3 - 26							R	60 sec.	4-5 hrs

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: Mara Gusis
DATE: 9/16/97	DATE: 9/16/97
TIME: 1545	TIME: 1550

Taylor ES-R3

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD	LABORATORY: SEQUOIA ANALYTICAL LAB
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: ER Taylor ES.

SITE FILE: WATER SAMPLING ☒ LEAD

INSPECTOR: EnviroScience, Inc. (HS/MF)

WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
- DF Drinking Fountain
- MDF Multiple DF
- WCDF Water-Cooled DF
- SDF Sink DF
- SF Sink Faucet

SAMPLE TYPE:
- B: Blank
- F: 1st Draw
- A: Draw after 30 sec. flush
- B: Draw after 30+30 sec. flush
- C: Draw after 4-6 hrs

Sample №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1-A	F	10-23-97	0835	SF	Kitchen	A		
1-B	"	"	0837	"	"	B		
7-A	"	"	0842	SDF	Room 035	A		
7-B	"	"	0844	"	"	B		
12-A	"	"	0849	DF	Corridor 192	A		
12-B	"	"	0851	"	"	B		
1-C	"	"	1330	SF	Kitchen	C		
7-C	"	"	1333	SDF	Room 035	C		
12-C	"	"	1336	DF	Corridor 192	C		

RELINQUISHED BY: [signature]	RECEIVED BY: [signature]
DATE: 10-24-97	DATE: 10/24/97
TIME: 1707	TIME: 1707

Taylor ES- Ret. II

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Program

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328. 97708B84

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	Treasure Is. 1		8/20/97	1600	SDF	room 23	F	10 min	76hrs
3	Treasure Island 2		↓	1605	SDF	r. 26	F	↓	↓
4	Treasure Island 3		↓	1610	SDF	r. 28	F	↓	↓
5	Treasure Island 4		↓	1615	SDF	r. 29	F	↓	↓
6	Treasure Island 5		↓	1620	SDF	r. 30	F	↓	↓
7	Treasure Island 6		↓	1625	SDF	r. 27	F	↓	↓
8	Treasure Island 7		↓	1630	SDF	r. 33	F	↓	↓
9	Treasure Island 8		↓	1635	SDF	r. 34	F	↓	↓
10	Treasure Island 9		↓	1640	SDF	r. 31	F	↓	↓

RELINQUISHED BY: Michelle Date/Time: 8/20/97 1:30pm
RECEIVED BY: Date/Time: 8/22 3:20

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

LPP 8/22/97

Page 1 of 5

P012

AU 22 5 53

Treasure Island ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 9706B84

EFVED ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA / MICROANALYTICAL
	PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/20 /97
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: Treasure Island ES	☐ ☐ ☐
SITE FILE: Water Sampling - ☐ Lead	☑ Graphite Furnace AA EPA 239.2 LEAD
INSPECTOR: / Firm	FIXTURE TYPE: DF-Drinking Fountain, MDF-Multiple DF, WCDF-Water-Cooled DF, SDF-Sink DF, SF-Sink Faucet, WF-Water-Faucet
WORK ORDER #: SFUSD PO	SAMPLE TYPE: B - Blank, S - spiked, F- First Draw → reverse (MS)

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	T.I. ES 10		8/20/97	1645	SDF	r. 14	10 mins	F	76 hrs
12,13	T.I. ES 11		↓	1650	SDF	r. 16	↓	F	↓
14	T.I. ES 12		↓	1655	SDF	r. 15	↓	F	↓
15	T.I. ES 13		↓	1700	SDF	r. 21	↓	F	↓
16	T.I. ES 14		↓	1705	SDF	r. 22	↓	F	↓
17	T.I. ES 15		↓	1710	SDF	r. 20	↓	F	↓
18	T.I. ES 16		↓	1715	SDF	r. 19	↓	F	↓
19	T.I. ES 17		↓	1720	SDF	r. 13	↓	F	↓
20	T.I. ES 18		↓	1725	SDF	r. 12	↓	F	↓

RELINQUISHED BY: Date/Time: Michelle Jan 8/22/97 1:30pm	RECEIVED BY: Date/Time: 8/22/97

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/22/97

P012

Treasure Island ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling at S. Antonio Elementary

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B84

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

22 5 53

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

reverse (MS)

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21	T.I. ES 19		8/20/97	1730	SDF	r. 11	10min	F	76hrs
22	T.I. ES 20		↓	1735	WF	C92	↓	F	↓
23,24	T.I. ES 21		↓	1740	MDF	Ext. (N&M)	↓	F	↓
25	T.I. ES 22		↓	1745	MDF	Ext. (outside of rm. 10)	↓	F	↓
26	T.I. ES 23		↓	1750	SDF	rm. 1	↓	F	↓
27	T.I. ES 24		↓	1757	MDF	Ext. (outside rm. 1)	↓	F	↓ +Spiked
28	T.I. ES 25		↓	1755	SDF	rm. 3	↓	F	↓
29	T.I. ES 26		↓	1800	SDF	rm. 5	↓	F	↓
30	T.I. ES 27		↓	1805	SDF	rm. 7	↓	F	↓

RELINQUISHED BY: Michelle Lam Date/Time: 8/20/97 1:30pm
RECEIVED BY: Date/Time: 8/22 3:10

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/22/98

Page 3 of 5

P012

Treasure Island ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Form

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 9708B84

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
31	T.I. ES 28		8/20/97	1810	SDF	rm. 9	F	10mins	76hrs.
32	T.I. ES 29		↓	1815	SDF	rm. 10	F	↓	↓
33	T.I. ES 30		↓	1820	SDF	rm. 8	F	↓	↓
34,35	T.I. ES 31		↓	1825	SDF	rm. 6	F	10mins	↓
36	T.I. ES 32		↓	1830	SDF	rm. 4	F	↓	↓
37	T.I. ES 33		↓	1835	SDF	rm. 2	F	↓	↓
38	T.I. ES 34		↓	1840	SF	rm. 103A	F	10mins	↓
39	T.I. ES 35		↓	1845	WF	C91	F	↓	↓
40	T.I. ES 36		↓	1850	MDF	Ext. (near rm. 9)	F	↓	↓

RELINQUISHED BY: Michelle [illegible] Date/Time: 8/22/97 1:30pm
RECEIVED BY: [illegible] Date/Time: 8/22 3:20

1351 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22/97

Page 4 of 5

P012

Treasure Island ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Program

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B84

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/20/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: / Firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AM 22 5 54

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
41	T.I. ES 37		8/20/97	1905	SDF	rm. 17	10 mins	F	76 hrs	reverse (ms)
42	T.I. ES 38			1915	SDF	rm. 18		F		
43	T.I. ES 39			1920	WF	Ext. (outside rm. 18)		F		Spike
44	T.I. ES 40			BLANK				F		Blank

RELINQUISHED BY: Michelle Lam
Date/Time: 8/22/97 1:30 p.m.
RECEIVED BY:
Date/Time: 8/22 3:20

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

8/22/97

Page 5 of 5

P012

Treasure Island ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710474

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 7 / 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 ☐ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	FLUSH TIME
1	T.I. 2-A		10/7/97	7AM	SDF	Rm 26	1st	6in	20sec
2	T.I. 2-B		↓	7:10 pm	↓	↓	2nd	↓	↓
3	T.I. 2-C		↓	3pm	↓	↓	1st	↓	↓
4	T.I. 3-A		↓	7:15 AM	SDF	Rm 28	1st	7in	15sec
5	T.I. 3-B		↓	7:20 AM	↓	↓	2nd	↓	↓
6	T.I. 3-C		↓	3:05 pm	↓	↓	1st	↓	↓
7	T.I. 5-A		↓	7:25 AM	SDF	Rm. 30	1st	2.5 in	25sec
8	T.I. 5-B		↓	7:30 AM	↓	↓	2nd	↓	↓
9,10	T.I. 5-C		↓	3:10 pm	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Lam
Date/Time: 10/8/97 12pm
RECEIVED BY:
Date/Time: 10/9/97 2:15

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 4

9 4 23

Treasure Island ES-Ret

San Francisco United School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710474

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-843-3323.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/7/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	A F	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	MONITOR TIME
11 •	T.I. 13-A		10/7/97	7:35 AM	SDF	Rm. 21	1st	2in	30sec
12 •	T.I. 13-B		↓	7:40 AM	↓	↓	2nd	↓	↓
13 •	T.I. 13-C		↓	3:15 pm	↓	↓	1st	↓	↓
14 •	T.I. 13-D		↓	7:45 AM	↓	↓	2nd	↓	↓
15 •	T.I. 14-A		10/7/97	3:20 pm	SDF	Rm 22	1st	2.5 in	25sec
16 •	T.I. 14-B		10/7/97	7:55 AM	SDF	Rm. 22	2nd	↓	↓
17 •	T.I. 14-C		↓	8 AM	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle Date/Time: 10/8/97 12pm
RECEIVED BY: Date/Time: 10/9/97 2:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 2 of 4

Treasure Island ES-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plus S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710474

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-843-3323.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/7/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island E.S.
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
18	T.I. 15-A		10/7/97	8:05 AM	SDF	Room 20	1st	3in	35sec
19,20	T.I. 15-B		↓	8:10 AM	↓	↓	2nd	↓	↓
21	T.I. 15-C		↓	3:25 pm	↓	↓	1st	↓	↓
22	T.I. 16-A		10/7/97	8:15 AM	SDF	Room 19	1st	2in	45sec
23	T.I. 16-B		↓	8:20 AM	↓	↓	2nd	↓	↓
24	T.I. 16-C		↓	3:30 pm	↓	↓	1st	↓	↓
25	T.I. 29-A		10/7/97	8:25 AM	SDF	Room 10	1st	3in	40sec
26	T.I. 29-B		↓	8:30 AM	↓	↓	2nd	↓	↓
27	T.I. 29-C		↓	3:35 pm	↓	↓	1st	↓	↓

RELINQUISHED BY: Michelle [illegible] Date/Time: 10/8/97 2pm
RECEIVED BY: [illegible] Date/Time: 10/9/97 2:25

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 3 of 4

OC 9 4 23

Treasure Island ES-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

97)0474

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-343-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/7/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Treasure Island ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw
weight fill time

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	PURGE TIME
28	T.I. 33-A		10/7/97	8:35 AM	SDF	Room 2	1st	3in	25 sec
29,30	T.I. 33-B		↓	8:40 AM	↓	↓	2nd	↓	↓
31	T.I. 33-C		↓	3:40 pm	↓	↓	1st	↓	↓
32	T.I. BLANK								

RELINQUISHED BY: Michelle [illegible]
Date/Time: 10/8/97 12pm
RECEIVED BY: [illegible]
Date/Time: 10/9/97 7:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5800

Received in Lab by J. Downs 1623 10-9-97

Page 4 of 4

Treasure Island ES-Ret

9708A92

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

AU 21 3 29

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8-20 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

Tule

SITE: Elk Park CC | 2110 Greenwich
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: CMH + DO / NTE
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A T	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	1		8-14-97	0601	SF	Kitchen, Left Sink	F	5 min.	12 hrs
2	2		"	0602	SF	Kitchen, Right Sink	F	"	"
3	3		"	0604	SF	2nd Floor Janitor's Closet	F	"	"
4	4		"	0607	SF	Kitchen Bathroom	F	"	"
5	5		"	0610	SF	Room 1	F	"	"
6	6		"	0612	SF	Room 1, Storage	F	"	"
7	7		"	0614	—	BLANK	B	"	"
8	8		"	0616	SF	Room 2	F	"	"
9	9		"	0619	SF	First Floor Bathroom, South	F	"	"

RELINQUISHED BY: Date/Time: [signature]
RECEIVED BY: Date/Time: [signature] 8/21/97

1351 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/21/97 REC'D BY Tara Parsley 8/21/97 15:29 Page 1 of 3

P012

Tule Elk Park ES

9708492

[redacted]

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8-14-97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

21 3 29

Tyle

SITE: Elk Park CC | 2110 Greenwich
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: Canado / NTE
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A To	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	10		8-14-97	0622	SF	First Floor Bathroom, Center	F	5 min.	12 hrs
11	11		"	0624	SF	First Floor Bathroom, North	F	"	"
12	12		"	0630	SF	Administrative Kitchen	F	"	"
13	13		"	0645	SDF	Bungalow 4	F	"	"
14	14		"	0648	SF	Bungalow 3	F	"	"
15	15		"	0651	SF	Bungalow 2	F	"	"
16	16		"	0654	SDF	Bungalow 1	F	"	"
17	17		"	0700	MDF	Outside Bungalows	F	"	"
18	18		"	0703	MDF	Outside Admin Bldg	F	"	" + Spike

RELINQUISHED BY: Date/Time: no one
RECEIVED BY: Date/Time: 8/21/97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

8/21/97 REC'D BY Tara Parsley 8/21/97 15:29

Page 2 of 3

P012

Tyle Elk Park ES

Form by: EnviroScience, Inc.
1 (888) 700-4ESI

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9709996

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB PHONE: 650-364-9600 TURNAROUND TIME: PER CONTRACT WITH SFUSD ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2

SITE: Tule Elk Parch CC

SITE FILE: WATER SAMPLING ☒ LEAD

INSPECTOR: H. Sotoodeh / EnviroScience, Inc.

WORK ORDER: SFUSD Purchase Order

FIXTURE TYPE:
- DF Drinking Fountain
- MDF Multiple DF
- WCDF Water-Coiled DF
- SDF Sink DF
- SF Sink Faucet

SAMPLE TYPE:
- B: Blank
- F: 1st Draw
- S: Draw after 30 sec. flush
- T: Draw after 30+30 sec. flush
- R: Draw after 5 hrs

	New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	3 - 1	8	W	9-17	1330	SF	Class-002	R	60 sec.	4-5 hrs
02	3 - 2	14	"	"	1335	SDF	Bungalow-005	R	60 sec.	4-5 hrs
03,04	3 - 3	15	"	"	1340	SDF	Bungalow-002	R	60 sec.	4-5 hrs
	3 - 4							R	60 sec.	4-5 hrs
	3 - 5							R	60 sec.	4-5 hrs
	3 - 6							R	60 sec.	4-5 hrs
	3 - 7							R	60 sec.	4-5 hrs
	3 - 8							R	60 sec.	4-5 hrs
	3 - 9							R	60 sec.	4-5 hrs
	3 - 10							R	60 sec.	4-5 hrs
	3 - 11							R	60 sec.	4-5 hrs
	3 - 12							R	60 sec.	4-5 hrs
	3 - 13							R	60 sec.	4-5 hrs
	3 - 14							R	60 sec.	4-5 hrs
	3 - 15							R	60 sec.	4-5 hrs
	3 - 16							R	60 sec.	4-5 hrs
	3 - 17							R	60 sec.	4-5 hrs
	3 - 18							R	60 sec.	4-5 hrs
	3 - 19							R	60 sec.	4-5 hrs
	3 - 20							R	60 sec.	4-5 hrs
	3 - 21							R	60 sec.	4-5 hrs
	3 - 22							R	60 sec.	4-5 hrs
	3 - 23							R	60 sec.	4-5 hrs
	3 - 24							R	60 sec.	4-5 hrs
	3 - 25							R	60 sec.	4-5 hrs
	3 - 26							R	60 sec.	4-5 hrs

RELINQUISHED BY: H. Sotoodeh DATE: 9/17/97 TIME: 1555	RECEIVED BY: [illegible] DATE: 9/17/97 TIME: 1550

1551 Newcomb Avenue, Room 103 • San Francisco, CA 94124 • (415) 695-5500

1 of 1

Tule Elk Park-R3

9708B71

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ 415-695-5667 and C. Siu or SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Ulloa Elem.
SITE FILE: Water Sampling
- [X] Lead
INSPECTOR: M. Luna / QST
WORK ORDER #: SFUSD PO

[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NOMINAL TIME
1	1	SA	8/16/97	6:30Am	B	Blank	B	6:00 Pm	12hrs
2,3	2				DF	OUTSIDE Rm 105 First Floor Hallway.	F		
4,5	3				DF	OUTSIDE Rm 104 First Floor Hallway			
6,7	4				DF	INSIDE CAFETERIA First Floor North Wall			
8	5				DF	First Floor Room - 039			
9 Voided →	6				DF	First Floor Room - 022		→	VOID - NON-OPERATING
10	7				DF	First Floor Room 040			
11	8				DF	First Floor Room 021			
12	9				DF	First Floor Room 041			

RELINQUISHED BY: [signature] Date/Time: 8/20/97
RECEIVED BY: [signature] Date/Time: 8/22 0900

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[signature] 8/22

Page 1 of 3

m. Su 8-27-97 1230

P012

Ulloa ES

(49184)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: / /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: ULLOA ELEM.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: M. LUNA / Firm QST
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	✓ 11A	Th	10/2/97	09:20	DF	First Floor Room-021	F	09:26	30 Secs
02	✓ 11B	Th	10/2/97	09:20	DF	First Floor Room-021	F	09:28	30 Secs
03	✓ 11C	Th	10/2/97	13:25	DF	First Floor Room-021	F	13:30	4 hrs
04	✓ 17A	Th	10/2/97	09:20	DF	First Floor Room-001	F	09:32	30 Secs
05	✓ 17B	Th	10/2/97	09:20	DF	First Floor Room-001	F	09:34	30 Secs
06	✓ 17C	Th	10/2/97	13:25	DF	First Floor Room-001	F	13:35	4 hrs
07	✓ BLANK	Th	10/2/97	/	/	Blank	/	/	/

RELINQUISHED BY: [signature] Date/Time: 10/2/97
RECEIVED BY: [signature] Date/Time: 10-2-97

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

Ulloa ES - Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 DATE: 9/23/98
510-653-0824
TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: Visitacion Valley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
01	1	W	9/23/98	638	DF	HALL BY RM 6 LEFT		0	O/N	45
	1A			759	"	"		45		46
	1B			802	"	"		30s		45
02	2			642	SF	RM 7		0	O/N	15
	2A			752	SF	"		30s		15
	2B			754	SF	"		30s		
03	3			639	DF	HALL BY RM 6 RIGHT		0	O/N	55
	3B			806	DF	"		55		55
	3A			808	"	"		30		50

RELINQUISHED BY: [signature]
Date/Time: 9/23/98 4p

RECEIVED BY: Julie Sadjing
Date/Time: 9-23-98 @ 3:50 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
04	4	W	9/23/98	646	SF	RM 6		0	O/N	15
	4A		"	809	"	"		30		15
	4B			811	"	"		30		13
05	5			649	SF	KITCHEN		0	O/N	6
	5A			813	"	"		30		6
	5B			814	"	"		30		7
06	6			653	DF	MALL BT/02 LEFT		0	O/N	5
	6A			817	"	"		95		5
	6B			818	"	"		130		5

RELINQUISHED BY: M.L.B. Date/Time: 9/23/98 4p
RECEIVED BY: Julie Sarfong Date/Time: 9-23-98 @ 3:50 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: VISITACION E.S.
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
07	7	W	9/23/98	654	DF	HALL By 102 RIGHT		0	0/N	46
	7A			831	DF	"		8/6		44
	7B			833	"	"		30		44
08	8			655	SF	RM 103		0	0/N	15
	8A				"	"		30		15
	8B				"	"		30		16
09	9			657	SF	RM 104		0		11
	9A			844	"	"		30		12
	9B	+		845	"	"		30		11

RELINQUISHED BY: M. MB
Date/Time: 9/23/98 4p
RECEIVED BY: Julie Salfong
Date/Time: 9-23-98 @ 3:50pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: Visitacion Valley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: [illegible] / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
10	10	W	9/23/98	658	SF	RM 101		0	0/N	11
	10A			840	SF	"		30		10
	10B			841	"	"		30		
11	11			700	SF	RM 106		0	0/N	13
	11A			849	"	"		30		12
	11B			850	"	"		30		12
12	12			701	DF	HALLWAY 106		0	0/N	13
	12A			854	"	"		30 47		12
	12B			855	"	"		30		14

RELINQUISHED BY: [illegible]
Date/Time: 9/23/98 3:

RECEIVED BY: Julie Sarjing
Date/Time: 9-23-98@ 3:50 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: VISITACION VALLEY E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
13	13	W	9/23/98	705	DF	HALL BY 106 (R)		0	9/N	75
	13A			856	"	"		75		76
	13B			857	"	"		30		71
14	14			708	SF	RM 108		0	9/N	15
	14A			901	"	"		30		15
	14B			902	"	"		30		16
15	15			710	DF	HALL BY AUDIT.		0	2N	42
	15A			907	"	"		42		
	15B			908	"	"		30		

RELINQUISHED BY: [signature]
Date/Time: 9/23/98 4p
RECEIVED BY: Julie Surfing
Date/Time: 9-23-98 @ 3:50 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98

TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: Visitacion Valley E.S.

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: MB / firm SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
16	16	W	9/23/98	712	SF	RM 209		1	4/N	15
	16A			914	"	"		30		16
	16B			915	"	"		30		17
17	17			914	SF	RM 208		0	0/N	20
	17A			917	"	"		30		20
	17B			918	"	"		30		21
18	18			715	DF	HALL BY 208 (L)		0	0/N	55
	18A			920	"	"		55		56
	18B			922	"	"		30		58

RELINQUISHED BY: M.D.B. Date/Time: 9/23/98 4p

RECEIVED BY: John Sullivan Date/Time: 9-23-98 @ 5:30 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: NB / Lira SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
19	19	W	9/23/98	8:16	DF	HALLWAY 206		0	O/N	3.
	19A			9:25	"	"		3:15		0 3
	19B			9:27	"	"				
20	20			7:23	SF	RM 207		0	O/N	21
	20A			9:30	"	"		30		21
	20B			9:31	"	"		30		21
21	21			7:24	SF	RM 206		0	O/N	25
	21A			9:38	"	"		30		25
	21B			9:35	"	"		30		25

RELINQUISHED BY: [signature]
Date/Time: 9/23/98 4p
RECEIVED BY: Julie Sarjong
Date/Time: 9-23-98@ 3:50 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley E.S.

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling ☒ Lead

INSPECTOR: [illegible] / firm SCA

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
22	22	W	9/23/98	726	SF	TEACHER KIT		60s	~~[illegible]~~	
	22A			941	"	"		30		
	22B			942	"	"		30		
23	23			727	SF	RM 205		0	0/w	
	23A			944	"	"		30		60
	23B			945	"	"		30		10
24	24			729	SF	RM 204		0		11
	24A			947	"	"		30		12
	24B			948	"	"		30		10

RELINQUISHED BY: [illegible] Date/Time: 9/23/98 4p

RECEIVED BY: Julie Sifony Date/Time: 9-23-98 @ 3:58pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: Visitation Valley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: MB / SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
25	25	W	9/23/98	733	SF	Rm 203		0	0/N	17
	25A			951	"	"		30		18
	25B			952	"	"		30		17
26	26			735	SF	Rm 202		0	0/N	
	26A			953	"	"		30		
	26B			954	"	"		30		
27	27			736	DF	Hall By 202 (L)		0	0/N	42
	27A			1002	"	"		42		43
	27B			1003	"	"		30		45

RELINQUISHED BY: M.A.B. for
Date/Time: 9/23/98
RECEIVED BY: Julie Sulfay
Date/Time: 9-23-98 @ 3:5 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60576

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley E.S.
SITE FILE: Water Sampling ☒ Lead
INSPECTOR: MB / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
28	28	N	9/23/98	738	DF	HALL RM 202 (R)		0	O/N	66
	28A			905	"	"		65		65
	28B			907	"	"		66		66
29	29			741	SF	RM 201		5s	O/N	10
	29A			1000	"	"		30		10
	29B			1001	"	"		30		10
30	30			745	MDF	EX7 LOWER		?	?	38
	30A			1012	"	"		38		37
	30B			1013	"	"		30		39

RELINQUISHED BY: M.D. [signature]
Date/Time: 9/23/98 4p

RECEIVED BY: Julie Sugay
Date/Time: 9-23-98@ 3:50 pm

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328. 60516

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 9/23/98
TURNAROUND TIME: PER CONTRACT WITH SFUS

SITE: Visitacion Valley E.S.
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: [illegible] / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	
31	31	W	9/23/98	747	MDF	EXT UPPER		?	?	41
	31A			1015	"	"		41		41
	31B			1017	"	"		30		42
32	BLANK			801	—	—	B	—	—	

RELINQUISHED BY: [illegible]
Date/Time: 9/23/98 4p

RECEIVED BY: Julie Sayfy
Date/Time: 9-23-98 @ 3:00 p

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/16/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley MS
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / FIRM SCA
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
VVMS 1		8/16/97	1105	WCDF	Cafeteria/225	F	in use	76hrs
VVMS 2		↓	1109	WCDF	C92 (hall)	F		
VVMS 3		↓	1125	WCDF	C90 (hall)	F		
VVMS 4		↓	1130	WCDF	207	F		
VVMS 5		↓	1145	WCDF	C90 (hall)	F		
VVMS 6		↓	1201	SF	219B	F		
VVMS 7		↓	1215	SF	220	F		
VVMS 8		↓	1240	WCDF	228	F		
VVMS 9		↓	1245	WCDF	228	F	↓	↓

97-W0075 15

RELINQUISHED BY: Michelle
Date/Time: 8/19/97 11:45 AM
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Visitacion Valley MS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/16/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley MS
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
VVMS 10		8/16/97	1255	WCDF	229	F		76hrs
VVMS 11		↓	1300	WCDF	229A	↓		↓
VVMS 12		↓	1310	SF	225A	↓		↓
VVMS 13		↓	1330	WCDF	C92(hall)	F		↓
VVMS 14		↓	1340	WCDF	C90(hall)	↓		↓
VVMS 15		↓	1345	WCDF	C93(hall)	↓		↓
VVMS 16		↓	1410	WCDF	C92	F		↓
VVMS 17		↓	1415	SF	308	↓		↓
VVMS 18		↓	1417	SF	308	↓	↓	↓

RELINQUISHED BY: Michelle Jones
Date/Time: 8/19/97 11:45 AM
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206 San Francisco, CA 94124 Phone: (415) 695-5500

Visitacion Valley MS

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/16 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Visitacion Valley MS
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
VVMS 19		8/16	1420	SF	308	F		
VVMS 20		↓	1423	SF	308	F		
VVMS 21		↓	1426	SF	308	F		
VVMS 22		8/16		BL				

RELINQUISHED BY: Michelle Xia
Date/Time: 8/19/97 11:45AM
RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Visitacion Valley MS

[redacted]

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: 650-364-9600 510-653-0824 DATE: 11 06 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: WALDEN HOUSE
SITE FILE: Water Sampling - Lead
INSPECTOR: OWENS / S.F.U.S.D.
WORK ORDER #: SFUSD PO

☐ ☐
☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	B	11-06-97		S.F.	MAIN KITCHEN 1ST FLOOR	I	N/A	8 hrs
#2	B	11-05-97	5:45	S.F.	SM. KITCHEN 1ST FLOOR	I	N/A	8HR
#3	B	11-05-97	06:56	WCDF	NORTH WEST 2ND FLOOR	I	N/A	8HR
#4	B	11-05-97	05:59	WCDF	NORTH WEST 2ND FLOOR	I	N/A	8HR

RELINQUISHED BY: [signature]
Date/Time:
RECEIVED BY:
Date/Time:

1351 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415)695-5500

Page 1 of 1

Walden House CD

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: MicroAnalytical
PHONE: 1-510-653-9829 DATE: 9/16/97
TURNAROUND TIME: ☑ 3-5 Days

SITE: R. Wallenberg HS.
☑ Graphite Furnace AA — LEAD
SITE FILE: Water Sampling ☑ Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

INSPECTOR: M. Bradshaw
WORK ORDER #:

SAMPLE #	A.M.	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
1	am	9/14/97	11:56 am	DF	Cafe, R-125 North wall	I	N/A	19 hrs
2			12:01 pm	"	1st Floor C-92	I		
3			12:08 pm	"	1st Floor C-90, South	I		
4			12:11 pm	"	1st Floor C-90, North	I		
5			12:15 pm	"	2nd Floor C-90, North	I		
6			12:20 pm	"	2nd Floor C-90, South	I		
7			12:27 pm	"	Basement by gym R-014	I		
8			12:34 pm	"	Basement level C-90, South	I		
9		—	—	—	Blank	B		

Spike 97-W00774-3

RELINQUISHED BY: [signature]
Date/Time: 9/16/97 11:30 am

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 101, San Francisco, CA 94124 Phone: (415) 695-5300

Wallenberg HS 1 of 1

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Washington H.S.

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: Coppend / RGH

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	Tu	8/26	730	DF	1st fl - angle did not permit flushing	F	10+	36+
2	Tu	8/26	740	DF	1st fl by Rm 130	F	N/A	6+
3	Tu	8/26	750	~~SF~~ DF	3rd fl by Rm 324	F	10+	36+
4	Tu	8/26	755	SF	3rd fl by Rm 324	F	10+	36+
5	Tu	8/26	735	DF	3rd fl by elevator	F	10+	36+
6	Tu	8/26	755	DF	3rd fl outside Rm 314	F	10+	36+
7	Tu	8/26	800	DF	3rd fl outside Rm 307	F	10+	36+
8	Tu	8/26	810	DF	3rd fl outside Rm	F	10+	36+
9	Tu	8/26	820	DF	2nd fl outside Rm 236	F	10+	36+

RELINQUISHED BY: Karen Ahrcater
Date/Time: 8/26/97

RECEIVED BY: [illegible]
Date/Time: 8/26/97 @ 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Washington HS

P.01/2

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Washington H.S.
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: Coppend / RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	Tu	8/26	8:10	DF	2nd outside Rm 232	F	10*	36+
11	Tu	8/26	8:20	SF	faculty 2nd lounge fl	F	10	36+
12	Tu	8/26	8:30	DF	2nd GC	F	10	36+
13	Tu	8/26	8:20	DF	outside Rm 212 - 2nd fl	F	10	36+
14	Tu	8/26	8:30	DF	outside Rm 203 - 2nd fl	F	10	36+
15	Tu	8/26	8:35	DF	outside Rm 105	F	10	36+
16	Tu	8/26	8:35	DF	outside Rm 119B - 1st fl	F	10	36+
17	Tu	8/26	8:45	DF	outside 139 1st fl	F	10	36+
18	Tu	8/26	8:46	DF	outside auditorium	F	10	36+

RELINQUISHED BY: Karin Throeter
Date/Time: 8/26/97
RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Washington H.S.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Washington H.S.

SITE FILE: Water Sampling - ☐ Lead

INSPECTOR: Coppend / RGH

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	Tu	8/26	8 45	DF	1st fl. near m 24	F	10	36+
20	Tu	8/26	8 45	DF	Basement outside m06	F	10	36+
21	Tu	8/26	8 55	DF	Girls Gym Locker Room	F	10	36+
22	Tu	8/26	8 55	DF	Boys Locker Room	F	10	36+
23	Tu	8/26	9 10	DF	outside Gym	F	10	36+
24	Tu	8/26	9 10	MDF	outside Gym	F	10	36+
25	Tu	8/26	9 20	MDF	outside main Bldg	F	10	36+
26	Tu	8/26	9 20	—	—	B	—	—
27	Tu	8/26	9 30	MDF	outside main Bldg · Rm 102	F	10	36+

RELINQUISHED BY: Karen Ahnoler
Date/Time: 8/26/97

RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:30pm

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Washington HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/26/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Washington H.S.
SITE FILE: Water Sampling - ☐ Lead
INSPECTOR: Coppend / RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
28	Tu	8/26	930	SF	faculty lounge	F	N/A	<6
29	Tu	8/26	940	SF	Rm 114	F	~~N/A~~ 10+	36+
30	Tu	8/26	940	SF	Rm 114	F	10+	36+
31	Tu	8/26	940	SF	Rm 114	F	10	36+
32	Tu	8/26	940	SF	Rm 114	F	10	36+
33	Tu	8/26	940	SF	Rm 114	F	10	36+
34	Tu	8/26	940	SF	Rm 114	F	10	36+
35	Tu	8/26	940	SF	Rm 114	F	10	36+
36	Tu	8/26	950	SF	Basement by elevator	F	10	36+

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/26/97
RECEIVED BY: [signature]
Date/Time: 8/26/97 4:30pm

1351 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Washington HS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824

DATE: 8/26/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: George Washington H.S.

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: Coppend / RGA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
37	Tu	8/26	10:00	SF	Cafeteria S. end	F	N/A	<6
38	Tu	8/26	10:00	SF	cafeteria N end	F	N/A	<6
39	Tu	8/26	—	—	SPIKE	S	—	—
	Tu	8/26						
	Tu	8/26						
	Tu	8/26						
	Tu	8/26						
	Tu	8/26						
	Tu	8/26						

RELINQUISHED BY: Karen Schroeder
Date/Time: 8/26/97

RECEIVED BY: [illegible]
Date/Time: 8/26/97 4:30pm

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 Phone: (415) 695-5500

Washington HS

P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

47483

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DANIEL WEBSTER E.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. Hoyt / ATC
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	AM Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	S/N	8/17/97	16:40	WCDF	HALL-ADMIN. BUILDING	F	:12	29HR
2			16:42	SF	LOUNGE - ADMIN. BLDG.		:13	
3			16:52	SF	LHS SINK AUD. KIT.		:11	
4		NON-OPERATIONAL		SF	RHS SINK AUD. KIT			
5			16:55	DF	AUDITORIUM E. WALL		:12	
6			17:04	SDF	2ND FLOOR RM 16		:19	
7			17:06	SDF	Rm 17		:15	
8			17:09	SDF	Rm 14		:19	
9			17:12	SDF	Rm 15		:11	

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:47
RECEIVED BY: [illegible]
Date/Time: 8/18/97 12:48

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Webster ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SEQUOIA~~ / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DANIEL WEBSTER E.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. HOYT / ATC Firm
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
27		NON-OPERATIONAL		DF	2ND FLOOR NORTH HALL AT REST ROOM			
10	Y/N	8/17/97	17:17	SDF	Rm 11	F	:13	29HR
11			17:19	SDF	Rm 10		:13	
12			17:24	SDF	Rm 12		:14	
13			17:26	SDF	Rm 13 2ND FL.		:12	
14			17:39	SDF	Rm 5 1ST. FL.		:17	
15			17:44	SDF	Rm 8		:21	
16			17:46	SDF	Rm 9		:21	
17			17:52	SDF	Rm 6		:15	

NOTE: [illegible] OUT OF ORDER

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:47
RECEIVED BY: [illegible]
Date/Time: 8/18/97 12:48

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Webster ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: ~~SPECTRA~~ / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DANIEL WEBSTER E.S.

SITE FILE: Water Sampling - ☑ Lead

INSPECTOR: P. Hoyt Firm ATC

WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
18	Y/N	8/17/97	17:53	SDF	Rm 7	F	:19	29HR
19			17:59	DF	1ST FLOOR CENTER N-S HALL		:23	
20			18:05	SDF	Rm 4		:13	
21			18:10	SDF	Rm 3		:11	
22			18:15	SDF	Rm 1		:14	
23			18:17	SDF	Rm 2		:14	
24			18:22	MDF (LHS)	EXTERIOR OF Rm 6		:10	
25			18:25	MDF (RHS)	EXTERIOR OF Rm 2		:11	
26		FIELD	BLANK					

RESTRICTED SPACE => FILL 3 1/2" LOW

RESTRICTED SPACE => FILL 1/2" LOW

RELINQUISHED BY: Phil Hoyt
Date/Time: 8/18/97 12:47

RECEIVED BY: [illegible]
Date/Time: 8/18/97 12:48

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Webster ES

2/9274

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DANIEL WEBSTER E.S.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: P. Hoyt / Film ATC
WORK ORDER #: SFUSD PO

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILL TIME	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
N/A	2A	SAT	10-4-97	9:09	SF	LOUNGE ADMIN		30s	76h	N/A
	2B			9:10	SF			30s	–	
	2C			15:16	SF		F	–	6.1h	
N/A	3A			9:24	SF	RHS AUD. KITCHEN		30s	>6h	N/A
	3B			9:25	SF			30s	–	
	3C			15:20	SF		F	–	5.9h	
45s	6A			9:58	SDF	Rm 16		30s	>6h	0.5"
	6B			10:00				30s	–	
	6C			15:32			F	–	5.5h	

RELINQUISHED BY: Phil Hoyt
Date/Time: 10-6-97 9:06

RECEIVED BY: John Aspin
Date/Time: 10/6/97 9:03

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

Webster ES-Ret

49276

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DANIEL WEBSTER ES
SITE FILE: Water Sampling - [X] Lead
INSPECTOR: P. Hoyt Firm ATC
WORK ORDER #: SFUSD PO

[ ] [ ] [ ]
[ ] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILL TIME	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
10 35s	8A	Sat	10-4-97	10:05	SDF	Rm 14		30s	>6hr	1"
1	8B			10:06				30s	—	
2	8C			15:33			F	—	5.5hr	
3 30s	9A			10:13		Rm 15		30s	>6hr	1"
4	9B			10:15				30s	—	
5	9C			15:35			F	—	5.3hr	
16 35s	10A			10:29		Rm 11		30s	>6hr	1.5"
17	10B			10:30				30s	—	
18	10C			15:40			F	—	5.2hr	

RELINQUISHED BY: Phil Hoyt
Date/Time: 10-6-97 9:06

RECEIVED BY: Yolen Ayou
Date/Time: 10/6/97 903AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

P012

Webster ES-Ret

49276

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/F.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/4/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: DANIEL WEBSTER ES
SITE FILE: Water Sampling - [X] Lead
INSPECTOR: P. Hoyt / ATC
WORK ORDER #: SFUSD PO

[X] Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

Fill Time	SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Area Height
25s	12A	10-4-97	10:36	SDF	Rm 12		30s	>6hr	1.5"
	12B		10:37				30s	-	
	12C		15:42			F	-	5.1 hr	
28s	13A		10:41		Rm 13		30s	>6hr	1.75"
	13B		10:42				30s	-	
	13C		15:43			F	-	5.0 hr	
	26A	FIELD	BLANK						

RELINQUISHED BY: [signature] Date/Time: 10-6-97 9:06
RECEIVED BY: [signature] Date/Time: 10/6/97 9:03AM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Webster ES - Ret

#51994

San Francisco Unified School District (SFUSD).
Lead in Drinking Water Sampling and Analysis Plan (SAP).

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 1/10/98
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: D. WEBSTER E.S.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: P. HOYT / firm ATC
WORK ORDER #: SFUSD PO

☐ ☐ ☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

FILL TIME	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	ARCH HEIGHT
25s 01	A 22	SA	1-10-98	11:38	SDF	ROOM 1		30s	>6HR	3"
02	B 22			11:40				30s	-0- NONE	
03	C 22			16:41				-0-	5.0HR	
25s 04	A 14			11:46		ROOM 5		30s	>6HR	2.5"
05	B 14			11:48				30s	-0- NONE	
06	C 14			16:43				-0-	4.9HR	
07.	A 26		FIELD BLANK							

RELINQUISHED BY: Phil Hoyt
Date/Time: 1-12-98 13:15

RECEIVED BY: J. Sartee
Date/Time: 1-12-98 13:15

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 1

WEBSTER ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Program

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B665

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Weill ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: CQ / SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1,2	WEILL ES 1		8.21.97	6:00	SF	Room 032		10 MIN	>6 HR
3	WEIL ES 2		8.21.97	6:01	DF	DINING AREA-BASEMENT			
4	WEILL ES 3		8.21.97	6:02	DF	1ST FLOOR - SOUTH HALL			
5	WEILL ES 4		8.21.97	6:03	DF	1ST FLOOR - NORTH HALL			
6	WEILL ES 5		8.21.97	6:05	DF	2ND FLOOR - NORTH HALL			
7	WEILL ES 6		8.21.97	6:10	DF	2ND FLOOR - SOUTH HALL			
8	WEILL ES 7		8.21.97	6:15	DF	ROOF			
9	WEILL ES 8		8.21.97	6:20	DF	3RD FLOOR - SOUTH HALL			
10	WEILL ES 9		8.21.97	6:25	DF	3RD FLOOR - NORTH HALL			

RELINQUISHED BY: Michelle [illegible] Date/Time: 8/22/97 1:30pm
RECEIVED BY: [illegible] Date/Time: 8/22 3:20

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22/97

Page 1 of 2

P012

Weill ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Form

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9708B85

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/21/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Weill ES
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: CQ / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked

	SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
11	WEILL ES 10		8.21.97	6:30	SDF	Room 100		10MIN	>6HR
12, 13	WEIL ES 11		8.21.97	6:35	DF	Room 100			
14	WEILL ES 12		8.21.97	6:40	SDF	Room 103			
15	WEILL ES 13		8.21.97	6:45	SDF	Room 102			
16	WEILL ES 14		8.21.97	6:50	SDF	Room 14			
17	WEILL ES 15		8.21.97	6:55	SDF	Room 15			
18	WEILL ES 16		8.21.97	7:00	SDF	Room 16			
19	WEIL ES 17		8.21.97	7:05	SDF	Room 17			
20	WEIL ES BL		8.21.97	7:10	—	—	B		

97-W00761-15

RELINQUISHED BY: Michelle [illegible] Date/Time: 8/22/97 1:30 p.m.
RECEIVED BY: [illegible] Date/Time: 8/22/97 3:20

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

[illegible] 8/22/97

Page 2 of 2

P012

Weill ES

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LIP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/18/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: IDA B. WELLS H.S.

☒ Graphite Furnace AA EPA 239.2 LEAD

SITE FILE: Water Sampling
☒ Lead

INSPECTOR: Emmanuel / SFUSD

WORK ORDER #: SFUSD PO

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
I

SAMPLE #	DA	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
#1	"	8/18/97	7:30	SF	KITCHEN SINK-BASEMENT	I	N/A	19 HRS
#2	"	8/18/97	7:40	DF	CORRIDOR G91 BASEMENT	I	N/A	19 HRS
#3	"	8/18/97	7:50	Df	CORRIDOR G92 1ST FLOOR	I	N/A	19 HRS.
#4	"	8/18/97	7:50	Df	CORRIDOR G93 2nd floor	I	N/A	19 HRS.
#5	"	8/18/97	7:50	Df	OUTSIDE NORTH CORNER	I	N/A	20 HRS.
#6	"	8/18/97	8:00	BLANK				

RELINQUISHED BY: [signature] 8/18/97
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Wells HS

48825

LEAD WATER SAMPLE FORM

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: Micro Analytical
PHONE: DATE: 9/24 KA
TURNAROUND TIME: ☑ 3-5 Days

SITE: Ida B. Wells HS
SITE FILE: Water Sampling ☑ Lead
INSPECTOR: M. Bruckstein
WORK ORDER #: W7-97-

☑ Graphite Furnace AA — LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
I-Initial Screening
B=BLANK
S=SPIKED

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE		NONUSE TIME
1	Sat	9/20/97	11:11 am	DF	East Yard Basement Level	I		18 hr
2	"	"	11:21 am	DF	Basement Level South End, Corridor	I		"
3		"	11:28	DF	Basement Level weight Room	I		"
4		"	11:34 am	DF	1st Floor Corridor, N End	I		
5		"	11:40 am	DF	1st Floor Corridor, S-End	I		
6		"	11:44 am	DF	2nd Floor Corridor, S-End	I		
7		"	11:50 am	DF	2nd Floor R-214, Teacher Lounge	I		
8		"	11:56 am	D	2nd Floor Corridor, N-End	I		
9		"	—	—	—	B		

RELINQUISHED BY: [signature]
Date/Time: 9/20/97 10:52 am

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 103, San Francisco, CA 94124 Phone: (415) 695-5500

1 of 1

Wells HS-~~Ret~~

San Francisco Unified School District (SFUSD)
Lead In Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: 650-364-9600 510-653-0824 DATE: 11/13/97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Wells HS

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: Neil / S.F.U.S.D.

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☑ Graphite Furnace at EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water Faucet

SAMPLE TYPE:
B - Blank
S - spiked

SAMPLE #	DA	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
3A		11-13-97	8:50	S.D.F	Basement Weight Room	B ~~S.D.F~~	30 sec	16 Hrs
3B		"	8:53	"	"	B ~~S.D.F~~	30 sec	
3C		"	13:00	"	"	B ~~S.D.F~~	"	247 min
8A		11-13-97	09:03	DF	3RD Floor North Hall	B	30	16 Hrs
8B		"	09:06	"	"	B	30	
8C		"	13:10	"	"	B	"	

RELINQUISHED BY: [signature] Date/Time: 15:00 11-13-97

RECEIVED BY: [signature] Date/Time: 11/13/97 1503

1351 Newcomb Ave., Ste. 103, San Francisco, CA 94124 Phone: (415)695-5500

1 of 1

WELLS HS RETURNS

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: West Portal School

SITE FILE: Water Sampling
☐ Lead

INSPECTOR: MS / SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
West Portal 1		8/23/97	~~0~~ 1000	SDF	room 11	F	10 mins	76 hrs
West Portal 2		↓	1005	SDF	room 10	F	↓	↓
West Portal 3		↓	1010	SDF	room 12	F	↓	↓
West Portal 4		↓	1012	SDF	room 15	F	↓	↓
West Portal 5		↓	1015	WF	190 (hall)	F	↓	↓
West Portal 6		↓	1017	SDF	room 14	F	↓	↓
West Portal 7		↓	1019	SDF	room 17	F	↓	↓
West Portal 8		↓	1023	SDF	room 26	F	↓	↓
West Portal 9		↓	1025	SDF	room 24	F	↓	↓

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

West Portal

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
E. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: West Portal School

SITE FILE: Water Sampling
- ☐ Lead

INSPECTOR: / firm

WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	QTY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
West Portal 10		8/23/97	1030	WF	290 (hall)	F	10 mins	76 hrs
West Portal 11		↓	1035	SDF	room 22	F	↓	↓
West Portal 12		↓	1040	SF	room 19 (café)	F	↓	↓
West Portal 13		↓	1045	SDF	room 21	F	↓	↓
West Portal 14		↓	1050	SDF	room 20	F	↓	↓
West Portal 15		↓	1055	SDF	room 23	F	↓	↓
West Portal 16		↓	1100	SDF	room 25	F	↓	↓
West Portal 17		↓	1105	MDF	ext. 1	F	↓	↓
West Portal 18		↓	1110	SDF	room 18	F	↓	↓

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

West Portal

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL

PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: /97

TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: West Portal School

SITE FILE: Water Sampling - ☐ Lead

INSPECTOR: MS / SCA

WORK ORDER #: SFUSD PO

☐ ☐ ☐

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
West Portal 19		8/23/97	1115	SDF	room 19	F	10 mins	76hrs
West Portal 20		↓	1120	SDF	room 20	F	↓	↓
West Portal 21		↓	1125	SDF	room 21	F	↓	↓
West Portal 22		↓	1130	SF	office sink 1	F	↓	↓
West Portal 23		↓	1135	SF	office sink 2	F	↓	↓
West Portal 24		↓	1140	MDF	ext. 3	F	↓	↓
West Portal 25		↓	1145	MDF	ext. 2	F	↓	↓
West Portal 26		↓	1150	MDF	ext. 4	F	↓	↓
West Portal 27		↓	1155	—	BLANK	F	↓	↓

Spike ★ 97-W00761 12

RELINQUISHED BY:
Date/Time:

RECEIVED BY:
Date/Time:

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

West Portal

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SFP.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

97/0477

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA ~~@ 510-848-3328~~.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 3 / 97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: West Portal ES
SITE FILE: Water Sampling
☐ Lead
INSPECTOR: MS / ~~SCA~~
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - ~~Spiked~~ Second
F - First Draw
Weight

	SAMPLE #	A D V	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	WP 10-A		10/3/97		WF	290 (hall)	F	1.5 m	50 sec
2	WP10-B		↓		↓	↓	S	↓	↓
3	WP10-C		↓		↓	↓	F	↓	↓
4	WP 18-A		↓		SDF	Rm 18	F	2 m	40 sec
5	WP18-B		↓		↓	↓	S	↓	↓
6	WP18-C		↓		↓	↓	F	↓	↓
7	WP19-A		↓		SDF	Rm 19	F	2 m	35 sec
8	WP19-B		↓		↓	↓	S	↓	↓
9,10	WP19-C		↓		↓	↓	F	↓	↓

RELINQUISHED BY: Michelle Lau
Date/Time: 10/8/97 12pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 2:55

9 4 22

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Page 1 of 3

West Portal ES - Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan SAP

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710477

Instruction to lab: Fax results **ONLY** to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA ~~@ 510-343-3328~~.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/3/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: West Portal ES
SITE FILE: Water Sampling
- ☑ Lead
INSPECTOR: MS/ SCA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 Lead

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - ~~spiked~~ second
F - First Draw

	SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	HOLDOUT TIME
11	WP 20-A		10/3/97		SDF	Rm 20	F	2in	30sec
12	WP 20-B		↓		↓	↓	Sec	↓	↓
13	WP 20-C		↓		↓	↓	F	↓	↓
14	WP 21-A				SDF	Rm. 21	F	2in	30 sec
15	WP 21-B				↓	↓	Sec	↓	↓
16	WP 21-C		↓		↓	↓	F	↓	↓
17 •	WP 22-A				SF	office sink 1	F	2in	30sec
18 •	WP 22-B				↓	↓	S	↓	↓
19,20 •	WP 22-C		↓		↓	↓	F	↓	↓

9 4 22

RELINQUISHED BY: Michelle Lau
Date/Time: 10/8/97 12pm
RECEIVED BY:
Date/Time: 10/9/97 2:55

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

West Portal ES-Ret.

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

9710477

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10/9/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: West Portal ES
SITE FILE: Water Sampling
- ☐ Lead
INSPECTOR: MS / Firm SCA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F - First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
21,22	West Portal BLANK							

RELINQUISHED BY: Michelle Dean
Date/Time: 10/8/97 12pm
RECEIVED BY: [signature]
Date/Time: 10/9/97 25T

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 595-5500

Page 3 of 3

Received in Lab by J. Downs 1622 10/9/97

West Portal ES-Ret.

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA (MICROANALYTICAL)
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Yick Wo
SITE FILE: Water Sampling - ☑ Lead
INSPECTOR: DENIS EDWARDS / FIRM RGA
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	S	8/17	8:15	SDF	ROOM 104	F	N/A	>6 HRS <36 HRS
2			8:20	SDF	Rm. 103		N/A	>6 HRS <36 HRS.
3			8:22	SDF	102		N/A	"
4			823	SDF	101		"	"
5			824	SDF	FACULTY		"	"
6			8:25	SF	NURSE'S		"	"
7			8:26	SDF	HALL		"	"
8			8:48	SDF	202		"	"
9			852	SDF	HALL		"	"

WPS → ADJ. TO SINK

RELINQUISHED BY: Karin Schroeder
Date/Time: 8/22/97 / 4:15
RECEIVED BY: John Ryan
Date/Time: 8/22/97 4:15 PM

1551 Newcomb Ave., Ste. 206, San Francisco, CA 94124 Phone: (415) 695-5500

WO ES

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Yick Wo
SITE FILE: Water Sampling
- [✓] Lead
INSPECTOR: DENIS EDWARDS / Firm RGA
WORK ORDER #: SFUSD PO

[ ] Graphite Furnace AA EPA 239.2 | LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
10	S	8/17	8:40	SDF	MULTI PURPOSE	F	N/A	>6 HRS <36 HRS.
11			842	SI F	KITCHEN		"	"
12			844	SDF	OUTSIDE		N/A	>6 HRS <36
13			846	B	BLANK	B	—	—
14			720	SDF	201	F	N/A	>6 HRS <36
15			722	SDF	210		"	"
16			724	SDF	209		"	"
17			726	SDF	208		"	"
18			728	SDF	207		"	"

RELINQUISHED BY: Karin Schroeder
Date/Time: 8/22/97 / 4:15
RECEIVED BY: John Ryan
Date/Time: 8/22/97 HUPA

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 / Phone: (415) 695-5500

WO ES
P012

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ **415-695-5667** and C. Siu of SCA @ **510-848-3328**.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/17/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: YICK WO
SITE FILE: Water Sampling
☑ Lead
INSPECTOR: DENIS EDWARDS / FIRM RGA
WORK ORDER #: SFUSD PO

☑ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
19	S	8/17	740	SDF	206	F	N/A	6 Hrs < 36 Hrs
20		8/17	742	SDF	205	F	"	"
21			744	SDF	204	F	"	"
22			746	SDF	203	"	"	"
23		—	—	—	—	S	—	—

RELINQUISHED BY: Karin Schroeder
Date/Time: 8/22/97 4:15
RECEIVED BY: John Ayon
Date/Time: 8/22/97 4:15

1551 Newcomb Ave., Rm. 106, San Francisco, CA 94124 / Phone: (415) 695-5500

WO ES

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49293

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: WO SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: DR FIRM: RGA WORK ORDER #: SFUSD PO	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
70 01	8 ~~20~~ ~~28~~ A		10/6	1530	SDF	202	F	30sec	15min
02	B		↓	1531	↓	↓		30sec	30sec
3" 03	C		↓	1958	↓	↓		—	4½hr
04	~~Z~~ BLANK		10/6			→	B	→	→
	~~WO~~ WO-S1		→	→	→	~~WO~~ →	S	→	→
ok	WO-S2					→	S	→	→
	WO-S3					→	S	→	→
	WO-S4								

RELINQUISHED BY: Karen Throcle Date / Time: 10/7/97	RECEIVED BY: Julie Sadly Date / Time: 10/7 @ 5:49pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

WO ES- Ret.

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49293

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE,
ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUIOA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: WO
SITE FILE: Water Sampling
Lead
INSPECTOR: DF FIRM RGA
WORK ORDER #: SFUSD PO

Graphite Furnace AA EPA 239.2

FIXTURE TYPE:
DF--Drinking Fountain
MDF--Multiple DF
WCDF--Water Cooled DF
SDF--Sink DF
SF--Sink Faucet

SAMPLE TYPE:
B--Blank
S--Spiked
F--First Draw

First Time	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1605	1 A		10/5	1405	SDF	104	F	30 sec	10 HR
3" 06	1 B			1406				30 sec	30 sec
07	1 C			1930				—	4 HR
1308	2 A		10/5	1410	SDF	103	F	30 sec	10 HR
3" 09	2 B			1411				30 sec	30 sec
10	2 C			1932				—	4 HR
43 11	7 A		10/5	1420	DF	HALL	F	30 sec	14 HR
2" 12	B			1421				30 sec	30 sec
13	C			1934				—	4 HR

RELINQUISHED BY: Karin Hirsch
Date / Time: 10/7/97
RECEIVED BY: Julie Sieh
Date / Time: 10/7 2:48 pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

WO ES- Ret.

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49293

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: WO	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: DC FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Fit Sink 32 14	14 A		10/5	1430	SDF	201	F	30 sec	10 min
2" 15	B			1431		~~210~~		30 sec	30 sec
16	C			1930				—	4 min
537	15 A		10/5	1438	SDF	210	F	30 sec	10 min
2" 18	B			1439				30 sec	30 sec
19	C			1932					4 min
30 gal 20	16 A		10/5	1450	SDF	209	F	30 sec	10 min
3" 21	B			1451				30 sec	30 sec
22	C			1940				—	4 min

RELINQUISHED BY: Karin Schroeder Date / Time: 10/7/97	RECEIVED BY: Silvia Sachs Date / Time: 10/7 @ 3:45 pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

WO ES- Ret.

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49293

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 6 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: WO	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: DK FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
Fir TIME 83	17 A		10/5	1458	SDF	208	F	30 sec	10 min
3" 24	B		↓	1459	↓	↓	↓	30 sec	30 sec
25	C		↓	1946	↓	↓	↓	—	4½ hr
38	18 A		10/5	1505	SDF	207	F	30 sec	10 min
2" 27	B		↓	1506	↓	↓		30 sec	30 sec
28	C		↓	1948	↓	↓		—	4½ hr
30	19 A		10/5	1510	SDF	206	F	30 sec	10 min
2" 32	B		↓	1511	↓	↓		30 sec	30 sec
31	C		↓	1950	↓	↓		—	4½ hr

RELINQUISHED BY: Karin Ahrens Date / Time: 10/7/97	RECEIVED BY: Julie Sullivan Date / Time: 10/7 @ 2:47 pm

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

WO ES-Ret.

San Fransisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan S/P.

LEAD IN WATER SAMPLE FORM AND CHAIN OF CUSTODY

Instruction to lab: FAX results **ONLY** to:
B. Giannini of SFUSD @ 415-965-5667 and C. Siu of SCA @ 510-848-3328

49293

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUIOA / MICROANALYTICAL PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 10 / 7 / 1997 TURNAROUND TIME: PER CONTRACT WITH SFUSD
SITE: WO	
SITE FILE: Water Sampling Lead	Graphite Furnace AA EPA 239.2
INSPECTOR: JR FIRM: RGA	FIXTURE TYPE: DF--Drinking Fountain, MDF--Multiple DF, WCDF--Water Cooled DF, SDF--Sink DF, SF--Sink Faucet SAMPLE TYPE: B--Blank, S--Spiked, F--First Draw
WORK ORDER #: SFUSD PO	

Filtrar

	Sample #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
32	20 A		10/5	1515	SDF	205	F	30sec	10hr
2" 33	B			1516				30sec	30sec
34	C			1952				—	4hr
35	21 A		10/5	1520	SDF	204	F	30sec	10hr
2" 36	B			1521				30sec	30sec
37	C			1954				—	4hr
38	22 A		10/5	1525	SDF	203	F	30sec	10hr
2" 39	B			1526				30sec	30sec
40	C			1956				—	4hr

RELINQUISHED BY: Karin Ahrens Date / Time: 10/7/97	RECEIVED BY: Julie Sanchez Date / Time: 10/7 @ 3:40

1551 Newcomo Ave., Rm. 106. San Fransisco, CA 94124 Phone: (415) 695-5500

WO ES-Ret.

PICKUP

9708005

San Francisco Unified School District (SFUSD)

Lead in Drinking Water Sampling

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824
DATE: 8/29 /97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: YOEY
SITE FILE: Water Sampling
☒ Lead
INSPECTOR: DK / file EGA
WORK ORDER #: SFUSD PO

☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
S - spiked
F- First Draw

AU 25 5 50

	SAMPLE #	A Y	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
01	B	Sa	8/29	1230	—	BLANK	B	10 min	36 +HR
02,03	1	Sa	V		SF FILTER	KITCHEN	F	10 min	36 +HR

RELINQUISHED BY: Karen Schroeter
Date/Time: 8/25/97
RECEIVED BY: [signature]
Date/Time: 8/25/97 4:25

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5500

Relinquished by: [signature] 8/25/97

Page 1 of 1

P012

Yoey

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY:	SEQUOIA ANALYTICAL LAB
	PHONE:	650-364-9500
	TURNAROUND TIME:	PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD:	Graphite Furnace AA — EPA 239.2

SITE: Youth for Service

SITE FILE: WATER SAMPLING ☒ LEAD

INSPECTOR: H. Sotoodeh / EnviroScience, Inc.

WK ORDER: SFUSD Purchase Order

FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF; SF Sink Faucet; WF Water Faucet

SAMPLE TYPE: B — Blank; F — First Draw

SAMPLE №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
1	W	10-29-97	1000	DF	Hallway	F		
2	"	"	1005	SF	1ST FLR. MENS BATH	"		
3	"	"	1010	SF	1ST FLR. MENS BATH	"		
4	"	"	1012	SF	1ST FLR. WOMENS BATH	"		
5	"	"	1014	SF	1ST FLR. WOMENS BATH	"		
6	"	"	1020	SF	2nd FLR. WOMENS BATH	"		
7	"	"	1023	SF	2nd FLR. WOMENS BATH	"		
8	"	"	1030	SF	2nd FLR. MENS BATH	"		
9	"	"	1032	SF	" "	"		
10	"	"	1034	SF	" "	"		
11	"	"	1040	SF	Hallway	"		
12	"	"	1045	~~SF~~	BLANK	"		
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [signature]
DATE: 10-29-97	DATE: 10/22/97
TIME: 1550	TIME: 1550

1551 Newcomb Avenue, Room 103, San Francisco, CA 94124 Phone: (415) 696-550

Youth for Service CD

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

INSTRUCTION TO LAB:

Fax results ONLY to: B. Giannini of SFUSD @ 415-695-5667 and C. Sui of SCA @ 510-848-3328

SFUSD ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS	LABORATORY: SEQUOIA ANALYTICAL LAB
	PHONE: 650-364-9600
	TURNAROUND TIME: PER CONTRACT WITH SFUSD
	ANALYTICAL METHOD: Graphite Furnace AA — EPA 239.2
SITE: Youth for Service	FIXTURE TYPE: DF Drinking Fountain; MDF Multiple DF; WCDF Water-Colled DF; SDF Sink DF; SF Sink Faucet
SITE FILE: WATER SAMPLING ☒ LEAD	SAMPLE TYPE: B: Blank; F: 1st Draw; S: Draw after 30 sec. flush; T: Draw after 30+30 sec. flush; R: Draw after 5 hrs
INSPECTOR: H. Sotoodeh / EnviroScience, Inc.	
WORK ORDER: SFUSD Purchase Order	

New №	Old №	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME
3 - 1	1	W	12-10	800	DF	Hallway	S	30"	
3 - 2	1	"	"	803	"	" "	T	30+30	—
3 - 3	1	"	"	1300	"	" "	R	—	5 HRS
3 - 4									
3 - 5									
3 - 6									
3 - 7									
3 - 8									
3 - 9									
3 - 10									
3 - 11									
3 - 12									
3 - 13									
3 - 14									
3 - 15									
3 - 16									
3 - 17									
3 - 18									
3 - 19									
3 - 20									
3 - 21									
3 - 22									
3 - 23									
3 - 24									
3 - 25									
3 - 26									

RELINQUISHED BY: H. Sotoodeh	RECEIVED BY: [illegible]
DATE: 12-10-97	DATE: 12/10/97
TIME: 1650	TIME: 1650

1 OF 1

YOUTH FOR SERVICE

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LDP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

50891

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: YOUTH GUIDANCE CTR.
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: EW/RW / SFUSD Firm
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☒ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
#1	11/22/97	7:00	DF	Lobby Area G RU-HALL	I	N/A	10 Hrs		
#2	"	"	7:05	SF	KITCHEN AREA - RU-HALL	I	"	10 Hrs	
#3	"	"	7:20	DF	Lobby Area G2/COED HALL	I	"	10 Hrs	
#4	"	"	7:35	DF	Lobby Area G2/COED HALL	I	"	10 Hrs	
#5	"	"	7:35	SF	KITCHEN AREA S2/COED HALL	I	"	10½ Hrs.	
#6	"	"	7:40	DF	B-1/G1 Lobby Area	I	"	10½ Hrs	
#7	"	"	7:45	DF	" "	I	"	10½ Hrs	
#8	"	"	7:50	SF	B-1/G1 KITCHEN AREA	I	"	10½ Hrs	

RELINQUISHED BY: Date/Time: 11/22/97
RECEIVED BY: Date/Time: 11/22/97 12:00 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 635-5000

YOUTH GUIDANCE CENTER

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (LSAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY 50891

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Youth Guidance Center
SITE FILE: Water Sampling
- ☒ Lead
INSPECTOR: EW/RW / SFUSD (Firm)
WORK ORDER #: SFUSD PO

☐ ☐ ☐
☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
#9	SAT	11/22/97	8:05	DF	B-2 Lobby Area	I	N/A	11 Hrs		
#10	"	11/22/97	8:10	DF	" "	I	"	11 Hrs		
#11	"	"	8:20	SF	B-2 KITCHEN	I	"	11 HRS		
#12	"	11/22/97	8:40	DF	B-3 Lobby Area	I	"	11½ Hrs		
#13	"	" "	8:47	DF	B-3 LOBBY AREA	I	"	11½ Hrs		
#14	"	" "	8:50	SF	B-3 KITCHEN	I	"	11½ Hrs		
#15	"	11/22/97	9:15	DF	B-4 Lobby Area	I	"	12 Hrs		
#16	"	" "	9:20	DF	B-4 Lobby Area	I	"	12 Hrs		
#17	"	" "	9:30	SF	B-4 KITCHEN	I	"	12 Hrs		

RELINQUISHED BY: [signature] Date/Time: 11/22/97
RECEIVED BY: [signature] Date/Time: 11/22/97 1200 hrs

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5300

Page 2 of 3

YOUTH GUIDANCE CENTER

San Francisco Unified School District (SFUSD)
Lead in Drinking Water Sampling and Analysis Plan (SAP)

LEAD IN WATER SAMPLE FORM & CHAIN OF CUSTODY

58891

Instruction to lab: Fax results ONLY to:
B. Giannini of SFUSD @ 415-695-5667 and C. Siu of SCA @ 510-848-3328.

SFUSD
ASBESTOS, INDUSTRIAL HYGIENE, ENVIRONMENTAL PROGRAMS

LABORATORY: SEQUOIA / MICROANALYTICAL
PHONE: (S) 650-364-9600 (M) 510-653-0824 DATE: 11/22/97
TURNAROUND TIME: PER CONTRACT WITH SFUSD

SITE: Youth Guidance Center S.F.
SITE FILE: Water Sampling - ☒ Lead
INSPECTOR: EW/RW / firm SFUSD
WORK ORDER #: SFUSD PO

☐ ☐ ☐ Graphite Furnace AA EPA 239.2 LEAD

FIXTURE TYPE:
DF-Drinking Fountain
MDF-Multiple DF
WCDF-Water-Cooled DF
SDF-Sink DF
SF-Sink Faucet
WF-Water-Faucet

SAMPLE TYPE:
B - Blank
I - Initial
R - Resample

SAMPLE #	DAY	DATE	TIME	FIXTURE TYPE	SPACE/ LOCATION	SAMPLE TYPE	FLUSH TIME	NONUSE TIME	Fill Time	Arch Heigh
#18	SAT	11/22/97	9:40	Df	B-5 LOBBY AREA	I	N/A	12 1/2 HRS		
#19		" "	9:45	Sf	B-5 Lobby Area	I	N/A	12 1/2 HRS		
#20		" "	10:00	Sf	KITCHEN B-5	I	N/A	13 HRS		

RELINQUISHED BY: [signature] Date/Time: 11/22/97
RECEIVED BY: [signature] Date/Time: 11/22/97 1800 PM

1551 Newcomb Ave., Rm. 206, San Francisco, CA 94124 Phone: (415) 695-5600

Page 3 of 3

YOUTH GUIDANCE CENTER

Appendix E
Lab QA/QC Reports

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014793
Date Received : 08/25/97
Date Analyzed : 08/27/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601
Site : 1L Bottle QC

ESD Num : 3901

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
LOT #09501000-1	39731772	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-2	39731773	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-3	39731774	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-4	39731775	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-5	39731776	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-6	39731777	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-7	39731778	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-8	39731779	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #09501000-9	39731780	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #0950100010	39731781	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014659
Date Received : 08/20/97
Date Analyzed : 08/21/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601 ESD Num : 3901
Site : 1L Bottle QC

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
LOT #7189010-1	39731087	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-2	39731088	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-3	39731089	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-4	39731090	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-5	39731091	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-6	39731092	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-7	39731093	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT #7189010-8	39731094	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014639
Date Received : 08/19/97
Date Analyzed : 08/19/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601
Site : 1L Bottle QC

ESD Num : 3901

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
LOT#C7189010-1	39730990	Pb	<5.00	ppb	5.00	EPA 600 239.2M
LOT#C7189010-2	39730991	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014414
Date Received : 08/12/97
Date Analyzed : 08/13/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601 ESD Num : 3901
Site : 1L Bottle QC

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
Lot #139804-1	39729910	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #139804-2	39729911	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014333
Date Received : 08/08/97
Date Analyzed : 08/08/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601 ESD Num : 3901
Site : 1L Bottle QC

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
Lot #6085013-1	39729480	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #7027013-1	39729481	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #7027013-2	39729482	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #5290013-1	39729483	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #5290013-2	39729484	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #5290013-3	39729485	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #6102013-1	39729486	Pb	<5.00	ppb	5.00	EPA 600 239.2M
Lot #6102013-2	39729487	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014891
Date Received : 08/27/97
Date Analyzed : 08/28/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601
Site : Sequoia Analytical

ESD Num : 3901

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
01	39732227	Pb	8.02	ppb	5.00	EPA 600 239.2M
02	39732228	Pb	6.07	ppb	5.00	EPA 600 239.2M
03	39732229	Pb	12.3	ppb	5.00	EPA 600 239.2M
04	39732230	Pb	31.4	ppb	5.00	EPA 600 239.2M
05	39732231	Pb	21.3	ppb	5.00	EPA 600 239.2M
06	39732232	Pb	22.0	ppb	5.00	EPA 600 239.2M
07	39732233	Pb	89.0	ppb	25.0	EPA 600 239.2M

Karen L de Sterke

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M015054
Date Received : 09/04/97
Date Analyzed : 09/05/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601
Site : Sequoia Analytical

ESD Num : 3901

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
1	39733059	Pb	5.42	ppb	5.00	EPA 600 239.2M
2	39733060	Pb	19.2	ppb	5.00	EPA 600 239.2M
3	39733061	Pb	<5.00	ppb	5.00	EPA 600 239.2M
4	39733062	Pb	48.8	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M015053
Date Received : 09/04/97
Date Analyzed : 09/05/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601 ESD Num : 3901
Site : Sequoia Analytical

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
1	39733055	Pb	<5.00	ppb	5.00	EPA 600 239.2M
2	39733056	Pb	<5.00	ppb	5.00	EPA 600 239.2M
3	39733057	Pb	27.2	ppb	5.00	EPA 600 239.2M
4	39733058	Pb	15.2	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M014972
Date Received : 08/30/97
Date Analyzed : 09/03/97
Date Reported : 09/22/97

Purchase Order# : ER90180
Job ID # : Proposal #2601
Site : Sequoia Analytical

ESD Num : 3901

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
01	39732603	Pb	29.9	ppb	5.00	EPA 600 239.2M
02	39732604	Pb	24.2	ppb	5.00	EPA 600 239.2M
03	39732605	Pb	20.0	ppb	5.00	EPA 600 239.2M
04	39732606	Pb	14.5	ppb	5.00	EPA 600 239.2M
05	39732607	Pb	13.0	ppb	5.00	EPA 600 239.2M
06	39732608	Pb	8.12	ppb	5.00	EPA 600 239.2M
07	39732609	Pb	14.0	ppb	5.00	EPA 600 239.2M
08	39732610	Pb	8.98	ppb	5.00	EPA 600 239.2M
09	39732611	Pb	12.3	ppb	5.00	EPA 600 239.2M
10	39732612	Pb	21.3	ppb	5.00	EPA 600 239.2M
11	39732613	Pb	<5.00	ppb	5.00	EPA 600 239.2M
12	39732614	Pb	17.3	ppb	5.00	EPA 600 239.2M
13	39732615	Pb	87.0	ppb	10.0	EPA 600 239.2M
14	39732616	Pb	5.77	ppb	5.00	EPA 600 239.2M
15	39732617	Pb	8.05	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M015142
Date Received : 09/09/97
Date Analyzed : 09/10/97
Date Reported : 09/22/97

Purchase Order# :
Job ID # : Various ESD Num : 3901
Site : Micro Analytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
47364-19	39733508	Pb	586	ppb	100	EPA 600 239.2M
47364-23	39733509	Pb	10.3	ppb	5.00	EPA 600 239.2M
47364-31	39733510	Pb	31.8	ppb	5.00	EPA 600 239.2M
47410-06	39733511	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47421-05	39733512	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47474-08	39733513	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47476-18	39733514	Pb	44.8	ppb	5.00	EPA 600 239.2M
47476-21	39733515	Pb	6.48	ppb	5.00	EPA 600 239.2M
47483-06	39733516	Pb	11.9	ppb	5.00	EPA 600 239.2M
47483-07	39733517	Pb	34.8	ppb	5.00	EPA 600 239.2M
47521-04	39733518	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47521-07	39733519	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47525-04	39733520	Pb	6.77	ppb	5.00	EPA 600 239.2M
47525-14	39733521	Pb	21.3	ppb	5.00	EPA 600 239.2M
47526-08	39733522	Pb	8.91	ppb	5.00	EPA 600 239.2M
47608-06	39733523	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M015142
Date Received : 09/09/97
Date Analyzed : 09/10/97
Date Reported : 09/22/97

Purchase Order# :
Job ID # : Various ESD Num : 3901
Site : Micro Analytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
47608-10	39733524	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47609-13	39733525	Pb	6.35	ppb	5.00	EPA 600 239.2M
47609-14	39733526	Pb	27.2	ppb	5.00	EPA 600 239.2M
47642-19	39733527	Pb	5.49	ppb	5.00	EPA 600 239.2M
47642-21	39733528	Pb	7.25	ppb	5.00	EPA 600 239.2M
47691-06	39733529	Pb	28.9	ppb	5.00	EPA 600 239.2M
47692-02	39733530	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47726-16	39733531	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47727-15	39733532	Pb	47.7	ppb	5.00	EPA 600 239.2M
47728-03	39733533	Pb	6.97	ppb	5.00	EPA 600 239.2M
47728-10	39733534	Pb	158	ppb	25.0	EPA 600 239.2M
47729-07	39733535	Pb	15.4	ppb	5.00	EPA 600 239.2M
47730-03	39733536	Pb	28.0	ppb	5.00	EPA 600 239.2M
47730-10	39733537	Pb	28.4	ppb	5.00	EPA 600 239.2M
47739-02	39733538	Pb	6.59	ppb	5.00	EPA 600 239.2M
47740-17	39733539	Pb	16.6	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M015142
Date Received : 09/09/97
Date Analyzed : 09/10/97
Date Reported : 09/22/97

Purchase Order# :
Job ID # : Various ESD Num : 3901
Site : Micro Analytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
47742-05	39733540	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47743-08	39733541	Pb	48.6	ppb	5.00	EPA 600 239.2M
47744-13	39733542	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47744-16	39733543	Pb	12.9	ppb	5.00	EPA 600 239.2M
47744-19	39733544	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47745-14	39733545	Pb	15.1	ppb	5.00	EPA 600 239.2M
47745-24	39733546	Pb	28.7	ppb	5.00	EPA 600 239.2M
47764-15	39733547	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47766-15	39733548	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47766-21	39733549	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47782-18	39733550	Pb	5.29	ppb	5.00	EPA 600 239.2M
47782-19	39733551	Pb	13.0	ppb	5.00	EPA 600 239.2M
47784-03	39733552	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47785-03	39733553	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47786-02	39733554	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47788-11	39733555	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solay responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. *Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed.* Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M015142
Date Received : 09/09/97
Date Analyzed : 09/10/97
Date Reported : 09/22/97

Purchase Order# :
Job ID # : Various ESD Num : 3901
Site : Micro Analytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
47788-19	39733556	Pb	12.6	ppb	5.00	EPA 600 239.2M
47836-11	39733557	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47844-03	39733558	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47844-05	39733559	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47844-09	39733560	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47845-18	39733561	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47845-19	39733562	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47845-23	39733563	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47847-27	39733564	Pb	7.60	ppb	5.00	EPA 600 239.2M
47847-34	39733565	Pb	6.28	ppb	5.00	EPA 600 239.2M
47848-07	39733566	Pb	6.52	ppb	5.00	EPA 600 239.2M
47849-03	39733567	Pb	21.8	ppb	5.00	EPA 600 239.2M
47849-08	39733568	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47904-09	39733569	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47940-18	39733570	Pb	<5.00	ppb	5.00	EPA 600 239.2M
47942-14	39733571	Pb	9.00	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M015142
Date Received : 09/09/97
Date Analyzed : 09/10/97
Date Reported : 09/22/97

Purchase Order# :
Job ID # : Various ESD Num : 3901
Site : Micro Analytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
47943-22	39733572	Pb	6.44	ppb	5.00	EPA 600 239.2M
48023-16	39733573	Pb	6.75	ppb	5.00	EPA 600 239.2M
48023-18	39733574	Pb	5.33	ppb	5.00	EPA 600 239.2M
48023-20	39733575	Pb	<5.00	ppb	5.00	EPA 600 239.2M
48025-02	39733576	Pb	<5.00	ppb	5.00	EPA 600 239.2M
48025-13	39733577	Pb	<5.00	ppb	5.00	EPA 600 239.2M
48026-02	39733578	Pb	<5.00	ppb	5.00	EPA 600 239.2M
48008-03	39733579	Pb	<5.00	ppb	5.00	EPA 600 239.2M
48043-03	39733580	Pb	<5.00	ppb	5.00	EPA 600 239.2M
48050-02	39733581	Pb	15.7	ppb	5.00	EPA 600 239.2M
48050-06	39733582	Pb	5.60	ppb	5.00	EPA 600 239.2M
48050-09	39733583	Pb	17.9	ppb	5.00	EPA 600 239.2M
48092-12	39733584	Pb	<5.00	ppb	5.00	EPA 600 239.2M

Karen L de Sterke

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M016004
Date Received : 10/15/97
Date Analyzed : 10/16/97
Date Reported : 10/21/97

Purchase Order# : ER90180
Job ID # : Proposal #2601
Site : Sequoia Analytical

ESD Num : 3901

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
01	39738273	Pb	14.9	ppb	5.00	EPA 600 239.2M
02	39738274	Pb	22.4	ppb	5.00	EPA 600 239.2M
03	39738275	Pb	12.5	ppb	5.00	EPA 600 239.2M
04	39738276	Pb	<5.00	ppb	5.00	EPA 600 239.2M
05	39738277	Pb	<5.00	ppb	5.00	EPA 600 239.2M
06	39738278	Pb	10.3	ppb	5.00	EPA 600 239.2M
07	39738279	Pb	8.86	ppb	5.00	EPA 600 239.2M
08	39738280	Pb	21.3	ppb	5.00	EPA 600 239.2M
09	39738281	Pb	<5.00	ppb	5.00	EPA 600 239.2M
10	39738282	Pb	6.26	ppb	5.00	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M016442
Date Received : 11/06/97
Date Analyzed : 11/11/97
Date Reported : 11/17/97

Purchase Order# :
Job ID # : ESD Num : 3901
Site : MicroAnalytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
48049-12	39740660	Pb	7.7	ppb	5.0	EPA 600 239.2M
48240-15	39740661	Pb	20	ppb	5.0	EPA 600 239.2M
48275-12	39740662	Pb	<5.0	ppb	5.0	EPA 600 239.2M
48361-07	39740663	Pb	<5.0	ppb	5.0	EPA 600 239.2M
48372-04	39740664	Pb	<5.0	ppb	5.0	EPA 600 239.2M
48383-01	39740665	Pb	7.1	ppb	5.0	EPA 600 239.2M
48559-06	39740666	Pb	12	ppb	5.0	EPA 600 239.2M
48559-08	39740667	Pb	21	ppb	5.0	EPA 600 239.2M
48769-12	39740668	Pb	<5.0	ppb	5.0	EPA 600 239.2M
48825-03	39740669	Pb	20	ppb	5.0	EPA 600 239.2M
49166-02	39740670	Pb	5.3	ppb	5.0	EPA 600 239.2M
49187-01	39740671	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49188-01	39740672	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49189-03	39740673	Pb	5.1	ppb	5.0	EPA 600 239.2M
49249-03	39740674	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49276-15	39740675	Pb	42	ppb	5.0	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M016442
Date Received : 11/06/97
Date Analyzed : 11/11/97
Date Reported : 11/17/97

Purchase Order# :
Job ID # : ESD Num : 3901
Site : MicroAnalytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
49281-57	39740676	Pb	9.7	ppb	5.0	EPA 600 239.2M
49288-05	39740677	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49289-01	39740678	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49290-02	39740679	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49292-20	39740680	Pb	6.4	ppb	5.0	EPA 600 239.2M
49292-60	39740681	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49293-39	39740682	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49295-03	39740683	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49314-16	39740684	Pb	21	ppb	5.0	EPA 600 239.2M
49315-08	39740685	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49318-02	39740686	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49320-02	39740688	Pb	5.0	ppb	5.0	EPA 600 239.2M
49320-03	39740689	Pb	15	ppb	5.0	EPA 600 239.2M
49455-07	39740690	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49456-07	39740691	Pb	<5.0	ppb	5.0	EPA 600 239.2M
49610-16	39740692	Pb	<5.0	ppb	5.0	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

*** 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.**

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

San Francisco Unified School District
Mr. Bruce Giannini
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1908
Report Number: M016442
Date Received : 11/06/97
Date Analyzed : 11/11/97
Date Reported : 11/17/97

Purchase Order# :
Job ID # : ESD Num : 3901
Site : MicroAnalytical Lab

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
50108-13	39740693	Pb	<5.0	ppb	5.0	EPA 600 239.2M

Karen de Sterke, Laboratory Supervisor

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method.

Analytical results and reports are generates by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is soley responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/627-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

Forensic Analytical

Metals Analysis

Furnace AA

S.F. Unified School District
Asbestos Control Division
1551 Newcomb Avenue
San Francisco, CA 94124

Client Number : 1198
Report Number: M017365
Date Received : 12/18/97
Date Analyzed : 12/21/97
Date Reported : 12/22/97

Purchase Order# : 9712589
Job ID # : ESD Num : 3901
Site : Sequoia Analytical

Water

Final Report

Sample Number	Lab Num	Elem	Result	Units	*MRL	Reference
SHERIDAN 3-2	39745553	Pb	11	ppb	5.0	EPA 600 239.2M
SHERIDAN 3-13	39745554	Pb	10	ppb	5.0	EPA 600 239.2M
SHERIDAN 3-20	39745555	Pb	27	ppb	5.0	EPA 600 239.2M

Dave Sandusky, Laboratory Director

* 'MRL':Method Reporting Limit gives the lower limit of numerical reliability for this analytical method

Analytical results and reports are generated by Forensic Anaytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written consent from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full with approval from Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. This report must not be used by the client to claim product endorsement by NVLAP or any agency of the US Government. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of samples after a period of thirty days. The samples will be disposed of according to all state and federal guidelines.

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 - Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 - Telephone: 310/763-2374 Fax: 310/763-8684

MICRO ANALYTICAL LABORATORIES, INC.

5900 HOLLIS STREET, SUITE M, EMERYVILLE, CALIFORNIA 94608
(510) 653-0824 - (510) 653-1361 - FAX

1063

SAMPLE TRANSFER FORM

Raquel Smith
SFUSD - Asbestos Control Program
1551 Newcomb Avenue, Rm. 103
San Francisco, CA 94124

Samples Submitted To:

FORENSIC ANALYTICAL SPECIALTIES, INC.

Total Samples 77
Analysis Type GFAA-WATER
Date Compiled 9/9/97

(415) 242-2549 Fax (415) 242-2553

Micro Sample ID #	Client Sample ID#	Location	Pb (ppb)
47364-19	19	S.F.U.S.D. GRATTAN ES / CC	586
47364-23	23	S.F.U.S.D. GRATTAN ES / CC	10
47364-31	32	S.F.U.S.D. GRATTAN ES / CC	32
47410-06	6	S.F.U.S.D. SAN FRANCISCO COMMUNITY	<5
47421-05	5	S.F.U.S.D. WILLIAM DE AVILA ES	<5
47474-08	8	S.F.U.S.D. SHERIDAN ES	<5
47476-18	18	S.F.U.S.D. JOSE' ORTEGA ES	45
47476-21	21	S.F.U.S.D. JOSE' ORTEGA ES	6
47483-06	7	S.F.U.S.D. DANIEL WEBSTER ES	12
47483-07	8	S.F.U.S.D. DANIEL WEBSTER ES	35
47521-04	VVMS 4	S.F.U.S.D. VISITACION VALLEY MS	<5
47521-07	VVMS 7	S.F.U.S.D. VISITACION VALLEY MS	<5
47525-04	JEFFERSON E.S. 4	S.F.U.S.D. JEFFERSON ES	7
47525-14	JEFFERSON 28	S.F.U.S.D. JEFFERSON ES	21
* 47526-08	SPRING VALLEY 8	S.F.U.S.D. SPRING VALLEY ES	9
47608-06	478-6	S.F.U.S.D. CLARENDON ES #478	<5
47608-10	478-10	S.F.U.S.D. CLARENDON ES #478	<5
47609-13	722-13	S.F.U.S.D. MIRALOMA ES #722	6
47609-14	722-14	S.F.U.S.D. MIRALOMA ES #722	27
47642-19	20	S.F.U.S.D. A.P. GIANNINI JH	5

Notes:

Relinquished by: Fidel [illegible] Date / Time: 9-9-87 [illegible]
Received By: [illegible] Date / Time: 9/9/97 1400
Relinquished by: Date / Time:
Received By: Date / Time:

MICRO ANALYTICAL LABORATORIES, INC.

5900 HOLLIS STREET, SUITE M, EMERYVILLE, CALIFORNIA 94608
(510) 653-0824 - (510) 653-1361 - FAX

1063

SAMPLE TRANSFER FORM

Raquel Smith
SFUSD - Asbestos Control Program
1551 Newcomb Avenue, Rm. 103
San Francisco, CA 94124

Samples Submitted To:
FORENSIC ANALYTICAL SPECIALTIES, INC.

Total Samples 77
Analysis Type GFAA-WATER
Date Compiled 9/9/97

(415) 242-2549 Fax (415) 242-2553

Micro Sample ID #	Client Sample ID#	Location	Pb (ppb)
47642-21	22	S.F.U.S.D. A.P. GIANNINI JH	7
47691-06	8	S.F.U.S.D. NEWCOMER HS	29
47692-02	2	S.F.U.S.D. BENJAMIN FRANKLIN JH	<5
47726-16	#33	S.F.U.S.D. STEVENSON ES	<5
47727-15	#27	S.F.U.S.D. SHERMAN ES	48
47728-03	4	S.F.U.S.D. G. W. CARVER ES	7
* 47728-10	12	S.F.U.S.D. G. W. CARVER ES	158
47729-07	7	S.F.U.S.D. YICK WO ES	15
47730-03	4	S.F.U.S.D. GARFIELD ES	28
47730-10	9	S.F.U.S.D. GARFIELD ES	28
47739-02	2	S.F.U.S.D. FILIPINO ED. CHILD CTR	7
47740-17	16	S.F.U.S.D. GUADALUPE ES	17
47742-05	5	S.F.U.S.D. FRANCIS SCOTT KEY ES	<5
47743-08	8	S.F.U.S.D. COOPER CC	49
47744-13	14	S.F.U.S.D. MARINA JH	<5
47744-16	17	S.F.U.S.D. MARINA JH	13
47744-19	20	S.F.U.S.D. MARINA JH	<5
47745-14	14	S.F.U.S.D. POTRERO HILL JH	15
47745-24	24	S.F.U.S.D. POTRERO HILL JH	29
* 47764-15	15	S.F.U.S.D. JUNIPERO SERRA	<5

Notes:

Relinquished by: [signature] Date / Time: 9-9-97 2:00pm.
Received By: [signature] Date / Time: 9/9/97 1400

Relinquished by: Date / Time:
Received By: Date / Time:

MICRO ANALYTICAL LABORATORIES, INC.

5900 HOLLIS STREET, SUITE M, EMERYVILLE, CALIFORNIA 94608
(510) 653-0824 - (510) 653-1361 - FAX

1063

SAMPLE TRANSFER FORM

Bruce Giannini
S.F.U.S.D.
1551 Newcomb Ave. Room 206
San Francisco, CA 94124

Samples Submitted To:
FORENSIC ANALYTICAL SPECIALTIES, INC.

Total Samples 77
Analysis Type GFAA-WATER
Date Compiled 9/9/97

(415) 695-5500 Fax (415) 242-2553

Micro Sample ID #	Client Sample ID#	Location	Pb (µg/L)
47766-15	15	S.F.U.S.D. JUNIPERO SERRA ES	<5
47766-21	21	S.F.U.S.D. JUNIPERO SERRA ES	<5
47782-18	7-18	S.F.U.S.D. PRESIDIO CC #7	5
47782-19	7-19	S.F.U.S.D. PRESIDIO CC #7	13
47784-03	MCLAREN #3	S.F.U.S.D. MCLAREN CC	<5
47785-03	SUNNYSIDE #3	S.F.U.S.D. SUNNYSIDE ES	<5
47786-02	JEFFERSON CC 2	S.F.U.S.D. JEFFERSON NURSERY (CC)	<5
47788-11	WEST PORTAL 11	S.F.U.S.D. WEST PORTAL ES	<5
47788-19	WEST PORTAL 19	S.F.U.S.D. WEST PORTAL ES	13
47836-11	725-11	S.F.U.S.D. MISSION HS	<5
47844-03	3	S.F.U.S.D. CLEVELAND ES	<5
* 47844-05	5	S.F.U.S.D. CLEVELAND ES	<5
47844-09	9	S.F.U.S.D. CLEVELAND ES	<5
47845-18	18	S.F.U.S.D. MONROE ES	<5
47845-19	19	S.F.U.S.D. MONROE ES	<5
47845-23	23	S.F.U.S.D. MONROE ES	<5
47847-27	27	S.F.U.S.D. PAUL REVERE ES / ANNEX	7.6
47847-34	34	S.F.U.S.D. PAUL REVERE ES / ANNEX	6
47848-07	7	S.F.U.S.D. REDDING ELEMENTARY	7
47849-03	3	S.F.U.S.D. GEORGE WASHINGTON HS	22

Notes:

Relinquished by: [signature] Date / Time: 9-9-97 2:00pm
Relinquished by: Date / Time:
Received By: [signature] Date / Time: 9/9/97
Received By: Date / Time:

MICRO ANALYTICAL LABORATORIES, INC.

5900 HOLLIS STREET, SUITE M, EMERYVILLE, CALIFORNIA 94608
(510) 653-0824 - (510). 653-1361 - FAX

1063

SAMPLE TRANSFER FORM

Raquel Smith
SFUSD - Asbestos Control Program
1551 Newcomb Avenue, Rm. 103
San Francisco, CA 94124

Samples Submitted To:

FORENSIC ANALYTICAL SPECIALTIES, INC.

Total Samples 77
Analysis Type GFAA-WATER
Date Compiled 9/9/97

(415) 242-2549 Fax (415) 242-2553

Micro Sample ID #	Client Sample ID#	Location	Pb (ppb)
47849-08	8	S.F.U.S.D. GEORGE WASHINGTON HS	<5
47904-09	# 9	S.F.U.S.D. PRESIDIO MS	<5
47940-18	# 18	S.F.U.S.D. SUTRO ES / CC	<5
* 47942-14	# 14	S.F.U.S.D. JAMES LICK MS	9
47943-22	#22	S.F.U.S.D. FRANK McCOPPIN ES / CC	6
48023-16	22	S.F.U.S.D. ALAMO ES	7
48023-18	26	S.F.U.S.D. ALAMO ES	5
48023-20	28	S.F.U.S.D. ALAMO ES	<5
48025-02	2	S.F.U.S.D. CESAR CHAVEZ ES	<5
48025-13	13	S.F.U.S.D. CESAR CHAVEZ ES	<5
48026-02	11	S.F.U.S.D. SANCHEZ ES	<5
48028-03	14	S.F.U.S.D. KATE KENNEDY CC	<5
48043-03	16	~~NOT IN DB~~ ✓ S.F.U.S.D. ALAMO ES	<5
48050-02	THURGOOD M. 2	S.F.U.S.D. THURGOOD MARSHALL HS	16
48050-06	THURGOOD M. 6	S.F.U.S.D. THURGOOD MARSHALL HS	6
48050-09	THURGOOD M. 9	S.F.U.S.D. THURGOOD MARSHALL HS	18
48092-12	BRET HARTE 12	S.F.U.S.D. BRET HARTE	<5

Notes:

Relinquished by: [signature] Date / Time: 9-9-97 2:00p.
Received By: [signature] Date / Time: 9/9/97 1400
Relinquished by: Date / Time:
Received By: Date / Time:

MICRO ANALYTICAL LABORATORIES, INC.

5900 HOLLIS STREET, SUITE M, EMERYVILLE, CALIFORNIA 94608
(510) 653-0824 - (510) 653-1361 - FAX

1063

SAMPLE TRANSFER FORM

Raquel Smith
SFUSD - Asbestos Control Program
1551 Newcomb Avenue, Rm. 103
San Francisco, CA 94124

Samples Submitted To:

FORENSIC ANALYTICAL SPECIALTIES, INC.

Total Samples 34
Analysis Type GFAA-WATER
Date Compiled 11/4/97

(415) 242-2549 Fax (415) 242-2553

Micro Sample ID #	Client Sample ID#	Location	
48049-12	12	S.F.U.S.D. ROOFTOP ES	7.7
48240-15	16	S.F.U.S.D. MCATEER HS	20
48275-12	12	S. F. U. S. D. ROOSEVELT MS	<5
48361-07	GALILEO 7	S. F. U. S. D. GALILEO HS	<5
48372-04	16A	S.F.U.S.D. NEWCOMER HS	<5
48383-01	26	S.F.U.S.D. MCKINLEY ES	7.1
48559-06	6	S.F.U.S.D. R. WALLENBERG HS	12
48559-08	8	S.F.U.S.D. R. WALLENBERG HS	21
48769-12	697-12	S.F.U.S.D. LOWELL HIGH SCHOOL	<5
48825-03	3	S.F.U.S.D. IDA B. WELLS H.S.	20
49166-02	2B	S.F.U.S.D. MCKINLEY ES	5.3
49187-01	17A	S.F.U.S.D. BENJAMIN FRANKLIN JH	<5
49188-01	17A	S.F.U.S.D. MARINA JH	<5
49189-03	9C	S.F.U.S.D. WILLIAM DE AVILA ES	5.1
49249-03	4C	S.F.U.S.D. SAN FRANCISCO COMMUNITY	<5
49276-15	9C	DANIEL WEBSTER ES	42
49281-57	22C	S.F.U.S.D. BUENA VISTA ES	9.7
49288-05	25B	S.F.U.S.D. EDISON ES	<5
49289-01	8A	S.F.U.S.D. REDDING PK	<5
49290-02	9	S.F.U.S.D. COBB CC	<5

Notes:

Relinquished by [signature] Date / Time 11-5-97 11:00AM
Relinquished by Date / Time
Received By [signature] Date / Time 11/5/97 11AM
Received By Date / Time

MICRO ANALYTICAL LABORATORIES, INC.

5900 HOLLIS STREET, SUITE M, EMERYVILLE, CALIFORNIA 94608
(510) 653-0824 - (510) 653-1361 - FAX

1063

SAMPLE TRANSFER FORM

Raquel Smith
SFUSD - Asbestos Control Program
1551 Newcomb Avenue, Rm. 103
San Francisco, CA 94124

Samples Submitted To:

FORENSIC ANALYTICAL
SPECIALTIES, INC.

Total Samples 34
Analysis Type GFAA-WATER
Date Compiled 11/4/97

(415) 242-2549 Fax (415) 242-2553

Micro Sample ID #	Client Sample ID#	Location	
49292-20	16C	S.F.U.S.D. CARVER ES	6.4
49292-60	28A	S.F.U.S.D. CARVER ES	<5
49293-39	22B	S.F.U.S.D. YICK WO ES	<5
49295-03	25C	S.F.U.S.D. STEVENSON ES	<5
49314-16	6-A	S.F.U.S.D. SUTRO ES /CC	21
49315-08	3-B	S.F.U.S.D. GEORGE PEABODY ES /CC	<5
49318-02	2	S.F.U.S.D. ROOFTOP MS	<5
~~49319-02~~	1B	S.F.U.S.D. J. LICKS MS	VOID
49320-02	1B	S.F.U.S.D. DOWNTOWN HS	5
49320-03	1C	S.F.U.S.D. DOWNTOWN HS	15
49455-07	7	S.F.U.S.D. CENTRAL CITY	<5
49456-07	7	S.F.U.S.D. LARKIN STREET	<5
49610-16	722-14A	S.F.U.S.D. MIRA LOMA	<5
50108-13	16	S.F.U.S.D. ROOFTOP MS	<5

(B) 11.10.97

Notes:

Relinquished by 11-5-97 11:00 Am. Date / Time
Received By 11/5/97 11:00 Date / Time

Relinquished by Date / Time
Received By Date / Time

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic Analytical Specialty, Inc.

TAT REQUESTED: [ ] 24H [ ] 5D [ ] 48H [ ] 10D [ ] 72H

DUE DATE: 8-29-97

REPORT TO: S. Flynn

WORKORDER # 9708C07

PROJECT NAME:

ANALYSIS REQUESTED

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	Lead by Furnace		Pb ppb						REMARKS
1	8 21st Century	liq	1	1L HNO3	8-13-97	X		8						
2	3 Sloat E.S.	↓	↓	↓	8-14-97	X		6						
3	16 Sloat E.S.	↓	↓	↓	↓	X		12						
4	6 Drew E.S.	↓	↓	↓	↓	X		31						
5	19 Drew E.S.	↓	↓	↓	↓	X		21						
6	1 E.R. Taylor E.S.	↓	↓	↓	8-13-97	X		22						
7	22 Eldorado E.S.	↓	↓	↓	↓	X		89						

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
Lisa DeCardenas	8-26-97	1400	E Charles	8/27/97	1012
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic Analytical

TAT REQUESTED: [ ] 24H [ ] 5D [ ] 48H [ ] 10D [X] 72H

DUE DATE: 3 Day TAT

REPORT TO: S. Flynn

WORKORDER # 9709027

PROJECT NAME: SFUSD

ANALYSIS REQUESTED

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	Lead by Furnace		pb ppb						REMARKS
1	Weill ES-9	liq	1	½L HNO3	8-21-97	X		5						
2	HillTop 4	↓	↓	↓	8-25-97	X		19						
3	J. Parker 8	↓	↓	↓	8-24-97	X		<5						
4	Alvarado 8	↓	↓	↓	↓	X		49						

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
[signature]	9-3-97	9:25	[signature]	9/4/97	10AM
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic Analytical

TAT REQUESTED: [ ] 24H [ ] 5D [ ] 48H [ ] 10D [X] 72H

DUE DATE: 3 Day TAT

REPORT TO: S. Flynn

WORKORDER #: 9709070

PROJECT NAME: SFUSD

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	Lead by Furnace		Pb ppb						REMARKS
01	Sloat ES 2-6	liq	1	½L HNO3	9-29-97	X		<5	(?)					
02	El Dorado ES 2-7	↓	↓	↓	↓	X		<5	(?)					
03	21st Century 2-1	↓	↓	↓	↓	X		27	(?)					
04	↓ 2-19	↓	↓	↓	↓	X		15	(?)					

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
Steve Tan	9-4-97	9:55	[illegible]	9/4/97	10:00 AM
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic Analytical

TAT REQUESTED: [ ] 24H [ ] 5D [ ] 48H [ ] 10D [X] 72H

DUE DATE: _____

REPORT TO: S. Flynn

WORKORDER # 9708E98

PROJECT NAME: SFUSD

ANALYSIS REQUESTED: Lead by Furnace

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	Lead by Furnace		Pb ppb						REMARKS
01	1550-5	liq	1	½L HNO_3	8-17-97	X		30	?					
02	Elk Park, 14	↓	↓	↓	8-14-97	X		24						
03	910-2				8-17-97	X		20	?					
04	Harvey Milk, 7				8-16-97	X		15						
05	Burton, 3				8-20-97	X		13						
06	↓ 26				↓	X		8						
07	McKinley, 2				8-19-97	X		14						
08	↓ 9				↓	X		9						
09	Ulloa, 7				8-16-97	X		12						
10	↓ 17				↓	X		21						
11	Lake Shore, 6	↓	↓	↓	↓	X		<5						

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
D Cárdenas	8-29-97		[illegible]	8/29/97	3:31
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

1 of 2

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic Analytical

TAT REQUESTED: [ ] 24H [ ] 5D [ ] 48H [ ] 10D [X] 72H

DUE DATE: _____

REPORT TO: S. Flynn

WORKORDER # 9708E98

PROJECT NAME: SFUSP

ANALYSIS REQUESTED

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	Lead by Furnace		Pb ppb						REMARKS
12	Treasure Island, 3	Liq	1	½ L HNO3	8-20-97	X		17						
13	↓ 14	↓	↓	↓	↓	X		87						
14	Golden Gate, 4	↓	↓	↓	8-18-97	X		6						
15	↓ 17	↓	↓	↓	↓	X		8						

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
Lisa DeCardenas	8-29-97		[signature]	8/29/97	3:10
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

2 of 2

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic

TAT REQUESTED: 24H 48H 72H 5D 10D

DUE DATE: 10-17-97

REPORT TO: Sheila Flynn

WORKORDER # 9710915

PROJECT NAME:

ANALYSIS REQUESTED: Pb by A.A. / Pb by GFAA

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	Pb by A.A.	Pb by GFAA						REMARKS
01	T.I. 2-A	L	1	1L	10-7-97	14.9							Treasure Island
02	T.I. 16-C				↓	22.4							
03	Hunter 7-C				10-4-97	12.5							
04	Hunter 35B				↓	<5							
05	Flynn 6-B				9-26-97	<5							
06	Sunnyside HC				10-7-97	10.3							
07	Marshall 5-B				↓	8.86							
08	Jefferson E.S. 21-C				10-3-97	21.3							
09	WP 18-C				↓	<5							West Portal 18-C
10	SV 4-C				↓	6.26							Spring Valley 4-C

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
T Parsley	10/15/97		Mark Hauptman	10/15/97	1115
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

SUB-CHAIN OF CUSTODY

SEQUOIA ANALYTICAL
680 CHESAPEAKE DRIVE
REDWOOD CITY, CA 94063
TEL415-364-9600 FAX415-364-9233

PROJECT SUBBED TO: Forensic Lab

TAT REQUESTED: 24H 48H 72H 5D 10D

DUE DATE:

REPORT TO: Sheila Flynn

WORKORDER # 9712584

PROJECT NAME: So Uncorr

FRACTION NUMBER	SAMPLE DESCRIPTION	MATRIX	NUMBER OF CONT.	TYPE CONT.	SAMPLING TIME/DATE	ANALYSIS REQUESTED: Pb								REMARKS
2	Sucramento 3-2	L	1	1L Poly	12/10/97	X								
14	3-13	↓	↓	↓	↓	↓								
21	3-20	↓	↓	↓		↓								

RELINQUISHED FROM SEQUOIA BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
[illegible]	12-17-97		[signature]	12.18.97	1215.
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME
RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	DATE	TIME

SAMPLE CONDITION?

TEMP?

Sheet1

		SFUSD Spike Samples					
LOT #	Bottle ID #	Spike ID #	Spike Value	School Name	Sample ID #	Lab Value	Lab Name
Blue 5290013	6362	97-W00752-1	10 PPB				
Blue 5290013	6232	97-W00752-2	10 PPB				
Blue 5290013	6229	97-W00752-3	10 PPB				
Blue 5290013	3923	97-W00752-4	10 PPB				
Blue 5290013	3072	97-W00752-5	10 PPB				
Blue 5290013	7075	97-W00752-6	10 PPB				
Blue 5290013	3836	97-W00752-7	10 PPB				
Blue 5290013	2869	97-W00752-8	10 PPB				
Blue 5290013	3877	97-W00752-9	10 PPB				
Blue 5290013	6282	97-W00752-10	10 PPB				
Blue 5290013	3497	97-W00752-11	10 PPB				
Blue 5290013	6304	97-W00752-12	10 PPB				
Blue 7027013	2219	97-W00752-13	10 PPB				
Blue 7027013	3154	97-W00752-14	10 PPB				
Blue 7027013	3741	97-W00752-18	10 PPB				
Blue 7027013	3315	97-W00752-19	10 PPB				
Blue 6102013	1780	97-W00752-15	10 PPB				
Blue 6102013	1558	97-W00752-17	10 PPB				
Blue 6085013	14415	97-W00752-16	10 PPB				
Blue 5290013	3630	97-W00753-1	20 PPB				
Blue 7027013	2115	97-W00753-2	20 PPB				
Blue 7027013	2118	97-W00753-3	20 PPB				
Blue 6085013	14416	97-W00753-4	20 PPB				
Blue 6085013	14419	97-W00753-5	20 PPB				
Blue 6102013	1563	97-W00753-6	20 PPB				
Blue 6102013	1756	97-W00753-7	20 PPB				
Blue 139804	7046	97-W00753-8	20 PPB				
Blue 139804	7050	97-W00753-9	20 PPB				
Blue 139804	7051	97-W00753-10	20 PPB				
Blue 139804	7052	97-W00753-11	20 PPB				
Blue 139804	7053	97-W00753-12	20 PPB				

Sheet1

SFUSD Spike Samples

LOT #	Bottle ID #	Spike ID #	Spike Level	School Name	Sample #	Lab Value	Lab Name
Blue 139804	7054	97-W00753-13	20 PPB				
Blue 139804	7055	97-W00753-14	20 PPB				
Blue 139804	7056	97-W00753-15	20 PPB				
Blue 139804	7057	97-W00753-16	20 PPB				
Blue 139804	7058	97-W00753-17	20 PPB				
Blue 139804	7071	97-W00753-18	20 PPB				
Blue 139804	7072	97-W00753-19	20 PPB				
Blue 6102013	1564	97-W00760-1	20 PPB				
Blue 6102013	1561	97-W00760-2	20 PPB				
Blue 6102013	1702	97-W00760-3	20 PPB				
Blue 6102013	1714	97-W00760-4	20 PPB				
Blue 6102013	1706	97-W00760-5	20 PPB				
Blue 85013	14423	97-W00760-6	20 PPB				
Blue 7027013	3118	97-W00760-7	20 PPB				
Blue 7027013	3860	97-W00760-8	20 PPB				
Blue 7027013	3755	97-W00760-9	20 PPB				
Blue 5290013	6366	97-W00760-10	20 PPB				
Blue 5290013	3875	97-W00760-11	20 PPB				
Blue 5290013	3018	97-W00760-12	20 PPB				
Blue 5290013	3695	97-W00760-13	20 PPB				
White 7189010	211471	97-W00760-14	20 PPB				
White 7189010	211456	97-W00760-15	20 PPB				
White 7189010	214448	97-W00760-16	20 PPB				
White 7189010	211554	97-W00760-17	20 PPB				
White 7189010	211617	97-W00760-18	20 PPB				
White 7189010	211723	97-W00760-19	20 PPB				
White C7189010	211803	97-W00761-1	30 PPB				
White C7189010	211131	97-W00761-2	30 PPB				
White C7189010	214581	97-W00761-3	30 PPB				
White C7189010	211195	97-W00761-4	30 PPB	Lilienthal E.S.	25		
White C7189010	211458	97-W00761-5	30 PPB				
White C7189010	211203	97-W00761-6	30 PPB				
White C7189010	214780	97-W00761-7	30 PPB				
White C7189010	211815	97-W00761-8	30 PPB				

Sheet1

		SFUSD Spike Samples					
LOT #	Bottle ID #	Spike ID #	Spike Level	School Name	Sample #	Lab Value	Lab Name
White C7189010	211586	97-W00761-9	30 PPB				
White C7189010	211435	97-W00761-10	30 PPB	Elk Park C.C.	18		
White C7189010	211521	97-W00761-11	30 PPB				
White C7189010	211877	97-W00761-12	30 PPB				
White C7189010	211374	97-W00761-13	30 PPB				
White C7189010	211962	97-W00761-14	30 PPB				
White C7189010	211306	97-W00761-15	30 PPB				
White C7189010	211571	97-W00761-16	30 PPB				
White C7189010	214802	97-W00761-17	30 PPB				
White C7189010	211769	97-W00761-18	30 PPB				
White C7189010	211441	97-W00761-19	30 PPB				
White C7189010	211205	97-W00765-1	50 PPB				
White C7189010	211939	97-W00765-2	50 PPB				
White C7189010	214475	97-W00765-3	50 PPB				
White C7189010	211214	97-W00765-4	50 PPB				
White C7189010	214528	97-W00765-5	50 PPB				
White C7189010	211380	97-W00765-6	50 PPB				
White C7189010	211376	97-W00765-7	50 PPB				
White C7189010	211384	97-W00765-8	50 PPB				
White C7189010	211363	97-W00765-9	50 PPB				
White C7189010	211362	97-W00765-10	50 PPB				
White C7189010	211367	97-W00765-11	50 PPB				
White C7189010	211366	97-W00765-12	50 PPB				
White C7189010	211361	97-W00765-13	50 PPB				
White C7189010	211378	97-W00765-14	50 PPB				
White C7189010	211364	97-W00765-15	50 PPB				
White C7189010	211365	97-W00765-16	50 PPB				
White C7189010	211377	97-W00765-17	50 PPB				
White C7189010	211240	97-W00765-18	50 PPB				
White C7189010	211250	97-W00765-19	50 PPB				
White PC950-1000	No ID #	97-W00771-1	10 PPB				
White PC950-1000	No ID #	97-W00771-2	10 PPB				
White PC950-1000	No ID #	97-W00771-3	10 PPB				
White PC950-1000	No ID #	97-W00771-4	10 PPB				
White PC950-1000	No ID #	97-W00771-5	10 PPB				
White PC950-1000	No ID #	97-W00771-6	10 PPB				
White PC950-1000	No ID #	97-W00771-7	10 PPB				
White PC950-1000	No ID #	97-W00771-8	10 PPB				
White PC950-1000	No ID #	97-W00771-9	10 PPB				
White PC950-1000	No ID #	97-W00771-10	10 PPB				
White PC950-1000	No ID #	97-W00771-11	10 PPB				

Sheet1

SFUSD Spike Samples

LOT #	Bottle ID #	Spike ID #	Spike Level	School Name	Sample #	Lab Value	Lab Name
White PC950-1000	No ID #	97-W00771-12	10 PPB				
White PC950-1000	No ID #	97-W00771-13	10 PPB				
White PC950-1000	No ID #	97-W00771-14	10 PPB				
White PC950-1000	No ID #	97-W00771-15	10 PPB				
White PC950-1000	No ID #	97-W00771-16	10 PPB				
White PC950-1000	No ID #	97-W00771-17	10 PPB				
White PC950-1000	No ID #	97-W00771-18	10 PPB				
White PC950-1000	No ID #	97-W00771-19	10 PPB				
White PC950-1000	No ID #	97-W00774-1	20 PPB				
White PC950-1000	No ID #	97-W00774-2	20 PPB				
White PC950-1000	No ID #	97-W00774-3	20 PPB				
White PC950-1000	No ID #	97-W00774-4	20 PPB				
White PC950-1000	No ID #	97-W00774-5	20 PPB				
White PC950-1000	No ID #	97-W00774-6	20 PPB				
White PC950-1000	No ID #	97-W00774-7	20 PPB				
White PC950-1000	No ID #	97-W00774-8	20 PPB				
White PC950-1000	No ID #	97-W00774-9	20 PPB				
White PC950-1000	No ID #	97-W00774-10	20 PPB				
White PC950-1000	No ID #	97-W00774-11	20 PPB				
White PC950-1000	No ID #	97-W00774-12	20 PPB				
White PC950-1000	No ID #	97-W00774-13	20 PPB				
White PC950-1000	No ID #	97-W00774-14	20 PPB				
White PC950-1000	No ID #	97-W00774-15	20 PPB				
White PC950-1000	No ID #	97-W00774-16	20 PPB				
White PC950-1000	No ID #	97-W00774-17	20 PPB				
White PC950-1000	No ID #	97-W00774-18	20 PPB				
White PC950-1000	No ID #	97-W00774-19	20 PPB				
White PC950-1000	No ID #	97-W00776-1	100 PPB				
White PC950-1000	No ID #	97-W00776-2	100 PPB				
White PC950-1000	No ID #	97-W00776-3	100 PPB				
White PC950-1000	No ID #	97-W00776-4	100 PPB				
White PC950-1000	No ID #	97-W00776-5	100 PPB				
White PC950-1000	No ID #	97-W00776-6	100 PPB				
White PC950-1000	No ID #	97-W00776-7	100 PPB				
White PC950-1000	No ID #	97-W00776-8	100 PPB				
White PC950-1000	No ID #	97-W00776-9	100 PPB				
White PC950-1000	No ID #	97-W00776-10	100 PPB				
White PC950-1000	No ID #	97-W00776-11	100 PPB				
White PC950-1000	No ID #	97-W00776-12	100 PPB				

Forensic Analytical Sheet1

SET 1				
White Cap		97-W00872	0	
White Cap		97-W00878-1	10 PPB	
White Cap		97-W00876-1	30PPB	
SET 2				
White Cap		97-W00871	0	
White Cap		97-W00877-1	10 PPB	
White Cap		97-W00875-1	30PPB	
SET 3				
White Cap		97-W00869	0	
White Cap		97-W00878-2	10 PPB	
White Cap		97-W00876-2	30PPB	
SET 4				
White Cap		97-W00870	0	
White Cap		97-W00877-2	10 PPB	
White Cap		97-W00875-2	30PPB	

San Francisco Office: 3777 Depot Road, Suite 409, Hayward, California 94545 • Telephone: 510/887-8828 800/827-FASI Fax: 510/887-4218
Los Angeles Office: 2959 Pacific Commerce Drive, Rancho Dominguez, California 90221 • Telephone: 310/763-2374 Fax: 310/763-8684

2

SAN FRANCISCO PUBLIC LIBRARY
3 1223 06010 1913